

Document downloaded from:

<http://hdl.handle.net/10251/194480>

This paper must be cited as:

Ferrando-Rocher, M.; Herranz Herruzo, JI.; Valero-Nogueira, A.; Baquero Escudero, M. (2022). Half-Mode Waveguide Based on Gap Waveguide Technology for Rapid Prototyping. IEEE Microwave and Wireless Components Letters. 32(2):117-120.
<https://doi.org/10.1109/LMWC.2021.3119534>



The final publication is available at

<https://doi.org/10.1109/LMWC.2021.3119534>

Copyright Institute of Electrical and Electronics Engineers

Additional Information

2022 IEEE. Personal use of this material is permitted. Permission from IEEE must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collective works, for resale or redistribution to servers or lists, or reuse of any copyrighted component of this work in other works.

Half-Mode Waveguide based on Gap Waveguide technology for rapid prototyping

Miguel Ferrando-Rocher, *Member, IEEE*, Jose I. Herranz-Herruzo, *Member, IEEE*,
Alejandro Valero-Nogueira, *Senior Member, IEEE*, and Mariano Baquero-Escudero, *Senior Member, IEEE*,

Abstract—In this letter, a half-mode waveguide based on Gap Waveguide (GW) technology for rapid prototyping is explored. Two devices have been designed and measured for demonstration purposes: a power divider and a curved waveguide. Both devices are constructed from two non-contacting metal pieces. Both devices also follow the same design process. In the bottom piece a horizontally-polarized groove gap waveguide is housed. The height of the groove is about half that is required to propagate the fundamental mode. The top cover is a uniform pinned surface that acts as a High Impedance Surface (HIS) over the groove below. Both, the power divider and the curved waveguide show measured reflection coefficient values of less than -15 dB in the bandwidth of interest (28 to 31 GHz) and are in excellent agreement with simulated results. These devices stand out for their ease of fabrication and open a horizon for cheaper and more robust GW designs for mass production.

Keywords—Groove gap waveguide, Half mode Waveguide, millimeter-wave devices. rapid prototyping,

I. INTRODUCTION

There is a high demand for Ku- and Ka-band antennas and devices for high throughput satellite systems (HTS) and the new LEO satellite constellations. In this context, devices with small dimensions and low losses at millimeter-wave frequencies are often required. In search for new solutions that favor greater ease of integration, scalability and robustness of these devices, the possibility of having narrower waveguides, adjusted to half TE_{10} mode of the rectangular waveguide is explored. This new waveguide is completely equivalent to the conventional full waveguide. It consists in simply replacing half waveguide with a high impedance surface (HIS) that behaves as a perfect magnetic conducting plane (PMC). The HIS surface is created with a perfect conductive metal and a set of pins approximately one-quarter of wavelength high. It represents a particular case of Gap Waveguide (GW) technology [1]–[3]. GW has proven to be an appropriate technique in the millimeter band to assemble all kinds of devices, from filters [4], [5] or transitions [6] to multiband antennas [7], [8].

Typically, in GW the groove that forms the waveguide is embedded in the bed of nails, all in the same piece, as seen in the left scheme of Fig. 1. Thus, any bends, curves or transitions in the groove will affect the colliding pins, making




Fig. 1: Different topologies of Groove Gap Waveguides (GGW). Left figure, conventional horizontally-polarized GGW; right figure, Half-Mode Waveguide based on GW.

them narrower, thinner or more fragile. Another option is to reconfigure the periodicity of the pins, or their width to avoid these manufacturing problems, but these readjustments are not immediate and are only valid for particular solutions. The alternative we propose in this letter is to machine the waveguide and the HIS created from a bed of nails in separate pieces. The key GW benefit of not requiring metallic contact between pieces is used here. The advantage of this approach is that the machining complexity is simplified with respect to pieces where the feeding networks, cavities, bends or transitions are housed next to the pins. With this proposal, the manufacture of the pieces is very much relaxed since on the one hand it is enough to make the groove on a metal plate and on the other hand, the HIS part can be standard and reused in other circuits.

Interesting theoretical work was presented in the past addressing this half-mode configuration [9], [10], but to date, at least to the knowledge of these authors, its actual possibilities in manufactured GW devices have not been studied yet. In this letter we demonstrate the feasibility of the concept by means of a narrowband 1-to-2 power divider and a curved waveguide. Sections II, III and IV below present some design criteria, experimental results and conclusions, respectively.

II. DESIGN CRITERIA

A. Waveguide dispersion with half-mode TE_{10}

This section details the guidelines for working with a Half-Mode Groove Gap Waveguide (HM-GGW). Firstly, the dispersion diagram of a HM-GGW is analyzed. The following data is used for the design of the waveguide: center frequency (f_0) of 30 GHz and cutoff frequency (f_c) of 22 GHz, which sufficiently far away from the design frequency band. With these criteria, the pin height is calculated, which should be

This work was supported by the Ministry of Science and Innovation through the project PID2019-107688RB-C22. Miguel Ferrando-Rocher, Jose I. Herranz-Herruzo, Alejandro Valero and Mariano Baquero are with Antennas and Propagation Lab of UPV, Valencia, Spain. (Corresponding author: miguel.ferrando@ua.es.)




Fig. 2: Cross section of the waveguide and defined boundary conditions to calculate the dispersion diagram. The pink outline indicates air (X-axis); yellow, periodic conditions (Y-axis); green, an electrical wall (Z-axis).




Fig. 3: TE₁₀ Half-Mode Waveguide dispersion diagram using Gap Waveguide technology.

around $\lambda/4$ at the operating frequency, i.e., 2.5 mm, although this is a parameter that may be slightly tunable. Extensive studies of the influence of pin height have been addressed in the past [11], [12].

The full waveguide height is calculated from the chosen cut-off frequency, resulting in 7 mm. As seen in Fig. 1, the HM-GGW uses only half of that height, in this case 3.5 mm. Once the dimensions of the HM-GGW have been obtained, the magnetic wall to be placed on it must be designed. This wall is synthesized using the usual square cross-section pins employed in GW technology.

Next, the air gap between the pins and the bottom part containing the half waveguide is defined. It typically ranges from $\lambda/20$ to $\lambda/50$. Larger air gaps are valid and can be used without risk of field leakage as long as they are smaller than $\lambda/4$. With these final dimensions (Fig. 2), the dispersion diagram of the waveguide is obtained. It is shown in Fig. 3. As can be seen lower and upper modes appear, as well as a typical dispersion curve of the mode of interest along the working band. Interestingly, that single mode in the band of interest has a dispersion diagram similar and therefore similar wide bandwidth to that of the full-height GGW.

B. 1-to-2 power divider

A top view schematic drawing of the bottom piece, which has overall dimensions of $50 \times 50 \times 7$ mm, is shown in Fig. 4a. The input ports are located at the rear, being their dimensions $7.112 \text{ mm} \times 3.556 \text{ mm}$. A matching step to adapt the input slot to the WR-28 has been used. This transition leads to a narrowband performance.




Fig. 4: Schematic drawings and relevant dimensions of the devices: (a) 1-to-2 power divider and (b) and detail of the dimensions of the power divider slit. (c) Curved waveguide and (d) detail of the dimensions of the input slits.




Fig. 5: E-field distribution of the TE₁₀ HM-GGW.




Fig. 6: Simulated S-parameters of input port transitions: (a) power divider and (b) curved-waveguide.

Then, a perfect magnetic wall is used on the top of Fig. 4a, instead of the pins, to speed up the design and optimization process. Thus, the boundary conditions used are electrical walls in all directions except for the top magnetic wall. Fig 4c shows the dimensions of the optimized divider. With a slit width of 5.7 mm, length 1 mm and depth identical to the half of a waveguide (3.5 mm), a good input impedance, obtaining a reflection coefficient below -15 dB in a bandwidth greater than 10% (28 to 31 GHz), is achieved. The next step is to replace that ideal magnetic wall with a real structure, in this case the GW bed of nails, which it will behave as a HIS.




Fig. 7: (a) Curved waveguide assembled, with the cover slipped and (b) assembled power divider. The bottom piece of each prototype is as shown in Figs. 4, the top piece is a uniform bed of nails. Between the two pieces there is a $200 \mu\text{m}$ air gap.




Fig. 8: Measured S-parameters of the 1-to-2 power divider and of the curved waveguide: (a) Reflection coefficient and (b) transmission coefficient. (c) Reflection coefficient and (d) transmission coefficient.

C. Curved waveguide

A second device is proposed to demonstrate the feasibility of HM-GGW. Since the pins of the bed of nails are arranged in a square grid in X and Y, a straight groove always sees pins aligned with respect to the central axis. Now, a curved waveguide crosses the surface at different angles. This will prove that the relative position of the top lid would not alter the overall performance of the prototypes.

Note that the HIS cover to be used for this prototype is the same as the previous one. A schematic of this waveguide and its relevant dimensions is shown in Figs. 4b and 4d. Likewise, the conditions for simulating the structure are the same as those described above for the power divider. The dimensions of the input port are $1.3 \text{ mm} \times 5.9 \text{ mm}$. Finally, the width and length of the capacitive windows (slit_a and slit_b) are $0.7 \text{ mm} \times 1 \text{ mm}$ and $1.5 \text{ mm} \times 0.5 \text{ mm}$, respectively.

TABLE I: Comparison of groove gap power dividers with a back feed port

	Band Size	$S_{11} < -10$ dB	$S_{11} < -15$ dB	Mean IL (dB)	Waveguide Type
[13]	V 1×64	16%	14%	n/a	GGW (Sim.)
[14]	Ka 1×2	16%	8%	0.22	GGW
[15]	Ka 1×4	15%	7%	0.25	GGW
This work	Ka 1×2	13.6%	11.4%	0.25	HM-GGW

III. EXPERIMENTAL RESULTS

In this section the simulated and experimental results of both manufactured devices are presented. Fig. 5 shows the simulated E-field distribution of the HM-GGW in the power divider. Besides, Fig. 6 shows the S-parameters of the transitions used in the power-divider and the curved waveguide. Fig. 7a shows the manufactured curved waveguide, there the bed of nails used as a cover is slipped. The same lid has been used to assemble also the 1-to-2 power divider (Fig. 7b). Note that only four screws are used to join both structures.

Fig. 8a shows the measured reflection coefficient for the 1-to-2 power divider which remains below -15 dB. This threshold obtained is equal to those obtained with the ideal magnetic wall in simulation. Likewise, Fig. 8c shows the reflection coefficient for the curved waveguide.

Regarding the power-divider transmission coefficients (Fig. 8b), it is observed that the values range from -3.3 dB to -3.2 dB. The curved waveguide has an average insertion loss (IL) of 0.35 dB (Fig. 8d). In both devices the agreement between simulations and measurements is very good for the reflection coefficient, along with the S_{21} and S_{31} of the power divider. As for the transmission coefficient of the curved waveguide, a slight decay of the insertion loss of 0.1 dB is observed compared with the simulation. Either way, the insertion loss is less than 0.4 dB in both prototypes, which demonstrates that despite the air gap between the pieces, the wave is propagated through the half-mode waveguide without leakage. Finally, Table I shows a comparison of these results with other state-of-the-art similar works that used conventional GGW instead of this novel HM-GGW.

IV. CONCLUSIONS

A power divider and a curved waveguide employing half-mode TE_{10} waveguide based on GW have been presented for rapid prototyping in this technology. The devices are constructed from two non-contact metal parts. The bottom piece houses the horizontally-polarized GGW. This piece is equivalent to one half of an E-plane waveguide. To achieve propagation, the top cover is a uniform surface with pins that acts as a HIS over the bottom plate. The measurements of these demonstrators serve to validate the HM-GGW. Besides, the HM-GGW is not restricted to the prototypes here presented, but other devices such as filters, diplexers or couplers are likely feasible with this waveguide. Future lines of research should also study wideband prototypes to confirm their usefulness in a multitude of devices.

REFERENCES

- [1] P.-S. Kildal, E. Alfonso, A. Valero-Nogueira, and E. Rajo-Iglesias, "Local metamaterial-based waveguides in gaps between parallel metal plates," *IEEE Antennas and wireless propagation letters*, vol. 8, pp. 84–87, 2008.
- [2] P.-S. Kildal, A. U. Zaman, E. Rajo-Iglesias, E. Alfonso, and A. Valero-Nogueira, "Design and experimental verification of ridge gap waveguide in bed of nails for parallel-plate mode suppression," *IET Microwaves, Antennas & Propagation*, vol. 5, no. 3, pp. 262–270, 2011.
- [3] M. Ferrando-Rocher, A. Valero-Nogueira, J. I. Herranz-Herruzo, A. Berenguer, and B. Bernardo-Clemente, "Groove gap waveguides: A contactless solution for multilayer slotted-waveguide array antenna assembly," in *2016 10th European Conference on Antennas and Propagation (EuCAP)*. IEEE, 2016, pp. 1–4.
- [4] A. Berenguer, V. Fusco, M. Ferrando-Rocher, and V. E. Boria, "A fast analysis method for the groove gap waveguide using transmission line theory," in *2016 10th European Conference on Antennas and Propagation (EuCAP)*. IEEE, 2016, pp. 1–5.
- [5] M. Baquero-Escudero, A. Valero-Nogueira, M. Ferrando-Rocher, B. Bernardo-Clemente, and V. E. Boria-Esbert, "Compact combline filter embedded in a bed of nails," *IEEE Transactions on Microwave Theory and Techniques*, vol. 67, no. 4, pp. 1461–1471, 2019.
- [6] M. Ferrando-Rocher, D. Sánchez-Escuderos, J. I. Herranz-Herruzo, and A. Valero-Nogueira, "Design of broadband gap waveguide transitions for millimeter-wave antenna arrays," in *2018 48th European Microwave Conference (EuMC)*. IEEE, 2018, pp. 1521–1524.
- [7] M. Ferrando-Rocher, A. Valero-Nogueira, J. I. Herranz-Herruzo, and A. Berenguer, "V-band single-layer slot array fed by ridge gap waveguide," in *2016 IEEE International Symposium on Antennas and Propagation (APSURSI)*. IEEE, 2016, pp. 389–390.
- [8] M. Ferrando-Rocher, J. I. Herranz-Herruzo, A. Valero-Nogueira, and B. Bernardo-Clemente, "Full-metal k-ka dual-band shared-aperture array antenna fed by combined ridge-groove gap waveguide," *IEEE Antennas and Wireless Propagation Letters*, vol. 18, no. 7, pp. 1463–1467, 2019.
- [9] E. Tahanian and G. Dadashzadeh, "A novel gap-groove folded-waveguide slow-wave structure for g-band traveling-wave tube," *IEEE Transactions on Electron Devices*, vol. 63, no. 7, pp. 2912–2918, 2016.
- [10] A. Polemi, E. Rajo-Iglesias, and S. Maci, "Analytical dispersion characteristic of a gap-groove waveguide," *Progress In Electromagnetics Research*, vol. 18, pp. 55–72, 2011.
- [11] E. Rajo-Iglesias, M. Ferrando-Rocher, and A. U. Zaman, "Gap waveguide technology for millimeter-wave antenna systems," *IEEE Communications Magazine*, vol. 56, no. 7, pp. 14–20, 2018.
- [12] M. F. Rocher, "Gap waveguide array antennas and corporate-feed networks for mm-wave band applications," Ph.D. dissertation, Universitat Politècnica de València, 2018.
- [13] A. Farahbakhsh, D. Zarifi, A. Zaman, and P.-S. Kildal, "Corporate distribution networks for slot array antenna based on groove gap waveguide technology," in *2016 10th European Conference on Antennas and Propagation (EuCAP)*. IEEE, 2016, pp. 1–3.
- [14] A. Tamayo-Domínguez, J.-M. Fernández-González, and M. Sierra-Pérez, "Groove gap waveguide in 3-d printed technology for low loss, weight, and cost distribution networks," *IEEE Transactions on Microwave Theory and Techniques*, vol. 65, no. 11, pp. 4138–4147, 2017.
- [15] A. Tamayo-Domínguez, J.-M. Fernandez-Gonzalez, and M. Sierra-Perez, "Metal-coated 3d-printed waveguide devices for mm-wave applications [application notes]," *IEEE Microwave Magazine*, vol. 20, no. 9, pp. 18–31, 2019.