

Document downloaded from:

<http://hdl.handle.net/10251/89693>

This paper must be cited as:

Aznar, B.; Pellicer Armiñana, E.; Davis, S.; Ballesteros Pérez, P. (2017). Factors Affecting Contractor's Bidding Success for International Infrastructure Projects in Australia. *Journal of Civil Engineering and Management*. 23(7):880-889. doi:10.3846/13923730.2017.1341955



The final publication is available at

<http://dx.doi.org/10.3846/13923730.2017.1341955>

Copyright

Additional Information

FACTORS AFFECTING CONTRACTOR'S BIDDING SUCCESS FOR INTERNATIONAL INFRASTRUCTURE PROJECTS IN AUSTRALIA

Beltrán AZNAR^a, Eugenio PELLICER^{a*}, Steven DAVIS^b, Pablo BALLESTEROS-PÉREZ^c

^a *School of Civil Engineering, Universitat Politècnica de València, Camino de Vera s/n, 46022, Valencia, Spain.*

^b *School of Civil and Environmental Engineering, University of New South Wales, Kensington Campus, NSW 2052 Sidney, Australia.*

^c *School of Construction Management and Engineering, University of Reading, Whiteknights, Reading RG6 6AW, United Kingdom.*

* E-mail: pellicer@upv.es (corresponding author)

Abstract. This paper examines the effects of different factors on the success or failure of bids for infrastructure projects in Australia. Logistic regression analysis was used to empirically determine which factors have the largest effect on bidding success. Data was collected from 123 bids submitted by several infrastructure companies with subsidiaries in Australia. The analysis found that having a competitive advantage and a local partner, and also not competing against a local company were the most important factors; as they significantly increase the chances of success. However, other factors like having expertise, resource availability, a previous relationship with the client as well as with consortium members are 'essential' to be able to compete; as the absence of any of these four factors means bid failure, although having them is not a guarantee of success. Results of this paper provide valuable information for any company considering the opportunity of entering into a developed country's infrastructure market as well as for companies that are already present in a country and are considering whether to bid for a specific project. The limitation of this paper is that it is based on data based in a single foreign country.

Keywords: auction; Australia; bid; consortium; contractor; infrastructure project; international project; subsidiary company.

Introduction

One of the most important and recurring decisions made by contractors in the construction industry is whether to bid or not to bid for a new project (Dzeng and Wang 2016). Not bidding for a project that could be won results in losing an opportunity to make profit, improve market position, and strengthen relationships with other stakeholders (Pellicer et al. 2014). On the other hand, bidding for a project that is not likely to be won results in loss of time, money and effort, important resources that could have been used for a better option (Bageis and Fortune 2009). Moreover, continually losing bids could result in a bad reputation (Lin and Chen 2004).

The decision to bid is a process involving multiple objectives as well as many internal and external factors, many more when it involves construction companies trying to get contracts in an international context (Mosley and Bubshait 2016). Therefore, in order to improve the bidding decision aiming at increasing the chances of winning more contracts, it is necessary to understand how these factors affect the success of the bid.

Numerous researchers have studied this topic (e.g., Ahmad and Minkarah 1988; Shash 1993; Chua and Li 2000; Wanous et al. 2000; Egemen and Mohamed 2007; Shokri-Ghasabeh and Chileshe 2016). However, these researchers did not empirically investigate the link between the factors and the bidding result. Mostly, these studies tried to explain the decision to bid and/or to anticipate the bidding success by: (1) selecting the most important factors using a questionnaire survey; (2) conducting interviews with experts to learn more about the relationship among the factors; or (3) designing models using different techniques. Among these techniques we can find parametric analysis (Wanous et al. 2000), artificial neural network (Wanous et al. 2003), adaptive neuro fuzzy network (Polat et al. 2014), knowledge-based software (Egemen and Mohamed 2007), fuzzy linguistic approach (Lin and Chen 2004), data envelopment analysis (El-Mashaleh 2010), logit models (Oo et al. 2007 and 2008), and multiple forms of statistical analyses (Lowe and Parvar 2004; Ballesteros-Pérez et al. 2014, 2015a, 2016a, 2016b) to cite some.

Likewise, under different jurisdictions, most public international procurement laws and guidelines (e.g. European Union 2004; United Nations 2006, World Bank 2011; EuropeAID 2014) follow one of two main contract awarding approaches, namely: a price-only (lowest price) criterion or weighted multiple criteria (economically most advantageous tender, EMAT according to the European Union terminology, or best value, BV, according to the United States terminology) (Dini et al. 2006; Ballesteros-Pérez et al. 2015b). Generally, the lowest price is recommended when the focus of the project, technical specifications, and bill of quantities are well-defined (Dini et al. 2006) or when the risk of corruption is too high (Shan et al. 2015). On the other hand, a weighted multiple criteria approach is used when the evaluation requires a number of criteria other than price to be considered and balanced in order to ensure best value for money (Scott et al. 2006); these auctions are often called multi-attribute or multidimensional (Ballesteros-Pérez et al. 2015c). The need for weighting and scoring economic criteria or price-related factors (e.g., life-cycle costs, cost of maintenance, or decommission costs) along with technical criteria (e.g., compliance, time, availability, or quality) is because they are part of a mathematical expression that determines

(theoretically) the best return on investment of the procurement of goods, works or services for the owner (Asker and Cantillon 2010).

Within this context, this research aims to determine empirically which factors affect contractors' bidding outcomes (success or failure) in a situation where foreign companies bid for jobs in another country. Despite that, this study will be focused in projects from a single country (Australia), it represents one of the few attempts to measure empirically the importance (degree of influence) of different bidding-related factors in the probability of winning a bid, an issue that, as stated above, has been mostly studied by survey questionnaires and interviews so far.

The goal will be achieved by analyzing 123 auctions of Australian infrastructure projects (awarded by means of a weighted multiple criteria approach) from the perspective of foreign construction companies that are trying to get a share of the market. The research will be carried out through several steps. First, the sources of data as well as an explanation of the research method will be provided. Then, the authors will elaborate a short list of factors from the literature review; these factors will be then screened and expanded later using an expert panel. Then, the authors will select the appropriate model to relate the bidding factors to the bidding outcomes, in this case by means of a logistic model. Later, this model will be fed with actual data from the 123 auctions. The results obtained will be analyzed and discussed. Finally, some relevant contributions, limitations and recommendations will be drawn.

1. Source of data

One hundred and twenty three (123) auctions corresponding to large infrastructure projects, in which 19 international companies participated, were gathered. Due to confidentiality reasons, the name of these companies as well as any other sensitive data will not be revealed. The companies are international construction companies in the following sectors: energy, infrastructure, transport, supply chain and public services. All these companies have international presence, having revenues of at least \$700 million per year. Companies like these are continuously trying to access new markets, hence, looking for international opportunities.

Australia was one of the preferred target countries for their expansion. The Australian Government has committed to reform the country's infrastructure taking into account the collaboration of private enterprises (Infrastructure Australia 2016), with more than \$50 billion towards enhancing infrastructure across the country from 2013 to 2020 and beyond. The plan considers projects of \$20 million and above (DIRD 2016). The Australian economy shares many traits with other highly developed economies, such as the US, so it is believed that the conclusions of the present study can be generalized to most developed countries.

2. Research method

The research was carried out through two main stages: (1) theoretical and methodological, and (2) empirical. The first stage was the theoretical and methodological stage, where the authors analyzed the existing bidding literature in order to understand the problem at hand. Furthermore, this exploration allowed making decisions regarding the research design, mainly in order to choose the proper statistic tools to perform the analysis of the auction dataset. The second stage was the empirical analysis of the data. First, the main factors which according to previous contributions affect the outcomes of a weighted multiple criteria auction were obtained and summarized in Table 1. Later, an expert panel was used to check these factors. After the data was gathered, the statistical analyses were performed: cross-tabulation and logistic regressions (individual and multi-factor). Finally, the results were examined and discussed, and conclusions drawn.

2.1. Variables identification

Several investigations have been carried out by previous researchers trying to determine the most meaningful factors (variables) in the procurement process. In this research, the factor selection was performed under two premises: (1) the factors needed to be measurable quantitatively (or adaptable to a quantitative scale); and (2) the factors should describe the characteristics of a specific auction or a company, not a country.

Proceeding this way, Ahmad and Minkarah (1988) surveyed more than 400 construction contractors in the United States. Investigating the factors influencing the bidding decision they found that the most important factors were the type of project, the type of owner and the availability of subcontractors. Shash (1993) performed a similar study mailing a questionnaire to 300 top contractors in the United Kingdom, identifying the need for work, the number of competitors in the auction, the experience of the bidder, and the difficulty and risk of the project as the four factors that affect the contractor's decision to bid for a project. It is also worth mentioning the contribution of Lowe and Parvar (2004) who gathered information from past bid opportunities from a British contractor and proposed a prediction model. The factors that they included in the analysis were divided into seven categories: opportunities, resources, project relationships, project procedures, project characteristics, risks, and competitive advantage. In a similar direction, Tiong and Alum (1997), as well as Chua and Liu (2000), highlighted the importance of competitive advantage as a key factor for winning a bid.

On the other hand, Wanous et al. (2000 and 2003) performed a questionnaire survey followed by interviews to six expert contractors, dividing 34 factors into positive and negative with respect to the Syrian construction market. Ling et al. (2005) surveyed and interviewed international firms working in China; their results showed that establishing a wholly owned subsidiary, adopting a differentiation strategy by providing a better service, and client satisfaction were the most important positive factors. Egemen and Mohamed (2005, 2007) surveyed 80 contractors from Northern Cyprus and Turkey, identifying the key determining factors and their importance weight for the bid/no bid and the mark-up size decision. They found that the importance for different factors varies greatly according to the contractor size. In a similar study developed in Saudi Arabia, Bageis and Fortune (2009) indicated that the most critical factors are the size and characteristics of the contractor and the type of owner. Enshassi et al. (2010) discovered that financial capability (of contractor and owner), project value, resources availability and stability of the construction industry were the key factors in Palestine.

From another point of view, Watt et al. (2010) carried out a research in order to identify the relative importance of criteria used by the clients to determine the preferred supplier or contractor. Their results indicated that past project performance, technical expertise and cost are the most important criteria in an actual choice of contractor. Jarkas (2013) remarked on the significance of the owner, project size and duration, and experience in the context of Kuwait. Two studies stated the importance of the project type in the bidding decision process: Leśniak and Plebankiewicz (2014) in Poland, and Ye et al. (2014) in China. Moreover, Shokri-Ghasabeh and Chileshe (2016), in their survey of 81 Australian construction companies, indicated that the key factors were the client financial situation, project risk and value, and the number of competitors. On the other hand, the contractor's financial situation, the project duration and the resource availability were not considered important by the participants. This partially contradicts the work of Aje et al. (2016) who stated that resources availability and project value are the key issues to win an auction in Nigeria.

Table 1 summarizes these contributions dealing with bidding success factors. However, all these studies addressed the problem by means of questionnaire surveys or interviews. In this paper a quantitative empirical approach is adopted in order to contrast whether those factors really condition (and to what extent) the bidding success. As the scope is too wide however, the focus of this study is limited to international companies bidding for infrastructure projects in Australia.

<TABLE 1 HERE>

In Table 1, the variables "Project value" and "Project duration" are continuous, whereas the others are categorical. These variables answered the following questions:

- Subsidiary: Did the company have an office in the state where the bid is being submitted?
- Expertise: Did the company have previous experience in that type of project?
- Client: Did the company have a previous professional relationship with the owner?
- Consortium: Did the company work with the other members of the consortium before? (in this country or elsewhere)
- Competitive advantage: Was the company specialized in that type of project? (i.e., a tunneling project for a company recognized worldwide by its tunneling quality and capability)
- Resource availability: Did the company have enough human resources and equipment to accomplish the job?
- Project type: What kind of project was it?

2.2. Expert evaluation

After the elaboration of Table 1, some members from the bidding departments of the selected contractors with subsidiaries in Australia were interviewed to provide feedback about the validity of the factor selection. Table 2 provides the characterization of the interviewees. These interviews confirmed the factors included in Table 2. However, the interviewees provided two additional factors (variables) to the list: existence of a 'Local partner' and 'Local competitor'. The first (local partner) considered if the bidding consortium included a local company. The second factor (local competitor) took into account if there was any local company acting as a competitor in the auction. Both variables are, therefore, categorical.

<TABLE 2 HERE>

2.3. Data collection

With a list of potentially influential factors identified, data was collected from the internal database of 19 companies with subsidiaries in Australia that had been bidding on projects in Australia for up to ten years. These companies allowed full-access to their databases, facilitating easy collection and guaranteeing the quality of the information obtained. This analysis included the complete set of projects bid by these companies during their history in Australia. Furthermore, some data was obtained from Australian official websites such as Infrastructure Australia (2016) and the Department of Infrastructure and Regional Development (2016) to complete other relevant pieces of information.

As stated earlier, a total of 123 auctions were examined: 31 of the auctions were successful and 92 unsuccessful for the companies who bid for them. This means the selected companies were relatively successful ('average' success rate around

25%) as average companies in the sector have a success rates around 10% (Weber et al. 2000). For the categorical variables in Table, “1” means “yes” to the questions previously stated, whereas “0” means “no”. Now that the variables are identified and the data collected, the next section will describe the statistical analyses performed.

3. Statistical analysis and discussion of results

After analyzing the previous research designs used by other authors, regression analysis was selected as the most appropriate for this research. Logistic regression analysis is used in diverse fields such as medicine, social sciences, economics and also engineering (Harrell 2001). Generally, this technique is used for predicting the probability of failure (or alternatively success) of a given process, system, product or phenomenon. Particularly, logistic regression allows the possibility of providing an efficient study of the relation between the factors (independent variables) and the bid outcome (dependent variable), considering that the independent variables can be a mixture of continuous and categorical variables, that they might not be nicely distributed, and that the dependent variable itself is also categorical (Harrell 2001). For a logistic regression, the predicted dependent variable is a function of the probability that a particular subject will be in one of different categories, in this case: successful bid (contractor awarded) or unsuccessful bid (contractor not awarded).

Concerning the data structure, despite there seeming to be no agreement yet concerning the minimum number of Events Per Variable, EPV (in this case ‘bidding successes’) (Courvoisier et al. 2011), a minimum number of ten EPV is generally adopted in practice to avoid bias in the logistic regression coefficients (Peduzzi 1996, Harrell 2011). This means that when analyzing imbalanced auction datasets like the one used here (because the probability of success is lower than the probability of winning), only logistic regression models with up to three independent variables are expected to provide reliable results. As will be seen later, this will be the case for the best logistic model found in this study.

Data analyses were undertaken using the Statistical Package for the Social Sciences IBM SPSS Statistics 20. Particularly, three analyses were developed: (1) cross-tabulation (or contingency tables) analyses for each item to provide a deeper understanding of the relation factor-success; (2) individual logistic regressions to obtain an overview of the significance of each factor in the success of the auction; and (3) logistic regression analyses combining more than one factor, and using those factors found significant at the individual level. Results of these analyses, as well as the corresponding discussion of these results, are shown in the next sub-sections.

3.1. Cross-tabulation analysis

Cross-tabulation analysis is mainly used with categorical variables, allowing a deeper understanding of the individual relationship factor-outcome that provides the probability of success or failure for every factor. The statistical model that is being applied to analyze the factors is the binary logistic regression: the variables can only be explained as 1 or 0. Therefore, the continuous variables (“project value” and “project duration”) as well as the nominal variable (“project type”) have to be transformed to dichotomous. For the continuous variables, the mean for the 123 projects was obtained (873 M€ and 29 months respectively), and the project was categorized as “0” if it was below the mean, or “1” if it was above the mean. In the case of the variable “project type” the projects were classified as natural resources (“0”) if they were water or energy projects, and construction projects (“1”) if they were road, rail, hospital, tunnel or building projects.

Table 3 displays the cross-tabulation analysis for the 11 independent variables versus the dependent variable (success). For all of them there are 123 cases, except for the variable “consortium” for which ten projects are considered as missing cases. Due to this, these projects were obviously not analyzed for this factor individually.

<TABLE 3 HERE>

On analyzing Table 3, it can be seen that some variables do apparently affect the outcome. Initially, an independent variable has higher chances of being significant if most cases are concentrated in any of the diagonals:

- points (0,0) and (1,1), such in the case of the variables ‘Competitive advantage’ and ‘Local partner’; or in
- points (0,1) and (1,0), when the variable is formulated as negative (the occurrence of that variable is considered an adverse influence), such as happens with ‘Local competitor’.

Therefore, at a first glance, variables ‘Competitive advantage’, ‘Local partner’, ‘Local competitor’ might significantly condition the success or failure of a bid, whereas others like ‘Project value’ and ‘Subsidiary’ might also be moderately relevant. The effect of other variables, at this stage at least, is seemingly not that evident.

3.2. Individual logistic regressions

As the first part of the logistic modelling analysis, individual logistic regressions were developed. Table 4 shows the results of regression analysis for each individual factor (independent variable). From all factors only three turned out to be significant individually assuming a level of significance of 5%. These are, in order of significance: having a Local Partner, Competitive Advantage (both of which have a positive correlation) and Local Competitor (with a negative correlation). Note that the

significance is testing the null hypothesis that the individual parameter does not add extra predictive value beyond the model that ignores all factors: “always predict failure”, which is correct 75% of the time (because 92/123 bids failed). In fact the three variables mentioned above were the only dichotomous variables that could individually improve the model.

<TABLE 4 HERE>

For the consortia with a local partner, 50.0% were successful (29 out of 58 cases); on the other hand, when there was no local presence only 3.1% of the projects (2 out of 65 cases) were awarded. Having a competitive advantage seemed to be important, with an 89.1% of failure (74 out of 83 cases) when there was not. When there was no local competitor, 76.4% of the projects (13 out of 17 cases) were awarded. Furthermore, even though the rest of the factors were not classified as significant, important findings were also obtained from their study (see Table 3): expertise, resource availability, client and consortium relationship were necessary to have the possibility of winning, since 0% of the awarded projects lacked any of these factors. A subsidiary turned out to be important as well, as only 13.9% (5 out of 36 cases) of the projects where the company had no state subsidiary were successful. The project value, duration and type seemed to have no relationship with the auction outcome.

3.3. Multi-factor logistic regression

As the second part of the logistic modelling analysis, some multi-factor logistic regressions were developed. Different combinations of factors were investigated in order to study the interaction between them and with the auction outcome (the dependent variable with two possible outcomes: 1=success or 0=failure). The final model obtained implements a combination of the three significant factors: local partner, local competitor and competitive advantage. When combined with other variables to test other model configurations, the statistics for every variable change; for this reason, despite the final three variables being identical to the ones originally found significant, it is important to analyze them and confirm that they are still significant individually (as Table 5 shows below), and as a group (explained later).

<TABLE 5 HERE>

In this case the Wald statistic (fourth column) assesses the significance of the best coefficient values (B) found for the logistic regression model. This statistic corresponds to the ratio of the square of B to the square of the Standard Error (S.E.) and is asymptotically distributed as a chi-square distribution. Table 5 results show that the three independent variables, as well as the constant, were statistically significant (for an alpha of 0.05). Therefore, both having a local partner and having competitive advantage have positive correlation, while having a local competitor has negative correlation. These correlations are expressed in the second column (B) and correspond to the coefficient values for the logistic regression for predicting the dependent variable from each independent variable. They are in log-odds units and the prediction equation of the final model is:

$$\text{Log} \frac{p}{1-p} = -2.08 + 3.61 \cdot \text{Local partner} - 3.70 \cdot \text{Local competitor} + 2.66 \cdot \text{Comp. advantage} \quad (1)$$

where p is the probability of being successful.

These estimates describe the relationship between the independent variables and the dependent variable, where the dependent variable is on a logit scale. These estimates tell the amount of increase (or decrease, if the sign of the coefficient is negative) in the predicted log odds of success = 1 that would be predicted by a one unit increase (or decrease) in the predictor, holding all other predictors constant. Complementarily, we can also read the increase in the odds of success by looking at the values in column Exp(B). This way, the odds for bidding success when there is a local partner compared to when there is not increase 36.96 times holding the other variables constant. Similarly, the odds for bidding success when there is a local competitor versus when there is not, decrease by 98%. Finally, the odds increase for having competitive advantage increase by 14.25 times compared to when the bidder does not have a competitive advantage.

On the other hand, the -2 Log likelihood value resulted in a value of 63.712, which evidence a significantly better fit of the model including these three variables versus the model considering only the intercept (p-value=0.000). Cox and Snell R² (0.457) and Nagelkerke R² (0.676) coefficients account for between 45.7% and 67.6% of the variance, which means a moderate to good association between the dependent variable and the independent variables. Estimation terminated at iteration number 7 because parameter estimates changed by less than 0.001.

Furthermore, the overall (Omnibus) tests of the model coefficients are: 75.169 (chi-square test), 3 degrees of freedom and significance at 0.000. As the model is predictive of the bid success, the null hypothesis (that the model through the group of independent variables taken together with the constant) does not predict the likelihood of succeeding, can be rejected. In this case, the statistics for the Step, Model and Block are the same because no stepwise logistic regression or blocking has been used. Finally, Table 6 shows how many cases are correctly predicted (80 cases are observed to be 0 and are correctly predicted to be 0, whereas 28 cases are observed to be 1 and are correctly predicted to be 1), and how many cases are not correctly predicted (3 cases are observed to be 0 but are predicted to be 1; 12 cases are observed to be 1 but are predicted to be 0).

<TABLE 6 HERE>

This gives the overall percent of cases that are correctly predicted by the model (87.8%). It is the best overall percentage found so far, better than the ones obtained by every factor in the individual analysis, but in this case with combined factors, which

provides the model with a good predictive quality. In addition, this model shows a moderate to good association between the dependent variable and the independent variables. Also, it includes the three statistically significant variables. Therefore the model is accurate in nearly nine out of ten auctions when describing the success in the bidding outcome.

Conclusions

The decision to bid is one of the most important decisions for a construction firm, especially when starting a business in a new country and preparing those bids is more onerous than at home. Hence, it is important for the company to determine the most appropriate projects for which the firm should submit a bid with a minimum chance of success. This paper aims to facilitate this process by providing an overview of the relationship between individual conditioning factors and the bidding outcome. In addition, it develops a model to support the decision-making process.

A total of nine factors were selected from the literature review, supplemented with two factors from semi-structured interviews with experts. Even though only three of them turned out to be significant for the model (in order of significance: having a local partner, having competitive advantage and not competing against a local competitor), the study of the other factors provided interesting findings. In this sense, statistically non-significant factors like having the required technical expertise, resource availability, knowing the client from previous contracts and having previous relationship with the consortium members turned out to be 'absolutely' necessary in order to succeed in an international auction in Australia (their absence meant a bid failure, but having them does not guarantee success). Likewise, having a subsidiary in the state where the bid was submitted turned out to be almost always necessary, as only 13.9% of the projects that had no state subsidiary were successful. The project economic value, the project duration and the nature of works (project type), on the other hand, did not have any significant connection with the bid outcome.

Finally, a logistic regression model was proposed that included the three significant variables (local partner, competitive advantage and local competitor), demonstrating an overall prediction accuracy of 87.8%. The results of the investigation are promising, taking into account that no previous quantitative empirical studies of this nature have been made and the limited amount of data available.

The main limitation of this research is that it is based on data from a single country, Australia. Even though 123 projects were analyzed, variables such as project value, duration and type would need additional data and analysis to enable a fair comparison with other factors. Furthermore, in any project, there are a many of variables that cannot be measured numerically. Therefore, more work expanding the data collected, both in number and for other countries, is recommended and will surely extend the initial, but interesting nevertheless, conclusions obtained in this study.

References

- Ahmad, I., and Minkarah, I. (1988). Questionnaire survey on bidding in construction. *Journal of Management in Engineering*, 4(3), 229-243.
- Aje, I.O., Oladinrin, T.O., and Nwaole, A.N.C. (2016). Factors influencing success rate of contractors in competitive bidding for construction works in South-East, Nigeria. *Journal of Construction in Developing Countries*, 21(1), 19-34.
- Asker, J., and Cantillon, E. (2010). Procurement when price and quality matter. *The Rand Journal of Economics*, 41(1), 1-34.
- Ballesteros-Pérez, P., González-Cruz, M. C., Cañavate-Grimal, A., and Pellicer, E. (2014) Estimating future bidding performance of competitor bidders in capped tenders, *Journal of Civil Engineering and Management*, 20(5), 702-713.
- Ballesteros-Pérez, P., Skitmore, M., Das, R., and del Campo-Hitschfeld, M. L. (2015a). Quick abnormal-bid-detection method for construction contract auctions. *Journal of Construction Engineering and Management*, 141(7), 4015010.
- Ballesteros-Pérez, P., Skitmore, M., Pellicer, E., and González-Cruz, M. C. (2015b). Scoring rules and abnormally low bids criteria in construction tenders: a taxonomic review. *Construction Management and Economics*, 33(4), 259-278.
- Ballesteros-Pérez, P., del Campo-Hitschfeld, M. L., Mora-Melià, D. and Domínguez, D. (2015c) Modeling bidding competitiveness and position performance in multi-attribute construction auctions. *Operations Research Perspectives*, 2, 24-35.
- Ballesteros-Pérez, P., Skitmore, M., Pellicer, E. and Gutiérrez-Bahamondes, J. H. (2016a) Improving the estimation of probability of bidder participation in procurement auctions. *International Journal of Project Management*, 34 (2), 158-172.
- Ballesteros-Pérez, P., Skitmore, M., Pellicer, E., and Zhang, X. (2016b). Scoring Rules and Competitive Behavior in Best-Value Construction Auctions. *Journal of Construction Engineering and Management*, 142(9), 04016035.
- Bageis, A.S., and Fortune, C. (2009). Factors affecting the bid/no bid decision in the Saudi Arabian construction contractors. *Construction Management and Economics*, 27(1), 53-71
- Chua, D.K.H., and Li, D. (2000). Key factors in bid reasoning model. *Journal of Construction Engineering and Management*, 126(5), 349-357.
- Courvoisier, D.S., Combescure, C., Agoritsas, T., Gayet-Ageron, A., Perneger, T.V. (2011). Performance of logistic regression modeling: beyond the number of events per variable, the role of data structure. *Journal of Clinical Epidemiology*, 64(9), 993-1000.
- Dini, F., Pacini, R. and Valletti, T. (2006). Scoring rules. In *Handbook of Procurement*, Dimitri, N., Piga, G. and Spagnolo, G. (eds.) Cambridge University Press.
- DIRP (2016). National Infrastructure Construction Schedule. Australian Government, Department of Infrastructure and Regional Development (DIRP), retrieved from <https://www.nics.gov.au/Project> on August 1, 2016.
- Dzeng, R. and Wang, P. (2016). Educational Games on Procurement and Negotiation: Perspectives of Learning Effectiveness and Game Strategies. *Journal of Professional Issues in Engineering Education and Practice*, 142(3), 04016004.

- Egemen, M., and Mohamed, A. N. (2005). Different approaches of clients and consultants to contractors' qualification and selection. *Journal of Civil Engineering and Management*, 11(4), 267-276.
- Egemen, M., and Mohamed, A. N. (2007). A framework for contractors to reach strategically correct bid/no bid and mark-up size decisions. *Building and Environment*, 42(3), 1373-1385.
- El-Mashaleh, M.S. (2010). Decision to bid or not to bid: a data envelopment analysis approach. *Canadian Journal of Civil Engineering*, 37(1), 37-44.
- Enshassi, A. Mohamed, S., and El Karriri, A. (2010) Factors affecting the bid/no bid decision in the Palestinian construction industry. *Journal of Financial Management of Property and Construction*, 15(2), 118-142.
- European Union (2004). Directive 2004/18/EC of the European Parliament and of the Council of 31 March 2004 on the Coordination of Procedures for the Award of Public Works Contracts, Public Supply Contracts and Public Service Contracts.
- EuropeAID (2014). Practical guide to contract procedures for EU external actions, retrieved from <http://bit.ly/1MhDHfI> on August 1, 2016.
- Harrell, F.E. (2001). *Regression Modeling Strategies with Applications to Linear Models, Logistic Regression, and Survival Analysis*. Springer series in statistics, New York. p.217
- Infrastructure Australia (2016). *Australian Infrastructure Plan*. Australian Government, Infrastructure Australia, Canberra, 2016.
- Jarkas, A.M. (2013). Primary factors influencing bid mark-up size decisions of general contractors in Kuwait. *Journal of Financial Management of Property and Construction*, 18(1), 53-75.
- Lin, C.T., and Chen, Y.T. (2004). Bid/no-bid decision-making—a fuzzy linguistic approach. *International Journal of Project Management*, 22(7), 585-593.
- Ling, F.Y.Y., Ibbs, C.W., and Cuervo, J.C. (2005). Entry and business strategies used by international architectural, engineering and construction firms in China. *Construction Management and Economics*, 23, 509-520.
- Lowe, D.J., and Parvar, J. (2004). A logistic regression approach to modelling the contractor's decision to bid. *Construction Management and Economics*, 22(6), 643-653.
- Mosley, J. and Bubshait, A. (2016). Performance Evaluation of International Contractors in Saudi Arabia. *Journal of Professional Issues in Engineering Education and Practice*, 142(1), 04015007. Doi: 10.1061/(ASCE)EI.1943-5541.0000254
- Oo, B.L., Drew, D.S., and Lo, H.P. (2007). Applying a random coefficients logistic model to contractors' decision to bid. *Construction Management and Economics*, 25(4), 387-398.
- Oo, B.L., Drew, D.S., and Lo, H.P. (2008). A comparison of contractors' decision to bid behavior according to different market environments. *International Journal of Project Management*, 26(4), 439-447.
- Peduzzi, P., Concato, J., Kemper, E., Holford, T.R., Feinstein, A.R. (1996) A simulation study of the number of events per variable in logistic regression analysis. *Journal of Clinical Epidemiology*, 49(12), 1373-1379.
- Pellicer, E., Yepes, V., Correa, C.L., Alarcón, L.F. (2014) A model for systematic innovation in construction companies. *Journal of Construction Engineering and Management*, 140(4), B4014001-1/8, doi: 10.1061/(ASCE)CO.1943-7862.0000700.
- Polat, G., Bingol, B., and Uysalol, E. (2014) Modeling Bid/No Bid Decision Using Adaptive Neuro Fuzzy Inference System (ANFIS): A Case Study. *Construction Research Congress 2014*: pp. 1083-1092.
- Scott, S. (2006). Best-value procurement methods for highway construction projects. *Transportation Research Board*, No. 561.
- Shan, M., Chan, A., Le, Y., Xia, B., and Hu, Y. (2015). Measuring Corruption in Public Construction Projects in China. *Journal of Professional Issues in Engineering Education and Practice*, 141(4), 05015001. Doi: 10.1061/(ASCE)EI.1943-5541.0000241
- Shash, A.A. (1993). Factors considered in tendering decisions by top UK contractors. *Construction Management and Economics*, 11(2), 111-118.
- Shokri-Ghasabeh, M., and Chileshe, N. (2016). Critical factors influencing the bid/no bid decision in the Australian construction industry. *Construction Innovation*, 16(2), 127-157.
- Tiong, R.L.K., and Alum J. (1997). Distinctive winning elements in BOT tender. *Engineering, Construction and Architectural Management*, 4(2), 83-94.
- UN (2006). *United Nations Procurement Practitioner's Handbook*, retrieved from <http://bit.ly/1dOcWn6> on August 1, 2016.
- Wanous, M., Boussabaine, A.H., and Lewis, J. (2000). To bid or not to bid: A parametric solution. *Construction Management and Economics*, 18(4), 457-466.
- Wanous, M., Boussabaine, H.A., and Lewis, J. (2003). A neural network bid/no bid model: the case for contractors in Syria. *Construction Management and Economics*, 21(7), 737-744.
- Watt, D. J., Kayis, B., and Willey, K. (2010). The relative importance of tender evaluation and contractor selection criteria. *International Journal of Project Management*, 28(1), 51-60.
- Weber, F., Dalluege, C. A., Shamsi, T., and Franco, M. (2000). Improving bid preparation in supply chains in the construction industry. *Journal of e-Business Strategy Management*, February/March, 183-193.
- World Bank (2011). *Guidelines for procurement of goods, works, and non-consulting services*, retrieved from <http://www.worldbank.org> on August 1, 2016.
- Ye, K., Shen, L., Xia, B., Li, B. (2014). Key attributes underpinning different markup decision between public and private projects: A China study. *International Journal of Project Management*, 32(3), 461-472.

Table 1. Characterisation of the participating bidding companies

Company	Country	N° Employees	Revenue (USD\$ Mill.)
Acciona	Spain	30,000	6,949
AECOM	USA	95,000	17,400
Alstom Transport Australia	France	31,000	6,628
Bombardier	Canada	61,900	16,340
Bouygues	France	120,000	34,679
CAF	Spain	7,000	1,550
CCC	Greece	130,000	5,300
Ferrovial	Spain	74,032	10,371
Fulton Hogan	New Zealand	5,500	3,421
Ghella	Italy	3,000	453
PCL	canada	4,400	10,000
Impregilo	Italy	35,000	5,065
Mitsubishi Construction	Japan	1,500	870
Obayashi	Japan	13,000	15,339
OHL	Spain	26,000	4,669
Parsons Brickenhoff	USA	14,000	4,900
Salini Impregilo	Italy	35,000	5,065
Transdev	France	83,000	7,056
Coffey	USA	16,000	671
Zublin	Germany	14,000	3,634

Table 2. Summary of relevant factors and their sources

Contribution(s)	Year(s)	A	B	C	D	E	F	G	H	I
Ahmad and Minkarah	1988				×			X		×
Shash	1993		×	×						
Tiong and Alum	1997						×			
Chua and Li	2000						×			
Wanous et al.	2000, 2003	×	×	×	×			×	×	×
Lowe and Parvar	2004						×	×		×
Ling et al.	2005	×			×		×			
Egemen and Mohamed	2005, 2007	×	×	×		×		×	×	×
Bageis and Fortune	2009				×		×			
Watt et al.	2010		×		×		×			
Enshassi et al.	2010			×	×			×		
Jarkas	2013		×	×	×					×
Ye et al.	2014				×					×
Leśniak and Plebankiewicz	2015		×							×
Shokri-Ghasabeh and Chileshe	2016			×	×					×
Aje et al.	2016			×				×		

KEY: A: subsidiary; B: expertise; C: project value; D: client; E: consortium; F: competitive advantage; G: resources availability; H: project duration; I: project type

Table 3. Characterization of interviewees

#	Academic Degree	Experience in the company (years)	Experience in construction (years)
1	Bachelor in Civil Engineering and MBA	5	12
2	Bachelor and Diploma in Civil Engineering	3	15
3	Bachelor in Civil Engineering and Executive MBA	8	14
4	Bachelor in Civil Engineering and MBA	4	15
5	Bachelor in Civil Engineering and PMP	11	11
6	Bachelor and M.Sc. in Civil Engineering	7	11
7	Bachelor in Law and Bachelor in Arts	6	12
8	Bachelor and M.Sc. in Civil Engineering and Executive MBA	19	20

Table 4. Cross tabulation results (0: bid failure, 1: bid success, awarded)

Variable (factor)	Predicted ▼	Observed		Total (correct/incorrect)
		0	1	
Subsidiary	0	31	5	57 / 66
	1	61	26	
Expertise	0	29	0	60 / 63
	1	63	31	
Project value	0	60	16	75 / 48
	1	32	15	
Client relationship	0	49	0	80 / 43
	1	43	31	
Consortium relationship	0	44	0	75 / 38
	1	38	31	
Competitive advantage	0	74	9	96 / 27
	1	18	22	
Resource availability	0	18	0	49 / 74
	1	74	31	
Project duration	0	47	12	66 / 57
	1	45	19	
Local partner	0	63	2	92 / 31
	1	29	29	
Local competitor	0	4	13	101 / 22*
	1	88	18	
Project type	0	10	3	85 / 38*
	1	82	28	

*Variables with negative correlation. Their number of 'total correct' and 'total incorrect' predictions are reversed versus variables with positive correlation ('total correct' corresponds the sum of the anti-diagonal values (0,1) and (1,0), whereas the 'total incorrect' corresponds to the sum of the diagonal (0,0) and (1,1) values).

Table 5. Factors (variables) levels of significance

Variable (factor)	B	df	Sig.
Subsidiary	0.97	1	0.070
Expertise	20.85	1	0.997
Project Value	0.56	1	0.180
Client relationship	21.23	1	0.996
Consortium relationship	37.92	1	1.000
Competitive advantage	2.31	1	0.000
Resource availability	20.69	1	0.998
Project duration	0.50	1	0.235
Local Partner	3.45	1	0.000
Local competitor	-2.77	1	0.000
Project type	-0.66	1	0.567

KEY: B: regression coefficients (in log-odds units) ; df: degrees of freedom ;
 Sig.: 2-tailed p-value (significant if <0.05)

Table 6. Variables in multi-factor logistic model

Variable (factor)	B	S.E.	Wald	df	Sig.	Exp(B)
Local Partner	3.61	1.08	11.18	1	0.001	36.96
Local Competitor	-3.70	0.95	15.14	1	0.000	0.02
Competitive Advantage	2.66	0.74	12.95	1	0.000	14.25
Constant	-2.08	1.06	3.87	1	0.049	0.12

KEY: B: regression coefficients (in log-odds units) ; S.E.: square errors; Wald: Wald statistic ; df: degrees of freedom ; Sig.: 2-tailed p-value (significant if <0.05) ; Exp(B): log-odds of success

Table 7. Summary of the model predictive power

Predicted ▼	Observed		Total (correct/incorrect)
	0	1	
0	80	3	108 / 15
1	12	28	(87.8 % / 12.2%)