
Contents

Abstract	vii
Resumen	ix
Resum	xi
Acknowledgements	xiii
1 Introduction	1
2 Image-based <i>cg</i>FEM	9
2.1 The geometrical <i>cg</i> FEM	9
2.2 The image-based <i>cg</i> FEM	13
2.2.1 Element integration	14
2.2.2 Local material properties	19
2.2.3 Mesh adaptivity	20
2.3 Validation	23
2.3.1 Effect of mesh size and elastic property distribution	24
2.3.1.1 A strong discontinuity case	24
2.3.1.2 A smooth Young's modulus distribution	32
2.3.2 Image resolution effect	37

2.3.3	Conclusions	39
2.4	Numerical results	40
2.4.1	Effect of the heterogeneity index on mesh adaptivity	41
2.4.2	<i>cgFEM</i> application to 2D X-ray scan. Quadrature rule influence	43
2.4.3	A 3D <i>cgFEM</i> jaw bone model	50
3	Material Characterization	55
3.1	Introduction	55
3.2	Numerical mechanical characterisation of heterogeneous material in linear elasticity	57
3.3	Window method in <i>cgFEM</i>	60
3.4	3D printed foam experimental testing	63
3.4.1	First group of tests: compression in z-direction	65
3.4.2	Second group of tests: compression in x, y and z direction	67
3.5	Relation between density and pixel colour	71
3.6	Partial volume correction function	79
3.7	Analysis of the effect of the window thickness	86
3.8	Numerical vs experimental results	90
4	Implant Simulation	95
4.1	Implant simulation with <i>cgFEM</i>	95
4.2	Merging image- and geometry-based <i>cgFEM</i> for patient specific simulation of future implants	97
4.2.1	Numerical examples	101
4.2.1.1	Hip arthroplasty 2D model	101
4.2.1.2	Spinal fusion 2D model	104
4.2.1.3	Dental implant 3D model	106
4.3	Pixelation of CAD models	110
4.3.1	Application to preoperative assessment of dental implant stability	113
4.3.2	Stability of hip endoprosthesis	122
5	Closure	129
5.1	Summary	129
5.2	Open research lines	132

Bibliography

135