


# Implazamiento

# Montserrat



Piso 1º a 5º - 500 | 1460 K.u.t  
 Cms 30 x 020 x 1600 - 960

$\frac{206800}{1200} = 172.33$  K  
 $I_n = 20$   
 (214)


$P^2 = \frac{1500 \times 3^2}{8} = 188 \times 11 = 2.068 \text{ K.u.}$   $\frac{45 \times 20}{4'0 \text{ m}^2}$

Piso 4º + 1 = 3 a 500 - 1500 | 2460 K.u.t  
 Cms - 960

$\frac{325000}{1200} = 270.83$  K  
 $I_n = 22$   
 (278)

$P^2 = \frac{2500 \times 3^2}{10} = 250 \times 11 = 2.750 \text{ K.u.}$   $\frac{45 \times 30}{6'1 \text{ m}^2}$   
 $P^2 = \frac{2500 \times 3^2}{10} = 250 \times 13 = 3.250 \text{ K.u.}$   $\frac{50 \times 25}{5'7 \text{ m}^2}$

Piso = 2º = 4 a 500 = 2000 K.u.t



$\frac{320000}{1200} = 266.66$  K  
 $I_n = 22$   
 (278)

$P^2 = \frac{2000 \times 4^2}{10} = 200 \times 16 = 3200 \text{ K.u.}$   $\frac{45 \times 30}{6'1 \text{ m}^2}$   
 $P^2 = \frac{2000 \times 3^2}{10} = 200 \times 13 = 2600 \text{ K.u.}$   $\frac{45 \times 25}{5'0 \text{ m}^2}$   
 $P^2 = \frac{2000 \times 1^2}{10} = 200 \times 2 = 400 \text{ K.u.}$   $\frac{30 \times 15}{2'0 \text{ m}^2}$

Piso - 2º = 2 a 500 - 1000 | 2.920 K.u.t  
 Cms - 04 x 30 x 1600 - 1920

$k = 3'6$   
 $P^2 = \frac{3000 \times 3^2}{8} = 375 \times 13 = 4.875 \text{ K.u.}$   $\frac{55 \times 30}{2'6 \text{ m}^2}$

$\frac{4.87500}{1200} = 407 \text{ m}^3 - I_n = 26$  (442)

## PILARES

$P_1 = \frac{8}{2} \times \frac{8}{2} = 4 \times 4 = 16 \text{ m}^2 \text{ a } 500 - 8000 \text{ K}$   
 $P_2 = \text{piso } 0'4 \times 0'4 \times 30 \times 2400 = 292$   
 $\frac{8792}{2 \text{ pilares}} = 17.584 \text{ K.}$

$0'30 \times 0'30 = 900 \text{ cm}^2$   
 $\frac{40 \text{ kg/cm}^2}{36000 \text{ K.}}$