

Table of Contents

Acknowledgement	I
Resumen Español	III
Nederlandse samenvatting	V
Resum en Valencià	VII
English summary	IX
1. Introduction	1
1.1. Problem Statement	1
1.2. Motivation and Objectives	3
1.3. Structure of the Thesis	4
2. Background	7
2.1. Vehicular Networks & ITS	7
2.1.1. Communication in Vehicular Networks	8
2.1.1.1. DSRC/WAVE	8
2.1.1.2. Cellular Networks	9
2.1.1.3. WLAN	10
2.1.1.4. WiMAX/802.16e	11
2.1.2. Routing in Vehicular Ad-Hoc Networks	11
2.1.2.1. Source-Routing-Based Protocols	12
2.1.2.2. Geographic-Routing-Based Protocols	14
2.1.2.3. Trajectory-Based Protocols	15
2.2. Vehicular Network Applications	16
2.2.1. Safety-Related Applications	17
2.2.1.1. Vehicle diagnostics and maintenance	17
2.2.1.2. Intersection collision avoidance	17
2.2.1.3. Public safety	18
2.2.1.4. Sign extension	19
2.2.1.5. Vehicle cooperation	20
2.2.2. Emerging Vehicular Applications	22
2.2.2.1. Data Source	23
2.2.2.2. Data Consumer	24

2.2.2.3. Data Producer/Consumer	24
2.2.3. Smartphone-based Applications	27
3. Preliminary Contributions	29
3.1. V2X Communication in Europe	29
3.1.1. Contribution I: GRCBox	31
3.1.1.1. Architecture	32
3.1.1.2. Implementation	35
3.1.1.3. Use case and Performance Analysis	38
3.1.1.4. Conclusion: GRCBox	42
3.2. Android Applications	43
3.2.1. Contribution II: Messiah	45
3.2.1.1. Features of the Messiah Application	45
3.2.1.2. Implementation Details of Messiah	50
3.2.1.3. Prototype Deployment and Evaluation	54
3.2.1.4. Conclusion: Messiah	56
3.2.2. Contribution III: Forward Collision Warning	56
3.2.2.1. Application Features	57
3.2.2.2. Functional Details of the Application	59
3.2.2.3. Results	63
3.2.2.4. Conclusion: Forward Collision Warning	72
4. EYES: The Video Overtaking Aid	73
4.1. Application Overview	75
4.2. Implementation Details	77
4.2.1. The Video Server and Client	77
4.2.2. Validity Check	81
4.2.2.1. Same Direction Test	81
4.2.2.2. Ahead Test	82
4.2.2.3. Same Lane Test	82
4.2.3. Video Transmission	85
4.2.4. Creating the vehicular network	87
4.3. Application Validation	89
4.3.1. Laboratory Evaluation	89
4.3.1.1. Video Quality Experiments	90
4.3.2. Application Delay Experiments	92
4.3.2.1. Chosen Video Settings	96
4.3.3. Outdoor tests	96
4.3.3.1. Same Direction Test	96
4.3.3.2. Ahead Test	99
4.3.3.3. Same Lane Test	101
4.4. Conclusions	105

5. Overall Conclusion	107
5.1. Summary of contributions	107
5.2. Future work	109
5.3. Publications	111
5.3.1. Journals	111
5.3.2. Conferences	111
5.3.3. Others: Demo	112

List of Figures

1.1. Top ten causes of death among people aged 15–29 years, 2012 [1].	2
1.2. Number of road traffic deaths per year, worldwide [1]	2
2.1. Communication among vehicles [2].	8
2.2. Layered architecture of the WAVE standard [3].	9
2.3. Scenario where EEBL might come in handy [4].	21
2.4. Working of the V3 architecture [5].	25
3.1. The idea behind the GRCBox.	32
3.2. The GRCBox.	33
3.3. How an application connects making use of the GRCBox.	39
3.4. Throughput offered by the GRCBox.	42
3.5. Structure of the Android OS [6].	43
3.6. The Device working in “Civil Mode”.	47
3.7. The Device working in “Administrative Mode”.	49
3.8. Architecture of the Messiah Application.	51
3.9. Contents of messages used by the Messiah Application.	52
3.10. Message generation and sending in Messiah.	53
3.11. Receiving and forwarding of messages.	55
3.12. Packet loss with distance using the Messiah application.	56
3.13. Experimental setup when testing our application.	58
3.14. Structure of the packets used in our FCW application.	59
3.15. Same Direction Test.	61
3.16. Refraction by convex lens when the object is beyond $2f$	62
3.17. Time taken to process images of different resolutions by different devices.	65
3.18. Plate processing time with Moto-G3 for different Joint Photographic Experts Group (JPEG) qualities.	66
3.19. Accuracy of plate recognition for different JPEG qualities.	67
3.20. Accuracy of plate recognition under different lighting conditions.	67
3.21. Route-I without many curves.	69
3.22. Route-II with some curves and turns.	70
3.23. Results of the <i>Same Direction Test</i>	71
3.24. Accuracy of the recognised plates for varying distances during daytime, in scenarios involving motion.	71

4.1.	Functional overview of the application - Step one.	76
4.2.	Functional overview of the application - Step two.	76
4.3.	Functional overview of the application - Step three.	77
4.4.	State diagram of the Server and Client.	78
4.5.	Same Direction Test.	82
4.6.	Ahead Test.	82
4.7.	Importance of the Same Lane Test.	83
4.8.	Same Lane Test.	83
4.9.	Limits of the <i>Same Lane Test</i>	84
4.10.	Theoretical analysis of the <i>Same Lane Test</i>	84
4.11.	The video transmission process: client-server message exchanges.	86
4.12.	Our application working together with GRCBox.	87
4.13.	The experiments with EYES in real scenario.	88
4.14.	Variation of Peak Signal-to-Noise Ratio (PSNR) with Packet loss for H.264 and Motion JPEG (MJPEG).	90
4.15.	Variation of Structural SIMilarity (SSIM) with Packet loss for H.264 and MJPEG.	91
4.16.	Error due to delay.	92
4.17.	Variation of throughput with JPEG quality for a 10 Frames Per Second (FPS) MJPEG video.	93
4.18.	The delay comparisons for 320x240 MJPEG and H.264 video streams.	94
4.19.	The delay comparisons for 640x480 MJPEG and H.264 video streams.	95
4.20.	The delay comparisons for 1280x720 MJPEG and H.264 video streams.	95
4.21.	Results of the Same Direction Test when both the vehicles were moving on the same lane and direction.	97
4.22.	Angles measured by the Same Direction Test when both the vehicles were moving on the same lane and direction.	98
4.23.	Definition of d_t and d_c	98
4.24.	Results of the Same Direction Test grouped according to the ratio of d_t/d_c when the vehicles are travelling in the same direction.	99
4.25.	Angles measured by the Same Direction Test grouped according to the ratio of d_t/d_c when the vehicles are travelling in the same direction.	100
4.26.	Result from experiments with the Ahead Test when one vehicle is ahead of the other.	100
4.27.	Result from experiments with the Ahead Test grouped according to the ratio of d_t/d_c when one vehicle is ahead of the other.	101
4.28.	Result from experiments with the Same Lane Test when both vehicles were on the same lane.	102
4.29.	Result from experiments with the Same Lane Test grouped according to the ratio of d_t/d_c when both vehicles were on the same lane.	103
4.30.	Result from experiments with the Same Lane Test when vehicles were travelling on different lanes.	104

- 4.31. Result from experiments with the Same Lane Test grouped according to the ratio of d_t/d_c when vehicles were on separate lanes. . . 104

List of Tables

3.1.	GRCBox Representational State Transfer (REST) Application Programming Interface (API).	37
3.2.	GRCBox Client Library.	38
3.3.	GRCBox control delay.	41
3.4.	GRCBox hop delay.	41
3.5.	Comparison of actual distance with calculations using equation (3.5).	64
4.1.	Messages exchanged between the Server and Client.	80