

# Table of contents

<b>Abstract</b>	<b>7</b>
<b>Resumen</b>	<b>9</b>
<b>Resum</b>	<b>11</b>
<b>List of Figures</b>	<b>17</b>
<b>List of Tables</b>	<b>23</b>
<b>1 Introduction</b>	<b>25</b>
1.1 Background . . . . .	25
1.2 Funding . . . . .	28
1.3 Objectives of this dissertation . . . . .	28
1.4 List of Publications . . . . .	29
<b>2 State of the Art</b>	<b>33</b>
2.1 Wireless Body Area Networks . . . . .	33
2.1.1 EM properties of the human tissues . . . . .	34
2.1.2 Scenarios in WBANs . . . . .	34
2.1.3 Channel Characterization in WBANs . . . . .	36
2.2 Summary of proposed propagation channel models in the literature	42
<b>3 System Description</b>	<b>47</b>
3.1 Measurements description . . . . .	47
3.1.1 Laboratory Measurements . . . . .	52
3.1.2 <i>In vivo</i> measurements . . . . .	59
3.2 Software simulations . . . . .	61
<b>4 Methodology</b>	<b>63</b>

## TABLE OF CONTENTS

---

4.1	Phantom-based measurements . . . . .	63
4.1.1	Measurements performed with a large-square container .	64
4.1.2	Measurements performed with an hexagonal container .	67
4.1.3	Measurements performed with a small-squared container	68
4.1.4	Measurements performed with a tri-layer phantom container . . . . .	70
4.1.5	Summary of the phantom experiments . . . . .	73
4.2	<i>In vivo</i> experiments . . . . .	75
4.2.1	Summary of the <i>in vivo</i> experiments . . . . .	80
4.3	Software simulations . . . . .	81
<b>5</b>	<b>Results for the Gastrointestinal scenario at the UWB frequency band</b>	<b>87</b>
5.1	In-body to On-body characterization via Path Loss models . .	87
5.1.1	Phantom container Case A and software simulations results	87
5.1.2	Phantom Container Case Homogeneous results . . . . .	93
5.1.3	<i>In vivo</i> 1 and 2 and software simulations results . . . . .	96
5.1.4	Effect of the antenna in the channel, through <i>in vivo</i> measurements . . . . .	108
5.1.5	Antenna and phantom container comparison through phantom measurements . . . . .	114
5.1.6	Path Loss summary . . . . .	121
5.2	Delay domain analysis . . . . .	124
5.2.1	Theoretical Analysis . . . . .	124
5.2.2	Power Delay Profile analysis . . . . .	125
5.2.3	Analysis of the multipath components in the measurements	127
5.2.4	Time of arrival of the UWB signal . . . . .	133
5.2.5	Summary of the signal delay . . . . .	135
<b>6</b>	<b>Results for the Gastrointestinal scenarios for low UWB frequency signals</b>	<b>137</b>
6.1	S-parameters for low UWB signals . . . . .	137
6.2	System Loss for low Ultra Wide-band (UWB) signals . . . . .	138
6.3	Summary . . . . .	141
<b>7</b>	<b>Results for the cardiac scenarios at the UWB frequency band</b>	<b>143</b>
7.1	S-parameters for cardiac scenarios . . . . .	143
7.2	Path loss for cardiac scenarios for the UWB frequency band . .	144
7.3	Summary . . . . .	146
	<b>Conclusions and future work</b>	<b>149</b>

## TABLE OF CONTENTS

---

Acronyms	151
Variables	154
References	155