

Contents

Agradecimientos	i
Abstract	iii
Resumen	v
Resum	vii
Acronyms	x
1 Introduction	1
1.1 Motivation and aims	1
1.2 Organisation of the Thesis	2
2 Head biomechanics	5
2.1 Mechanical behaviour of the skull	6
2.1.1 Studies on bone samples	7
2.1.2 Studies on whole cranium	12
2.2 Brain tissue biomechanics	16
2.2.1 Experimental approaches	18
2.2.2 Constitutive modeling of brain tissue	31
2.3 Other structures of the head	39
2.3.1 The meninges	39
2.3.2 Falx and tentorium	41
2.3.3 Blood vessels	42
2.3.4 Scalp	42
2.4 Head Injury Criteria	43
2.4.1 Introduction to head injuries	43

2.4.2	Head injury criteria	46
3	Explicit Finite Element Analysis	59
3.1	Equations of transient dynamics	59
3.1.1	Discretisation in space	62
3.2	Time dependency: implicit and explicit FEA	62
3.2.1	Implicit schemes	63
3.3	The explicit scheme	63
3.4	Conditional stability	65
3.5	Viscous damping	69
3.6	Diagonal mass matrix	70
3.7	Element controls	70
3.8	Contact in explicit FEA	73
3.8.1	The Lagrange multipliers method	74
3.8.2	The penalty method	76
4	Impact behaviour of protective materials	79
4.1	Overview	80
4.2	Experimental tests on composite plates	81
4.2.1	Experimental results	83
4.3	High-speed camera measurement	86
4.3.1	Digital Image Correlation (DIC)	88
4.4	FE explicit simulation	93
4.4.1	Model description	93
4.4.2	Interlaminar damage using CZM	97
4.4.3	Results	100
4.5	Accuracy of the methodology	108
5	Numerical modeling of a human head	111
5.1	Head FE models in the literature	111
5.2	Model development	113
5.2.1	CT image segmentation	113
5.2.2	Mesh	116
5.3	Material modeling	118
5.4	Calibration of the model	120
5.4.1	Dynamic mechanical properties of the cranium and scalp	121
5.4.2	Brain tissue calibration	130
5.5	Validation against high velocity impact conditions	136

5.6	Model limitations	140
6	Head and helmet coupling under ballistic testing	143
6.1	Helmet model	145
6.1.1	Helmet composite shell	145
6.1.2	Interior padding system	147
6.2	Ammunition model	148
6.3	Coupling and simulation conditions	151
6.4	Study of the NIJ Standard (NIJ-STD-0106.01)	153
6.5	Effect of projectile initial velocity	158
6.5.1	Performance of the helmet shell	159
6.5.2	Assessment of head trauma	162
6.6	Effect of helmet size	166
7	Effect of stack configuration of the helmet shell	171
7.1	Shell configurations	173
7.2	Material modeling	176
7.3	Comparison of the protective capacity	179
7.3.1	Aramid configurations	179
7.3.2	UHMWPE configurations	183
7.3.3	Hybrid configurations: Aramid and Carbon Fiber	185
7.3.4	Hybrid configurations: UHMWPE and aramid	189
7.4	Associated head trauma	193
7.4.1	Conclusions	194
8	Numerical modeling of a human head with further anatomical details	197
8.1	Model description	198
8.2	Validation	203
8.3	Application to an accident reconstruction	211
8.4	Prediction of subdural hematoma	213
8.4.1	Inclusion of the bridging veins	215
8.5	Towards an injury criterion	222
9	Characterisation of Non-Lethal Projectiles	225
9.1	Background	225
9.2	Methodology	227
9.3	Experimental data treatment	228

9.3.1	Video edition	229
9.3.2	Sensor data extraction	229
9.3.3	Point tracking	230
9.3.4	Mechanical response of the projectile	233
9.3.5	Results and statistics	234
9.4	Numerical modeling	235
9.5	Results	237
9.6	Conclusions	242
10	Conclusions and future works	245