
Contents

1	Introduction and objectives	1
1.1	Background	1
1.2	Objectives and scope	5
1.3	Structure of the Thesis	6
1.4	Publications list	8
1.5	Research projects	10
2	Review on MAS-based sentiment and stress analysis and user guiding	11
2.1	Introduction	12
2.2	Problem statement	13
2.3	Detection approaches review	14
2.3.1	Sentiment analysis on text	16
2.3.2	Visual sentiment analysis	18
2.3.3	Sentiment analysis on audio data	19
2.3.4	Multi-modal fusion sentiment analysis	20
2.3.5	CBR for sentiment analysis	21
2.3.6	Stress analysis and keystroke dynamics	22
2.4	MAS-based prevention and recommendation systems review .	28
2.5	Discussion	33
2.6	Conclusion and future lines of work	34
3	MAS for sentiment, stress, and combined analysis on text data	37
3.1	Introduction	38

3.2	Related Work	39
3.3	Description of the proposed MAS	41
3.3.1	Presentation agent	43
3.3.2	Sentiment analyzer agent	43
3.3.3	Stress analyzer agent	44
3.3.4	Combination analyzer agent	44
3.3.5	Advisor agent	45
3.3.6	Persistence agent	45
3.4	Experiments with data from Twitter.com	45
3.4.1	Design of the experiment	45
3.4.2	Metrics of the experimentation	47
3.4.3	Plan of the experiments	49
3.5	Results	55
3.6	Discussion	56
4	Sentiment, stress and combined analyses using ANNs	57
4.1	Introduction	58
4.2	Related Work	60
4.3	System description	63
4.3.1	Sentiment analyzer agent	64
4.3.2	Stress analyzer agent	67
4.3.3	Advisor agent	68
4.3.4	Example of the functionality of the analyzers and advisor agents	69
4.4	Experimentation with the social network Pesedia	70
4.5	Experimentation with data from Twitter.com	75
4.6	Conclusions and future work	89
5	Keystroke dynamics analysis for sentiment and stress detection	91
5.1	Introduction	91
5.2	Related work	93
5.3	System description	95
5.3.1	Keystroke dynamics analyzer agents	98
5.4	Experiments with data from the SNS Pesedia	102
5.4.1	Metric for the experiments	103
5.4.2	Plan of the experiments	105
5.4.3	Results	108

5.4.4	Reformulation of the advisor agent	112
5.5	Conclusions and future work	117
6	CBR module using data analysis and context information	119
6.1	Introduction	120
6.2	Related work	122
6.3	System description	124
6.3.1	CBR module	127
6.3.2	Retrieval step	128
6.3.3	Reuse step	130
6.3.4	Adaptation step	131
6.3.5	Retention step	133
6.3.6	Example of the functionality of the system	134
6.4	Experiments with data from Pesedia	134
6.4.1	Experiments for assessing the best configuration of the CBR module and error rate	135
6.4.2	Experiments for comparing the CBR module and different sentiment and stress analysis methods	141
6.5	Conclusions and future lines of work	145
7	Conclusions and future lines of work	147