

Contents

List of Figures	xvii
List of Tables	xix
1 Introduction	1
1.1 The Problem: Humor and Irony	3
1.2 The Core of the Problem: (Figurative) Language in Social Media	4
1.3 Objective	6
1.4 Thesis Overview	8
2 Figurative Language	11
2.1 Background	11
2.2 Literal Language	13
2.3 Figurative Language	16
2.4 Figurative Devices	21
2.4.1 Metaphor	22
2.4.2 Metonym	23
2.4.3 Simile	24
2.4.4 Idioms	25
2.5 Figurative Devices in this Thesis	26
2.5.1 Humor: A Multidimensional Phenomenon	26
2.5.2 Irony: A Veiled Phenomenon	30
2.6 Summary	33

CONTENTS

3 Figurative Language Processing	35
3.1 Natural Language Processing	35
3.2 Figurative Language Processing	37
3.3 Advances on FLP	39
3.3.1 Metaphor Processing	40
3.3.2 Metonym Processing	40
3.3.3 Similes Processing	41
3.3.4 Idioms Processing	42
3.4 Related Work on Humor Processing	43
3.4.1 Humor Generation	43
3.4.2 Humor Recognition	45
3.5 Related Work on Irony Processing	47
3.5.1 Irony Detection	48
3.5.2 Sarcasm and Satire Detection	49
3.6 Summary	50
4 Automatic Humor Recognition	53
4.1 Initial Assumptions	53
4.2 Humor Recognition Model	56
4.2.1 Ambiguity	56
4.2.2 Lexical Ambiguity	57
4.2.3 Morphological Ambiguity	58
4.2.4 Syntactic Ambiguity	59
4.2.5 Semantic Ambiguity	59
4.3 Evaluation of Ambiguity-based Patterns	60
4.3.1 Data Sets H1 - H3	60
4.3.2 Evaluation	61
4.3.2.1 Lexical Layer: Perplexity	62
4.3.2.2 Morphological Layer: POS Tags	63
4.3.2.3 Syntactic Layer: Sentence Complexity	66
4.3.2.4 Semantic Layer: Sense Dispersion	67
4.3.3 Discussion of Preliminary Findings	69
4.4 Adding Surface Patterns	70

CONTENTS

4.4.1	Humor Domain	71
4.4.2	Polarity	72
4.4.3	Templates	72
4.4.4	Affectiveness	73
4.5	HRM Evaluation	73
4.5.1	Data Set H4	74
4.5.2	Evaluation	75
4.5.3	Results and Overall Discussion	77
4.6	Summary	80
5	Irony Detection	83
5.1	Irony: Beyond a Funny Effect	84
5.2	Target	85
5.3	Basic Irony Detection Model	86
5.3.1	Data Set I1	87
5.3.2	HRM and Irony	89
5.4	Basic IDM representation	90
5.4.1	N-grams	90
5.4.2	Descriptors	91
5.4.3	POS n-grams	92
5.4.4	Funniness	93
5.4.5	Polarity	94
5.4.6	Affectiveness	94
5.4.7	Pleasantness	94
5.5	Evaluation	95
5.5.1	Discussion	96
5.5.2	Pattern Analysis	99
5.6	Complex Irony Detection Model	100
5.6.1	Signatures	101
5.6.2	Unexpectedness	102
5.6.3	Style	103
5.6.4	Emotional Contexts	104
5.6.5	Data Set I2	105

CONTENTS

5.7	Evaluation	108
5.7.1	Representativeness of Patterns	108
5.7.2	Classification Tasks: Results and Discussion	112
5.8	Summary	116
6	Applicability of Figurative Language Models	117
6.1	Aim	117
6.2	Humor Retrieval	118
6.2.1	Web Comments Data Set	118
6.2.2	Experiments and Discussion	119
6.2.3	Final Remarks	120
6.3	Sentiment Analysis	120
6.3.1	Sentiment Analysis Data Sets	121
6.3.2	Automatic Evaluation	122
6.3.3	Manual Evaluation	124
6.3.4	Final Remarks	128
6.4	Trend Discovery and Online Reputation	128
6.4.1	Toyota Data Set	128
6.4.2	Human Evaluation	129
6.4.3	Final Remarks	132
6.5	Further Tasks	133
6.5.1	Towards a Humor Taxonomy	133
6.5.2	Satire Detection	135
6.6	Summary	136
7	Conclusions	137
7.1	Contributions	138
7.2	Future Work	142
7.3	Publications	144
Bibliography		147
Appendices		157
A Literary Devices		157

CONTENTS

B Examples of Blogs in H4	159
C Set of Features in Signatures	163
D Examples of Patterns Regarding the Complex Irony Detection Model	165
E Probability Density Function for Patterns in Complex Irony Detection Model	169
F Examples of the Most Ironic Sentences	175

CONTENTS

List of Figures

2.1	Example of visual humor [†]	28
4.1	Frequency of Internet searches related to 5 different social subjects during four years (September 2007 - 2011) around the world. Statistics retrieved from Google Insights.	54
4.2	Probability of assigning POS tags concerning positive and negative examples in H1 - H3.	65
4.3	Chaos parser: Example of syntactic representation.	66
4.4	Humor average per subset.	76
5.1	Representativeness ratios of patterns <i>funny</i> (a), <i>polarity</i> (b) (positive in red and negative in blue, respectively), <i>affectiveness</i> (c), and <i>pleasantness</i> (d). Axis <i>x</i> represents the ironic reviews whereas axis <i>y</i> depicts its representativeness ratio. Dotted line symbolizes representativeness threshold.	96
5.2	Learning curve according to sets AMA (a), SLA (b), and TRI (c).	98
5.3	Distribution of positive, negative and out of vocabulary (neutral) terms in I2.	111
5.4	Classification accuracy regarding irony <i>vs.</i> education (a), humor (b), and politics (c), considering a balanced distribution.	113
5.5	Classification accuracy regarding irony <i>vs.</i> education (a), humor (b), and politics (c), considering an imbalanced distribution.	113
5.6	Relevance of every single dimension according to its information gain value.	115
6.1	γ values per set: <i>movies2</i> (a); <i>movies1</i> (b); <i>books</i> (c); <i>articles</i> (d).	123

LIST OF FIGURES

6.2	Preliminary humor taxonomy	134
E.1	Probability density function for dimensions in signatures.	170
E.2	Probability density function for dimensions in unexpectedness. .	171
E.3	Probability density function for dimensions in style.	172
E.4	Probability density function for dimensions in emotional contexts.	173

List of Tables

4.1	Detailed information regarding data sets H1 to H3.	62
4.2	Perplexity ratios.	64
4.3	Average of POS tags per example.	64
4.4	Results concerning sentence complexity.	67
4.5	Semantic dispersion at sentence and word level.	68
4.6	H4 characteristics. Measures: corpus vocabulary size (CVS); document and vocabulary length (DL and VL, respectively); vocabulary and document length ratio (VDR); unsupervised vocabulary based measure (UVB); stylometric evaluation measure (SEM). . .	75
4.7	Results obtained with NB classifier.	78
4.8	Results obtained with SVM classifier.	78
4.9	Information gain results on HRM's patterns.	79
5.1	Detailed information regarding data set I1.	89
5.2	Results applying HRM over I1.	90
5.3	Statistics of the most frequent word n-grams.	91
5.4	SenseCluster parameters per experiment.	92
5.5	Descriptors obtained with keyness and clustering metrics.	92
5.6	Statistics of the most frequent POS-grams.	93
5.7	Classification results.	97
5.8	Most discriminating patterns per set.	98
5.9	Statistics in terms of tokens per set concerning data set I2.	107
5.10	Monge Elkan distance among sets.	108
5.11	Overall pattern representativeness per set.	110
5.12	Semantic relatedness per set.	111

LIST OF TABLES

5.13 Precision, Recall and F-Measure regarding i) balanced distribution, and ii) imbalanced distribution.	114
6.1 Classification accuracy of funny vs. informative (c_1), insightful (c_2), and negative (c_3), respectively.	119
6.2 Manual evaluation in terms of isolated sentences.	125
6.3 Manual evaluation in terms of whole documents.	125
6.4 Statistics regarding annotators judgments.	130
6.5 Irony retrieval results.	132
C.1 Features in pattern signatures.	164