

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Brain diseases . . . . .	2
1.2	The blood-brain barrier (BBB) . . . . .	3
1.3	Methods to open the BBB . . . . .	5
1.3.1	Invasive approaches . . . . .	5
1.3.2	Non-invasive approaches . . . . .	5
1.3.3	Focused ultrasound as the promising approach for CNS drug delivery . . . . .	7
1.4	Thesis motivation . . . . .	9
1.4.1	Objectives . . . . .	10
<b>2</b>	<b>Holograms to focus ultrasonic beams through the human skull</b>	<b>19</b>
2.1	Introduction . . . . .	20
2.2	Methods . . . . .	23
2.2.1	Tomographic image acquisition . . . . .	24
2.2.2	Calculation methods . . . . .	25
2.2.3	Lens design . . . . .	27
2.2.4	Skull phantom . . . . .	31
2.2.5	Measurement setup . . . . .	32
2.3	Multiple-point holograms . . . . .	33
2.4	Self-bending beams . . . . .	35
2.5	Volumetric holograms overlapping CNS structures . . . . .	37
2.6	Hologram simulation using a realistic skull . . . . .	40
2.7	Conclusions . . . . .	45

<b>3 Validation of acoustic holograms in small laboratory animals</b>	<b>59</b>
3.1 Introduction . . . . .	60
3.2 Methods . . . . .	61
3.2.1 Numerical simulation . . . . .	62
3.2.2 Mouse skull acquisition for simulation . . . . .	63
3.2.3 Lens design . . . . .	63
3.2.4 Guiding and monitoring system . . . . .	65
3.2.5 Sonication and post-MRI procedure . . . . .	65
3.2.6 Cavitation signal processing . . . . .	66
3.2.7 BBB opening volume quantification . . . . .	67
3.2.8 Acoustic calibration setup . . . . .	67
3.3 Results . . . . .	69
3.3.1 System calibration . . . . .	69
3.3.2 Bilateral BBB opening . . . . .	72
3.3.3 Cavitation analysis . . . . .	75
3.4 Conclusions . . . . .	76
<b>4 Hologram design for targeted chemotherapy</b>	<b>87</b>
4.1 Introduction . . . . .	88
4.2 Materials and methods . . . . .	89
4.2.1 Numerical simulation . . . . .	89
4.2.2 CT and MRI acquisition . . . . .	90
4.2.3 Lens design . . . . .	90
4.2.4 Quality parameters evaluation . . . . .	91
4.2.5 Optimal holographic wavefront definition . . . . .	93
4.3 FDA-approved single-element FUS transducer . . . . .	96
4.4 Bifocal-hologram approach . . . . .	98
4.5 Volumetric slice-hologram approach . . . . .	100
4.5.1 Alternative slice-hologram approach . . . . .	102
4.5.2 Higher aperture feasibility approach . . . . .	104
4.5.3 Higher and complete active aperture feasibility approach . . . . .	106
4.6 Discussion . . . . .	108
4.7 Conclusion . . . . .	110

<b>5 Transcranial holographic ultrasonic vortices</b>	<b>115</b>
5.1 Introduction . . . . .	116
5.2 Hologram generation . . . . .	117
5.3 Results . . . . .	120
5.3.1 Vortices in homogeneous media . . . . .	120
5.3.2 Vortex synthesis in transcranial propagation . . . . .	122
5.3.3 High-order topological charge transcranial vortex synthesis . . . . .	125
5.4 Conclusions . . . . .	128
<b>6 Broad depth-of-field Bessel beams using acoustic holograms</b>	<b>137</b>
6.1 Introduction . . . . .	138
6.2 Methods . . . . .	142
6.2.1 Analytical and numerical field calculations . . . . .	142
6.2.2 Flat-intensity Bessel beams design . . . . .	142
6.2.3 Experimental field measurements . . . . .	143
6.3 Generating a Bessel beam . . . . .	144
6.4 Performance of holographic Bessel beams . . . . .	148
6.5 Broadband behaviour of fraxicons and phase-only holograms	149
6.6 Pixel quantization . . . . .	153
6.7 Experimental validation . . . . .	156
6.7.1 Zeroth-order Bessel beams . . . . .	157
6.7.2 High-order Bessel beams (vortex beams) . . . . .	159
6.8 Conclusions . . . . .	161
<b>7 General discussion and conclusions</b>	<b>171</b>
7.1 Summary and discussion of the proposed approach . . . . .	172
7.2 Chapters summary . . . . .	174
7.3 Published papers . . . . .	177
7.4 Unpublished papers . . . . .	178
7.5 Conference proceedings . . . . .	179
7.6 Conference awards . . . . .	182