Heritage ethnographic objects - antimicrobial effects of chitosan treatment

DOI: 10.35530/IT.072.03.1812

LILIANA INDRIE MARILÉS BONET-ARACIL DORINA CAMELIA ILIEȘ ADINA VICTORIA ALBU GABRIELA ILIEŞ GRIGORE VASILE HERMAN ŞTEFAN BAIAS MONICA COSTEA

ABSTRACT – REZUMAT

Heritage ethnographic objects - antimicrobial effects of chitosan treatment

Chitosan is a natural polymer, which presents, according to studies made up to present, low toxicity and good biocompatibility. Recent studies are focused not only on its antimicrobial effects on textiles, because this polysaccharide leads to improvements such as: shrink resistance, dye uptake etc.

Two Romanian traditional shirts were non-invasively tested by applying Chitosan and by investigating the SEM images, before and after applying the chitosan. The paper underlines the surface modifications of tested textiles using chitosan. The odd agents on the fibres surfaces were removed and the limitation of the number of microorganisms was observed.

Keywords: chitosan, ethnographic textiles, SEM images

Obiecte etnografice de patrimoniu - efecte antimicrobiene ale tratamentului cu chitosan

Chitosanul este un polimer natural care, conform studiilor realizate până în prezent, prezintă o toxicitate scăzută și o bună biocompatibilitate. Studii recente, care se concentrează nu doar pe efectele sale antimicrobiene asupra materialelor textile, au evidențiat că această polizaharidă conduce la îmbunătățiri din punctul de vedere al rezistenței la contracție, precum rezistența la contracție, absorbția coloranților etc.

Două cămăși tradiționale românești (ii) au fost testate neinvaziv prin aplicarea chitosanului și prin investigarea imaginilor SEM, înainte și după tratamentul cu chitosan. Lucrarea evidențiază modificările de pe suprafața țesăturilor testate folosind chitosan. După îndepărtarea agenților de pe suprafața fibrelor, s-a remarcat reducerea numărului de microorganisme.

Cuvinte cheie: chitosan, textile etnografice, imagini SEM

INTRODUCTION

Heritage objects, especially textiles, depending on their composition and environmental conditions subjected to or stored in, can be contaminated with fungi, bacteria, etc., which may lead to their physical, chemical or biological deterioration, sometimes even to their destruction and negative impact upon the health of people manipulating them [1–8]. Biodeterioration generated by microorganisms requires proper remedy measures: mechanical, physical, respectively chemical; however, they should not endanger the workers' health and they should not affect or modify

the features of the heritage object or those of the environment [9–17].

In this paper, two heritage ethnographic pieces were taken into analysis, out of cotton and flax fibres, both over 100 years old; one is in a private collection (figure 1), while the other one is in the care of the Tarii Crisurilor Museum from Oradea (figure 2).

It was proven once more [8; 13; 18–31] that Chitosan treatment is very useful for removing the odd



Fig. 1. Traditional shirt "ie", Alba County, Romania





agent on the fibres surface and as antibacterial effect

The paper explores the use of Chitosan for the treat-

ment of aged cotton and linen fabrics to enhance its

physical and antimicrobial characteristics. Scanning

electron microscope (SEM) photographs showed that

the surface of the chitosan coated cotton varn was

The two traditional shirts (ii) belonging to the

Romanian cultural heritage were non-invasively tested

slightly changed after the series reaction.

against the microorganisms.

MATERIAL AND METHOD

Fig. 2. Traditional shirt "ie", Hateg area, Hunedoara County, Romania

by applying Chitosan and investigating SEM images. SEM images for the Hateg area shirt (figure 2), enlarged 250 times (figures 3 and 4), allowed the determination of the tested fibres condition, which presented certain longitudinal fractures. 500 times magnification images (figures 5 and 6) show the mechanical deterioration of fibres. The successive size of images. × 1.000 (figures 7 and 8) emphasize the presence of fine dust and dirt particles and possibly of certain microorganisms [32-34]. The conducted tests, published in Ilies et al., 2020 [35], for the other traditional shirt, from Alba County (figure 1), confirmed the presence of Aspergillus nigger, Penicillium spp., Cladosporium spp., Alternaria spp. and Candida spp.

Method

Chitosan Medium Molecular Weight was purchased from Sigma Aldrich. Acetic Acid was supplied by Panreac. Chitosan was prepared with the concentration 10 g/l. Because of the solubility of Chitosan in water at acid pH, 5 ml/l acetic acid was added. The solution was magnetically stirred for 24 hours [29]. The samples were dipped into the chitosan solution and dried flattened at room temperature.

The samples were observed with a Field Emission Microscope FESEM (ULTRA 55, ZEISS). Each sample is placed on a sur-

face and covered with a layer of gold and palladium in order to make them into conductive by using a Sputter Coater and covering them with gold. The samples were analysed with the appropriate magnification and with an acceleration voltage of 10 kV.

RESULTS AND DISCUSSION

Every sample studied has been observed by FSEM and comparisons were established, in order to determine the effect of Chitosan treatment. From the comparison, it can be stated that some foreign substances are placed on the fibres. Those strange particles on some occasions can be appreciated as a coating that covers the fibres and keeps them stacked together.

Chitosan treatment has shown efficiency in removing the odd agent from the fibres surfaces. Therefore, it



Fig. 3. SEM image of the fibres form traditional shirt "ie" from Hateg County, at 250× magnification



Fig. 5. SEM image of the fibres form traditional shirt "ie", from Hateg County, at 500× magnification



Fig. 7. SEM image of the fibres form traditional shirt "ie", from Hateg County at 1000× magnification



Fig. 4. SEM image of the fibres form traditional shirt "ie", from Hateg County at 250× magnification



Fig. 6. SEM image of the fibres form traditional shirt "ie", from Hateg County, at 500× magnification



Fig. 8. SEM image of the fibres form traditional shirt "ie", from Hateg County, at 1000× magnification

can be concluded that it fits with the presence of some microorganisms on the fibres. Due to the antibacterial effect attributed to chitosan, the microorganisms have disappeared. The effect of chitosan treatment for this case study can be observed on figure 9.

For Sample 1, the SEM images show that some of the fibres are stacked together because of the presence of some strange agent (figure 9, a). Once the fibres have been padded with chitosan solution and dried, it can be noticed that the odd agent is not present any more on the fibres' surface (figure 9, c). The particles which agglomerate the fibres (figure 9, b) are present on the original fabric of the sample 2, but they have been removed by the Chitosan treatment (figure 9, d).





Fig. 9. SEM images of: a – untreated fabric, sample 1 at 500×; b – untreated fabric, sample 2 at 500×; c – treated fabric, sample 1; d – treated fabric, sample 2 at different magnifications ×1000, ×500 and ×100

CONCLUSIONS

The use of chitosan, which is very economical [29] and biodegradable, with characteristics which make it non-toxic for fabrics and for the people who handle them, provides favourable perspectives regarding using it on a large scale in the sustainable industry of fibre production and fabric treatments, with antimicrobial and antifungal effects on aged textiles from museums and other collections.

ACKNOWLEDGEMENTS

The research was possible by equal scientific involvement of all authors and acknowledges the support of the Grant PN-III-P1-1.2-PCCDI-2017-0686.

REFERENCES

- [1] Bresee, R.R., *General effects of ageing on textiles*, In: Journal of the American Institute for Conservation, 1986, 25, 1, 39–48
- [2] Iordache, O., Stanculescu, I., Plavan, V., Miu, L., Scientific Aspects of Degradation and Conservation of Heritage Artifacts, In: ICAMS – 4th International Conference on Advanced Materials and Systems, 2012, 505–510
- [3] Ilieş, D.C., Oneţ, A., Herman, G., Indrie, L., Ilieş, A., Burtă, L., Gaceu, O., Marcu, F., Baias, Ş., Caciora, T., Marcu, A.P., Oana, I., Costea, M., Ilieş, M., Wendt, J., Mihincău, D., *Exploring the indoor environment of heritage buildings and its role in the conservation of valuable objects,* In: Environmental Engineering and Management Journal, 2019, 18, 12, 2579–2586
- [4] Sirghi, A.C., Gheorghe, I., Sarbu, I., Marutescu, L., Stoian, G., Zhiyong, Z., Chifiriuc, M.C., Identification of fungal strains isolated from buildings of cultural importance in Romania and antagonistic relationships amongst them, In: Romanian Biotechnological Letters, 2019, 24, 6, 1008–1014
- [5] Săndulache, I.M., Mitran, E.C., Secăreanu, L.O., Iordache, O.G., Perdum, E., Teodorescu, I., Bernath, A., Preliminary investigations of a textile fabric used as support for a sarcophagus from Astra Sibiu Museum, In: Industria Textila, 2020, 71, 1, 91–95, http://doi.org/10.35530/IT.071.01.1622
- [6] Marcu, F, Ilieş, DC, Wendt, JA, Indrie, L, Ilieş, A, Burta, L, Caciora T, Herman, GV, Todoran, A, Baias, S, Albu, A, Gozner, M. Investigations regarding the biodegradation of the cultural heritage. Case study of traditional embroidered peasant shirt (Maramures, Romania), In: Rom Biotechnol Lett., 2020, 25, 2, 1362–1368, http://doi.org/10.25083/rbl/25.2/1362.1368
- [7] Deac, L.A., Gozner, M., Sambou, A., Ethnographic Museums in the Rural Areas of Crişana Region, Romania–Keepers of Local Heritage, Tradition and Lifestyle, In: GeoJournal of Tourism and Geosites, 2019, 27, 4, 1251–1260
- [8] Ilies, D.C., Marcu, F., Caciora, T., Indrie, L., Ilies, A., Albu, A., Costea, M., Burta, L., Baias, S., Ilies, M., Sandor, M., Herman, G.V., Hodor, N., Ilies, G., Berdenov, Zh., Huniadi, A., Wendt, J.A., *Investigations of Museum Indoor Microclimate and Air Quality. Case Study from Romania*, In: Atmosphere, 2021, 12, 2, 286, https://doi.org/ 10.3390/atmos12020286
- [9] Ionescu, E.V., Aspecte ale biodeteriorării obiectelor in muzee, Muzeul National I, 1974, 183-191
- [10] Mukerji, K.G., Garg, K.L., Mishra, A.K., *Fungi in deterioration of museum objects,* In: Biodeterioration of cultural property 3: proceedings of the 3rd international conference on biodeterioration of cultural property, July 4–7, 1995, Bangkok, Thailand, 226–241
- [11] Popescu, C., Oprică, L., Pricop, D., Bălan, G., Mureşan, R., Creangă, D., *Microscopy Investigation of Cellulolytic Fungi Action on Cotton Fibers*, In: Romanian Journal of Biophysics, 2014, 24, 1, 65–71
- [12] Sharmin, f., Sultan, M.T., Badulescu, D., Badulescu, A., Borma, A., Li, B., Sustainable Destination Marketing Ecosystem through Smartphone-Based Social Media: The Consumers', In: Sustainability, 2021, 13, 4, 2308, https://doi.org/10.3390/su13042308

- [13] Stoica, I.A., Hodor, N., Tudose, T., Coldea, G., Expected Floristic Changes in Hygro-Cryophilic and Snowbed Plant Communities Caused by Climate Change and Human Impact in The Romanian Carpathians, In: Contribuţii Botanice, 2017, LII, 163–181
- [14] Ilies, D.C., Onet A., Marcu F., Gaceu O., Timar A., Baias S., Ilies A., Herman G.V., Costea M., Tepelea M., Josan I., Wendt A.J., *Investigations regarding the air quality in the historic wooden church in Oradea city, Romania*, In: Environmental Engineering and Management Journal, 2018, 17, 11, 2731–2739, Available at: http://www.eemj. icpm.tuiasi.ro/pdfs/accepted/204_294_llie%C8%99_17.pdf [Accessed on December 2019]
- [15] Ilies, A., Hurley, P.D., Ilies, D.C., Baias, S., Tourist animation a chance adding value to traditional heritage: case study's in the Land of Maramures (Romania), In: Revista de Etnografie şi Folclor – Journal of Ethnography and Folklore, 2017, New Series 1–2, 131–151
- [16] Ilieş, M., Ilieş, D., Josan, I., Ilieş, A., Ilieş, G., The Gateway of Maramureş Land. Geostrategical Implications in Space and Time, in Annales. Annals for Istrian and Mediteranian Studies, In: Series Historia et Sociologia, Zalozba Annales, Koper, Slovenia, 2010, 20, 2, 469–480, ISSN 1408–5348, Avaialble at: http://www.culture.si/en/ Annales_Journal [Accessed on December 2019]
- [17] Ilieş, A., Wendt, J.A., Ilieş, D.C., Herman, G.V., Ilieş, M., Deac, A.L., The patrimony of wooden churches, built between 1531 and 2015, in the Land of Maramureş, Romania, In: Journal of Maps, 2016, 12, Issue sup1, http://dx.doi.org/10.1080/17445647.2016.1243075
- [18] Zhang, Z., Chen, L., Ji, J., Huang, Y., Chen, D., Antibacterial properties of cotton fabrics treated with chitosan, In: Textile Research Journal, 2003, 73, 12, 1103–1106
- [19] Beden, A.R., Değirmenci, D., Temel, C., Duran, K., Application for Blends of Chitosan, Lyocell Fiber to Control Bacterial Growth, In: XIIIth International Izmir Textile and Apparel Symposium, April 2–5, 2014, 27–30
- [20] Shanmugasundaram, O.L., Chitosan coated cotton yarn and it's effect on antimicrobial activity, In: Journal of Textile Apparel Technology and Management, 2006, 5, 3, 1–6
- [21] Enescu, D., Use of chitosan in surface modification of textile materials, In: Roumanian Biotechnological Letters, 2008, 13, 6, 4037–4048
- [22] Gomes, A., Mano, J., Queiroz, J., Gouveia, I., Assessement of bacteria-textile interactions using scanning electron microscopy: a study on LbL chitosan/alginate coated cotton, In: Microscopy: science, technology, applications and education. Formatex, Spain, 2010, 286–292
- [23] LI., Q, Wang, C., *Effect of degradation of chitosan treatment on the structure and properties of cotton fibers,* In: Journal of Xi'an Polytechnic University, 2014, 6
- [24] Bhuiyan, M.R., Hossain, M.A., Zakaria, M., Islam, M.N., Uddin, M.Z., Chitosan coated cotton fiber: physical and antimicrobial properties for apparel use, In: Journal of Polymers and the Environment, 2017, 25, 2, 334–342
- [25] Roy, J., Salaün, F., Giraud, S., Ferri, A., Guan, J., Chitosan-based sustainable textile technology: process, mechanism, innovation, and safety. Biological activities and application of marine polysaccharides, In: InTech, Croatia, Rijeka, 2017, 251–278
- [26] Shabbir, M., Rather, L.J., & Mohammad, F., Chitosan: Sustainable and environmental-friendly resource for textile industry, In: Chitosan: derivatives, composites and applications, 2017, 233–252
- [27] Draczyński, Z., Grgac, S.F., Dekanić, T., Tarbuk, A., Boguń, M., The Implementation of Chitosan into Cotton Fabric, In: Tekstilec, 2017, 60, 4, 296–301
- [28] Huang, L., Xiao, L., Yang, G., Chitosan Application in Textile Processing, In: Curr. Trends Fashion Technol. Textile Eng., 2018, 4, 2, 555635
- [29] Bou-Belda, E., Indrie, L., Ilieş, D.C., Ilieş, A., Berdenov, Z., Herman, G., Caciora, T., Chitosan A Non-Invasive Approach for the Preservation of Historical Textiles, In: Industria Textila, 2020, 71, 6, 576–579, http://doi.org/ 10.35530/IT.071.06.1756
- [30] Ilies, A., Grama, V., The external western balkan border of the European Union and its borderland: premises for building functional transborder territorial systems, In: Annales-Anali za Istrske in Mediteranske Studije-Series Historia et Sociologia, 2010, 20, 2, 457–468
- [31] Huniadi, A., Sorian, A., Maghiar, A., Mocuta, D., Antal, L., Pop, O.L, Judea Pusta, C.T., Buhas, C.L., Pascalau, A., Sandor, M., 6-(2, 3-Dichlorodiphenyl)-1, 2, 4-Triazine-3, 5-Diamine Use in Pregnancy and Body Stalk Anomaly A Possible Association?, In: Rev. Chim., 2019, 7, 2656–2659
- [32] Eichhorn, S., Hearle, J.W.S., Jaffe, M., Kikutani, T. (Eds.), *Handbook of Textile Fibre Structure: Volume 1: Fundamentals and Manufactured Polymer Fibres*, Elsevier, 2009
- [33] Hearle, J.W., Lomas, B., Cooke, W.D., Atlas of fibre fracture and damage to textiles, Elsevier, 1998
- [34] Oana, I., Indrie, L., Oneţ, A., Oana, D., Ilieş, D.C., Herman, G.V., Ilieş, A., Marcu, F., Preserving textile objects in Romanian Wooden Churches. Case study of the heritage wooden church from Oradea, Romania, In: Industria Textila 2020, 71, 2, 112–117, http://doi.org/10.35530/IT.071.02.1633
- [35] Ilieş, D.C., Herman, G.V., Caciora, T., Ilieş, A., Indrie, L., Wendt, J., Axinte, A., Diombera, M., Lite, C., Berdenov, Zh., Albu, A., Considerations Regarding the Research for the Conservation of Heritage Textiles in Romania, In: Textiles and Waste, Intech Press, 2020, http://dx.doi.org/10.5772/intechopen.91393

Authors:

LILIANA INDRIE¹, MARILÉS BONET-ARACIL², DORINA CAMELIA ILIEȘ³, ADINA VICTORIA ALBU¹, GABRIELA ILIEȘ⁴, GRIGORE VASILE HERMAN³, ȘTEFAN BAIAS³, MONICA COSTEA⁵

¹University of Oradea, Faculty of Energy Engineering and Industrial Management, Department of Textile, Leather and Industrial Management, B.St. Delavrancea Str. No. 4, 410058, Oradea, Romania e-mail: aalbu@uoradea.ro

> ²Universitat Politècnica de València, Textile and Paper Department, Plaza Ferrándiz y Carbonell s/n, 03801, Alcoy, Spain e-mail: maboar@txp.upv.es

³University of Oradea, Faculty of Geography, Tourism and Sport, 1st University Street, Oradea, 410087, Romania e-mail: dilies@uoradea.ro, gherman@uoradea.ro, sbaias@uoradea.ro

⁴University "Babes-Bolyai", Faculty of Geography, Sighetu Marmatiei Extension, Str. Avram Iancu nr. 6, 435500, Sighetu Marmatiei, Romania e-mail: gabriela.ilies@ubbcluj.ro

> ⁵University of Oradea, Faculty of Environment Protection, Magheru 29 Street Street, Oradea, Romania e-mail: mcostea@uoradea.ro

Corresponding author:

LILIANA INDRIE e-mail: lindrie@uoradea.ro