

# Table of Contents

<b>ABSTRACT</b>	<b>1</b>
<b>RESUMEN</b>	<b>3</b>
<b>RESUM</b>	<b>7</b>
<b>CHAPTER 1 GENERAL INTRODUCTION</b>	<b>13</b>
1. Importance of pig production	13
2. Applications and limitations of frozen-thawed sperm doses	14
3. Sperm cryopreservation	17
3.1. Cold shock	18
3.2. Osmotic stress	21
3.3. Membrane status after cryopreservation	22
4. Recent advances in boar sperm cryopreservation	22
5. Cholesterol addition to boar sperm plasma membrane as a strategy against the damage caused by cryopreservation	24
<b>CHAPTER 2 OBJECTIVES</b>	<b>41</b>
General aim and specific objectives	41
Organization of the Thesis	42

<b>CHAPTER 3</b>	<b>Study 1: Treating boar sperm with cholesterol-loaded cyclodextrins widens the sperm osmotic tolerance limits and enhances the in vitro sperm fertilizing ability</b>	<b>47</b>
1.	Introduction	48
2.	Materials and methods	50
2.1.	Reagents and media	50
2.2.	Preparation of cholesterol-loaded cyclodextrins	52
2.3.	Sourcing, collecting and handling of the ejaculates	52
2.4.	Sperm cryopreservation	53
2.5.	Sperm assessments	54
2.6.	Experimental design	55
2.7.	Statistical analyses	62
3.	Results	64
4.	Discussion	71
<b>CHAPTER 4</b>	<b>Study 2: Effect of pre-freezing treatment with cholesterol-loaded cyclodextrins on boar sperm longevity, capacitation dynamics, ability to adhere to porcine oviductal epithelial cells in vitro and DNA fragmentation dynamics</b>	<b>87</b>
1.	Introduction	87
2.	Materials and methods	90
2.1.	Reagents and media	90
2.2.	Preparation of cholesterol-loaded cyclodextrins	92

2.3. Sourcing, collecting and handling of the ejaculates	92
2.4. Sperm cryopreservation	93
2.5. Sperm assessment	94
2.6. Experimental design	100
2.7. Statistical analyses	102
3. Results	103
4. Discussion	112
<b>CHAPTER 5 Study 3: In vivo fertilizing ability of frozen-thawed boar sperm treated with cholesterol-loaded cyclodextrins prior to cryopreservation</b>	<b>133</b>
1. Introduction	133
2. Materials and methods	135
2.1. Reagents and media	135
2.2. Preparation of cholesterol-loaded cyclodextrins	136
2.3. Animals	136
2.4. Collecting and handling of the ejaculates	137
2.5. Sperm cryopreservation	137
2.6. Sperm assessments	138
2.7. Preparation of the insemination doses	139
2.8. Estrus synchronization, ovulation induction, insemination and pregnancy diagnosis	140
2.9. Experimental design	140

2.10. Statistical analyses	141
3. Results	142
4. Discussion	145
<b>CHAPTER 6 GENERAL DISCUSSION</b>	<b>157</b>
1. Treating boar sperm with cholesterol-loaded cyclodextrins (CLC) increases the cholesterol content of the sperm plasma membrane	158
2. Effect of the treatment with cholesterol-loaded cyclodextrins (CLC) on the resistance of the boar sperm membrane to osmotic stress	160
3. Effect of treatment with cholesterol-loaded cyclodextrins (CLC) on the motility and plasma membrane integrity of frozen-thawed boar sperm	161
4. Effect of treatment with cholesterol-loaded cyclodextrins (CLC) on the functionality in vitro of frozen-thawed boar sperm	163
4.1. Effect of cholesterol-loaded cyclodextrins (CLC) on the capacitation status and capacitation dynamics of frozen-thawed boar sperm	164
4.2. Effect of cholesterol-loaded cyclodextrins (CLC) on the ability of frozen-thawed boar sperm to adhere to oviductal epithelial cells in vitro	166
4.3. Effect of cholesterol-loaded cyclodextrins (CLC) on the DNA integrity dynamics of frozen-thawed boar sperm	168

5.	Effect of treatment with cholesterol-loaded cyclodextrins (CLC) on the fertilizing ability of frozen-thawed boar sperm	169
5.1.	Effect of cholesterol-loaded cyclodextrins (CLC) on the ability of frozen-thawed boar sperm to penetrate immature oocytes in vitro	169
5.2.	Effect of cholesterol-loaded cyclodextrins (CLC) on the fertilizing ability of frozen-thawed boar sperm in vivo	170
<b>CHAPTER 7 CONCLUSIONS</b>		<b>183</b>
<b>APPENDIX: MEDIA</b>		<b>185</b>



# Index of Tables

<b>Chapter 1, Table 1:</b> Farrowing rates and litter size obtained with frozen-thawed boar sperm in recent studies	<b>16</b>
<b>Chapter 3, Table 1:</b> Protocol for returning the sperm to near isosmotic, after incubating boar sperm with methyl- $\beta$ -cyclodextrin (M $\beta$ CD-1 mg, 1 mg/120 x 10 <sup>6</sup> sperm/mL) or cholesterol-loaded cyclodextrins (CLC-1 mg, 1 mg/120 x 10 <sup>6</sup> sperm/mL) in anisomotic conditions	<b>56</b>
<b>Chapter 3, Table 2:</b> Influence of pre-freezing incubation of boar sperm with methyl- $\beta$ -cyclodextrin (M $\beta$ CD-1 mg, 1 mg/120 x 10 <sup>6</sup> sperm/mL) or cholesterol-loaded cyclodextrins (CLC-1 mg, 1 mg/120 x 10 <sup>6</sup> sperm/mL) on sperm penetration ability of sow's immature oocytes in vitro	<b>70</b>
<b>Chapter 4, Table 1:</b> Effect of post-thaw incubation time and post-thaw storage temperature on the percentage of viable sperm in samples treated with cholesterol-loaded cyclodextrins (CLC) (1 mg CLC/120 x 10 <sup>6</sup> sperm) or not treated (Control) prior to cryopreservation	<b>104</b>
<b>Chapter 4, Table 2:</b> Effect of post-thaw incubation time and post-thaw storage temperature on the percentage of total motile sperm in samples treated with cholesterol-loaded cyclodextrins (CLC) (1 mg CLC/120 x 10 <sup>6</sup> sperm) or not treated (Control) prior to cryopreservation	<b>105</b>

<b>Chapter 4, Table 3:</b> Effect of post-thaw incubation time and post-thaw storage temperature on the percentage of progressively motile sperm in samples treated with cholesterol-loaded cyclodextrins (CLC) (1 mg CLC/120 x 10 <sup>6</sup> sperm) or not treated (Control) prior to cryopreservation	<b>107</b>
<b>Chapter 4, Table 4:</b> Effect of pre-freezing incubation of boar sperm with cholesterol-loaded cyclodextrins (1 mg CLC/120 x 10 <sup>6</sup> sperm) on the ability of frozen-thawed sperm to adhere to a porcine telomerase-immortalised oviductal epithelial cell line (TERT-OPEC) in vitro	<b>110</b>
<b>Chapter 4, Table 5:</b> Effect of incubation time on the post-thaw sperm chromatin structure assay (SCSA) in samples treated with cholesterol-loaded cyclodextrins (CLC) (1 mg CLC/120 x 10 <sup>6</sup> sperm) or not treated (Control) prior to cryopreservation	<b>111</b>
<b>Chapter 5, Table 1:</b> Quality of frozen-thawed (FT) sperm (control or treated with 1 mg of cholesterol-loaded cyclodextrins-CLC/120 x 10 <sup>6</sup> sperm, prior to cryopreservation) used for the inseminations	<b>142</b>
<b>Chapter 5, Table 2:</b> Fertility, farrowing rates and litter size (total and live piglets born) of weaned hormonally treated sows inseminated once with frozen-thawed sperm (control or treated with cholesterol-loaded cyclodextrins prior to cryopreservation) and conventional insemination (cervical) 37 h after hCG injection	<b>143</b>



**Chapter 5, Table 3:** Fertility, farrowing rates and litter size (total and live piglets **144**

born) of weaned hormonally treated sows inseminated once with frozen-thawed sperm (control or treated with cholesterol-loaded cyclodextrins prior to cryopreservation) and conventional insemination (cervical) 30 h after hCG injection



# Index of Figures

- Chapter 1, Figure 1:** World and EU-27 pig meat production (millions of Tn), number of sows inseminated and of artificial inseminations (AI) performed per year in Spain **13**
- Chapter 3, Figure 1:** Effect of treatment of boar sperm with methyl- $\beta$ -cyclodextrin (M $\beta$ CD-1 mg; 1 mg/120 x 10<sup>6</sup> sperm/mL) or cholesterol-loaded cyclodextrins (CLC-1 mg; 1 mg/120 x 10<sup>6</sup> sperm/mL) on percentages of total motile sperm (A), progressively motile sperm (B) and viable sperm (C) **65-66**
- Chapter 3, Figure 2:** Influence of pre-freezing incubation of boar sperm with methyl- $\beta$ -cyclodextrin (M $\beta$ CD-1 mg, 1 mg/120 x 10<sup>6</sup> sperm/mL) or cholesterol-loaded cyclodextrins (CLC-1 mg, 1 mg/120 x 10<sup>6</sup> sperm/mL) on post-thawing percentages of live sperm with an intact acrosome, total motile sperm and rapid progressively motile sperm **67**
- Chapter 3, Figure 3:** Influence of pre-freezing incubation of boar sperm with methyl- $\beta$ -cyclodextrin (M $\beta$ CD-1 mg, 1 mg/120 x 10<sup>6</sup> sperm/mL) or cholesterol-loaded cyclodextrins (CLC-1 mg, 1 mg/120 x 10<sup>6</sup> sperm/mL) on post-thawing percentages of viable sperm with stable plasma membrane and viable sperm with unstable plasma membrane **68**

<b>Chapter 3, Figure 4:</b> Influence of pre-freezing incubation of boar sperm with methyl- $\beta$ -cyclodextrin (M $\beta$ CD-1 mg, 1 mg/120 x 10 <sup>6</sup> sperm/mL) or cholesterol-loaded cyclodextrins (CLC-1 mg, 1 mg/120 x 10 <sup>6</sup> sperm/mL) on post-thawing percentages of viable sperm and viable sperm with high [Ca <sup>2+</sup> ]	<b>69</b>
<b>Chapter 4, Figure 1:</b> Histogram and quadrants of the stain SYBR-14/PI	<b>96</b>
<b>Chapter 4, Figure 2:</b> Effect of incubation under capacitating conditions (A) on the post-thaw percentages of dead sperm and (B) on the percentage of viable sperm with high [Ca <sup>2+</sup> ] with respect to the viable sperm population in samples treated with cholesterol-loaded cyclodextrins (1 mg of CLC per 120 x 10 <sup>6</sup> sperm) or not treated prior to cryopreservation	<b>108-109</b>
<b>Chapter 6, Figure 1:</b> Boar sperm incubated with 1 mg of cholesterol-loaded cyclodextrins (CLC) per 120 x 10 <sup>6</sup> sperm with 10% of the cholesterol loaded into the cyclodextrin labeled with NBD. A) negative phase contrast image (1000X) B) fluorescent image (1000X)	<b>158</b>