
Contents

I	Overview	1
1	Introduction	3
1.1	Background	3
1.2	Engine control	9
1.3	Scope of the work	10
1.4	Objectives	10
1.5	Methodology	11
1.6	Publications	12
	References	13
II	Concepts and tools	16
2	State of the art: Combustion modeling and control	17
2.1	Introduction	18
2.2	Direct combustion diagnosis	19
2.2.1	In-cylinder pressure modeling	19
2.2.1.1	Cylinder geometry	23
2.2.1.2	In-cylinder temperature	24
2.2.1.3	Mass fraction burned	24
2.2.2	Combustion indicators definitions	26
2.3	Indirect combustion diagnosis	27
2.3.1	Combustion diagnosis through vibration signal	28
2.4	Abnormal combustion: knock recognition methods	30
2.4.1	In-cylinder pressure based	31
2.4.2	Knock sensor based	32
2.4.3	Knock control	33

2.5	Conclusions	34
	References	35
3	System set-up	41
3.1	Introduction	42
3.2	Experimental set-up	42
3.2.1	Engines	42
3.2.2	Acquisition and control structure	45
3.2.2.1	Engine A acquisition and control layout	47
3.2.2.2	Engine B acquisition and control layout	47
3.2.2.3	Engine C acquisition and control layout	48
3.2.2.4	Real time combustion analysis	49
3.3	Experimental tests	50
3.3.1	Steady tests	51
3.3.2	Transient tests	55
3.3.2.1	Close loop knock control	55
3.3.2.2	Load transient	56
3.3.2.3	Speed transient	56
3.3.2.4	Tip in-tip out	57
3.3.2.5	Cycles	57
	References	59
III	Control oriented modeling	60
4	Control oriented combustion model	61
4.1	Introduction	62
4.2	Combustion model	62
4.2.1	Combustion variables	63
4.2.2	Flame geometry	64
4.2.3	Model execution	65
4.2.4	Residual Gas Fraction estimation	67
4.2.5	Model calibration	68
4.2.5.1	Calibration of combustion parameters	68
4.2.5.2	Calibration of model constants	69
4.3	Observer design	71
4.3.1	Pressure peak location estimation	71
4.3.2	Observer: Extended Kalman Filter	74

4.4	Results and discussion	78
4.4.1	Training data set	78
4.4.2	Validation data set	81
4.5	Application to different fuel types	85
4.6	Conclusions	87
	References	88
5	Cycle-to-cycle variability modeling	89
5.1	Introduction	89
5.2	Experimental analysis of fuel effect on combustion variability	90
5.3	Cycle-to-cycle variability distribution	95
5.4	Cycle to cycle variability model	96
5.4.1	Variability model	97
5.4.2	Calibration of the variability model	103
5.5	Validation	105
5.5.1	Training data-set	105
5.5.2	Transient data-set	106
5.6	Conclusions	109
5.A	Hypothesis test	109
	References	111
6	In-cylinder resonance modeling	113
6.1	Introduction	114
6.2	Resonance theory	114
6.3	In-cylinder pressure time-frequency analysis	118
6.3.1	Time-frequency tools	118
6.3.2	In-cylinder pressure signal processing	122
6.4	Pressure resonance amplitude evolution model	123
6.4.1	Model description	123
6.4.2	Adaptation of model parameters	126
6.4.3	Results and discussion	128
6.5	Pressure resonance attenuation model	130
6.5.1	Dimensional analysis	130
6.5.2	Calibration of the model parameters	131
6.5.3	Results and discussion	135
6.5.3.1	In-cycle results	136
6.5.3.2	Mean attenuation	137
6.5.3.3	Engine diameter	138

6.6	Resonance with different fuels	139
6.7	Conclusions	141
6.A	Windows function	141
	References	143
IV	Applications to combustion diagnosis and control	145
7	Combustion diagnosis	147
7.1	Introduction	148
7.2	Knock recognition	148
7.2.1	Low-knock recognition: MAPO limitations	148
7.2.2	Methods based on in-cylinder pressure	152
7.2.2.1	Method 1: Recognition based on instantaneous combustion assumption	153
7.2.2.2	Method 2: Recognition based on resonance model	159
7.2.2.3	Validation results of methods 1 and 2	162
7.2.3	Method based on knock sensor signal	166
7.2.3.1	Time-frequency analysis of knock sensor signal	166
7.2.3.2	Method 3: knock recognition method based on knock sensor signal	169
7.2.4	Comparative of methods with MAPO	174
7.2.5	Application to different fuels	176
7.3	In-cylinder trapped mass estimation	179
7.4	Conclusions	182
	References	183
8	Combustion control	185
8.1	Introduction	186
8.2	Fuzzy logic knock control	186
8.2.1	Learning map layer	188
8.2.2	Control decision layer	191
8.2.2.1	Hypothesis test	191
8.2.2.2	Decision block	193
8.2.3	Simulation of map learning process	194
8.2.4	Validation results and discussion	196
8.2.4.1	Learning	196
8.2.4.2	Steady state results	197

8.2.4.3	Transient state results	200
8.3	Model based control for residual gas fraction with combustion optimization control.	203
8.3.1	Controller design	203
8.3.1.1	Iterative algorithm	204
8.3.2	Experimental results	205
8.3.2.1	Optimization of SA obtained from the model	205
8.3.2.2	Controller validation	206
8.4	Conclusions	211
	References	212
V	Conclusions and future work	214
9	Conclusions and future work	215
9.1	Main contributions	215
9.1.1	Combustion modeling	216
9.1.2	In-cylinder resonance characterization	217
9.1.3	Knock recognition methods	218
9.1.4	Combustion control applications	219
9.2	Future work	219
	References	220
	References	223