

# Contents

<b>Abstract</b>	<b>ix</b>
<b>Contents</b>	<b>xv</b>
<b>Acronyms</b>	<b>xxi</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Justification . . . . .	1
1.2 Thesis outline . . . . .	3
1.3 Contributions . . . . .	5
1.4 Publications . . . . .	6
1.5 GitHub repository . . . . .	7
<b>2 Host-aware model</b>	<b>9</b>
2.1 Abstract . . . . .	9
2.2 Introduction . . . . .	10
2.3 Results . . . . .	12
2.3.1 Burden-aware model of gene expression dynamics. . . . .	12

2.3.2 Ribosomal and non-ribosomal genes differ in their average resources recruitment strength . . . . .	20
2.3.3 The resources recruitment strength explains the distribution of ribosomal and non-ribosomal protein mass fractions . . . . .	22
2.3.4 Host-circuit interaction shapes the optimal synthesis rate of exogenous proteins . . . . .	26
2.3.5 The substrate level emphasizes the differential role of RBS and promoter strengths. . . . .	30
2.4 Discussion . . . . .	33
2.5 Conclusions . . . . .	36
<b>3 OneModel: a SBML modeling tool</b>	<b>39</b>
3.1 Abstract . . . . .	39
3.2 Introduction . . . . .	40
3.3 OneModel workflow . . . . .	41
3.4 OneModel design philosophy . . . . .	42
3.5 OneModel implementation . . . . .	44
3.6 Subpackage <i>SBML2dae</i> . . . . .	45
3.7 OneModel installation . . . . .	47
3.8 Examples . . . . .	48
3.8.1 Constitutive protein expression . . . . .	48
3.8.2 Induced protein expression . . . . .	53
3.8.3 Antithetic controller . . . . .	55
3.8.4 Host-aware antithetic controller . . . . .	58
3.9 OneModel syntax . . . . .	63
3.9.1 Comments . . . . .	64
3.9.2 Parameters . . . . .	65
3.9.3 Species . . . . .	66
3.9.4 Reactions . . . . .	66
3.9.5 Substitution, rate, and algebraic rules . . . . .	67
3.9.6 Model and objects . . . . .	69
3.9.7 Input . . . . .	70
3.9.8 Import . . . . .	71
3.9.9 Standalone . . . . .	72
3.10 Discussion and conclusions . . . . .	72

<b>4 Multi-scale model</b>	<b>75</b>
4.1 Abstract . . . . .	76
4.2 Introduction . . . . .	76
4.3 Methods . . . . .	78
4.3.1 Multi-scale model . . . . .	78
4.3.2 Bioreactor model—modes of operation . . . . .	86
4.3.3 TRY performance indices . . . . .	88
4.3.4 TRY relative variation indices for substrate variations . . . . .	89
4.4 Results . . . . .	89
4.4.1 Nominal TRY as a function of the expression space and bioreactor operation . .	89
4.4.2 Mapping between gene expression and TRY spaces . . . . .	92
4.4.3 TRY relative variation indices are fundamentally different at low and high cell burden . . . . .	94
4.4.4 There exists a trade-off in the relative variation indexes . . . . .	95
4.5 Discussion and conclusions . . . . .	97
<b>5 Host-aware analysis of the antithetic controller</b>	<b>99</b>
5.1 Abstract . . . . .	100
5.2 Introduction . . . . .	100
5.2.1 Ideal antithetic controller . . . . .	101
5.3 Methods . . . . .	103
5.3.1 Model equations . . . . .	103
5.3.2 Antithetic controller reference . . . . .	105
5.3.3 States and parameters . . . . .	106
5.3.4 Model implementation and simulation . . . . .	107
5.4 Results . . . . .	109
5.4.1 The antithetic controller improves robustness . . . . .	109
5.4.2 Increased gain leads to burden . . . . .	111
5.4.3 Reducing dilution reduces gain . . . . .	113
5.4.4 RBS effect on the reference . . . . .	114
5.5 Discussion and conclusions . . . . .	117
<b>6 Control of turbidostats</b>	<b>119</b>
6.1 Abstract . . . . .	119

6.2 Introduction . . . . .	120
6.3 Problem statement . . . . .	122
6.4 Proposed control law. . . . .	123
6.4.1 Growth rate proportional feeding law . . . . .	123
6.4.2 Time scaling. . . . .	124
6.4.3 Adaptive shaping of $\gamma$ . . . . .	124
6.4.4 Stability in the original time scale . . . . .	126
6.5 Controller tuning . . . . .	128
6.5.1 Closed loop poles in the $\tau$ -time scale . . . . .	128
6.5.2 Effects of the growth rate observer . . . . .	129
6.5.3 Design of $f(\gamma)$ . . . . .	130
6.6 Simulated results . . . . .	130
6.6.1 Set-point change . . . . .	131
6.6.2 Start-up . . . . .	132
6.6.3 Comparison with other controllers . . . . .	137
6.7 Experimental results . . . . .	138
6.8 Discussion and conclusions. . . . .	141
<b>7 General conclusions</b>	<b>143</b>
<b>Bibliography</b>	<b>149</b>
<b>Appendices</b>	<b>167</b>
<b>A Derivation of the host-aware model</b>	<b>167</b>
A.1 Modeling gene expression . . . . .	167
A.2 Dynamics of the number of mature available ribosomes . . . . .	178
A.3 Relating free and available ribosomes . . . . .	180
A.4 Fractions of bound and actively translating ribosomes with respect to the available mature ones . . . . .	182
A.5 Obtaining the cell specific growth rate . . . . .	184
A.6 Cell specific growth rate and population dynamics . . . . .	186
A.7 Relationship between growth rate and cell mass . . . . .	190

A.8 Average host dynamics and steady state balanced growth. . . . .	193
A.9 Synthesis rate of exogenous proteins and interaction with the host cell . . . . .	196
A.10 Model parameters . . . . .	199
A.11 Estimation of the fractions $\Phi_t^h$ and $\Phi_b^h$ . . . . .	199
A.12 Evaluation of the maximum resources recruitment strength. . . . .	202
A.13 Estimation of the number of free ribosomes in the cell . . . . .	204
A.14 Estimation of the parameters for ribosomal and non-ribosomal endogenous proteins . . . . .	209
A.15 Estimated fractions of ribosomes . . . . .	210
A.16 Effect of substrate availability of growth rate and specific synthesis rate . . . . .	211
A.17 Software code and data. . . . .	211