

Table of Contents

1	Introduction	1
1.1	Historical introduction	3
1.2	Context	21
1.3	Objectives and methodology	21
1.4	Document structure	23
	Bibliography	25
2	Literature Review	29
2.1	Introduction	31
2.2	The standard SI engine	31
2.2.1	Air management	33
2.2.1.1	Intake line	34
2.2.1.2	Intake and exhaust valve actuation	37
2.2.1.3	Exhaust line	39
2.2.1.4	Boosting	42
2.2.2	The SI premixed combustion	43
2.2.2.1	Spark event and ignition lag	45
2.2.2.2	Flame kernel formation	46
2.2.2.3	Premixed turbulent combustion	46
2.2.2.4	Flame termination	50
2.2.2.5	Autoignition: abnormal combustion	51
2.2.2.6	Factors affecting combustion	52

2.2.3	Pollutant emissions formation in SI engines	55
2.2.3.1	Carbon dioxides	56
2.2.3.2	Carbon monoxides	57
2.2.3.3	Unburned hydrocarbons	59
2.2.3.4	Nitrogen oxides	62
2.2.3.5	Particulate matter	64
2.3	Technologies to improve efficiency in SI engines	68
2.3.1	Direct injection	68
2.3.2	Alternative combustion concepts	70
2.3.2.1	Lean combustion	70
2.3.2.2	Stratification	71
2.3.2.3	Pre-chamber ignition	72
2.3.3	Variable valve actuation	73
2.3.3.1	Miller cycle	74
2.3.3.2	Atkinson cycle	76
2.3.4	Variable compression ratio	76
2.3.5	Downsizing and boosting	77
2.3.6	Exhaust gas recirculation	79
2.4	The EGR strategies	83
2.4.1	Internal gas residual	85
2.4.2	High-pressure system	87
2.4.3	Low-pressure system	88
2.4.4	Mixed-pressure system	90
	Bibliography	92
3	Experimental and theoretical tools	111
3.1	Introduction	113
3.2	Experimental tools	113
3.2.1	The engine and experimental set-up	113
3.2.2	Test bench and instrumentation	117

3.2.3	Climatic chamber	121
3.3	Data processing	122
3.3.1	In-cylinder pressure analysis and data processing	122
3.3.1.1	Pumping mean effective pressure estimation ..	125
3.3.1.2	Knock indicator	127
3.3.1.3	Combustion analysis	128
3.3.2	Thermodynamic calculations	129
3.4	Modelling tools	132
3.4.1	1D engine model	132
3.4.2	Condensation model	135
	Bibliography	138
4	Cooled low-pressure EGR system impact on engine operation	141
4.1	EGR tolerance and influence of calibration	143
4.1.1	Optimal calibration analysis	146
4.1.2	EGR effects on engine-out emissions	150
4.1.2.1	Medium load operation	150
4.1.2.2	Low load operation	152
4.1.2.3	Other operating conditions	154
4.1.3	Impact on catalyst performance	156
4.2	Decoupling of IGR and LP-EGR effects	158
4.2.1	Methodology	158
4.2.2	Model validation	163
4.2.3	Decoupling temperature and composition	164
4.2.4	Empirical correlations	168
4.2.5	Optimal spark timing	172
4.3	Combustion instability induced by condensation	178
4.3.1	Methodology	180
4.3.2	Results	183
4.3.2.1	Combustion and stability	185

4.3.2.2	Fuel economy and emissions	191
4.3.2.3	Preliminary assessment of condensation with different fuels	194
4.4	Summary and findings	198
	Bibliography	203
5	Alternative EGR architectures	207
5.1	Comparative analysis of LP and HP-EGR	209
5.1.1	Recirculability limits	210
5.1.2	Low and mid load operation	213
5.1.3	Overall assessment	221
5.2	Effects of recirculated gas composition (pre-post catalyst)	227
5.2.1	Low and mid load operation	228
5.2.2	Overall assessment	231
5.3	Summary and findings	238
	Bibliography	242
6	Conclusions and findings	243
6.1	Introduction	245
6.2	Conclusions and findings	245
6.3	Further works	249
7	Appendix	253
	Bibliography	257