

Table of Contents

1	OVERVIEW OF THE WATER SECTOR IN KSA.....	1-1
1.1	<i>Introduction</i>	1-1
1.2	<i>Available Water Resources</i>	1-3
1.3	<i>Stakeholders and Water Management in KSA</i>	1-4
1.3.1	Stakeholders	1-4
1.3.2	Service provision	1-4
1.3.3	Tariffs	1-5
1.4	<i>Water Resources</i>	1-6
1.4.1	Seawater desalination	1-6
1.4.2	Non-renewable groundwater	1-10
1.4.3	Renewable water	1-14
1.4.4	Reclaimed water	1-19
1.5	<i>Water Use Interaction with Water Resources</i>	1-23
1.5.1	Municipal water use	1-23
1.5.2	Agricultural water use	1-25
1.5.3	Industrial water use	1-29
1.6	<i>Water Budget Estimation</i>	1-30
1.7	<i>Supply Side Options for Water Sector</i>	1-33
2	WATER QUALITY, SECURITY AND ENVIRONMENTAL AND SOCIAL IMPACTS	2-1
2.1	<i>Water Quality</i>	2-1
2.1.1	Groundwater quality	2-1
2.1.2	Seawater quality	2-3
2.2	<i>Environmental and Social Considerations</i>	2-3
2.3	<i>Security of Water Supply</i>	2-3
2.3.1	Water security –definition and concept	2-4
2.3.2	Water security framework – key dimensions	2-5
2.4	<i>Vulnerability to Climate Change</i>	2-7
2.5	<i>Water Security at the Country Level</i>	2-8
2.5.1	Water resource availability	2-8
2.5.2	Renewable water resources	2-8
2.5.3	Non-renewable groundwater	2-8
2.5.4	Desalination water	2-9
2.5.5	Reclaimed water	2-9
2.5.6	The water – food–energy nexus	2-9
2.5.7	Security of municipal supply	2-12
2.6	<i>Assessment of Security in Water Supply</i>	2-13
2.6.1	Water resource diversity	2-13
2.6.2	Water treatment reliability and efficiency	2-16

2.6.3	Desalinated water treatment	2-16
2.6.4	Groundwater treatment.....	2-16
2.6.5	Water transmission reliability, redundancy, and operational flexibility	2-17
2.6.6	Water storage and autonomy	2-18
2.6.7	Emergency preparedness	2-20
2.6.8	Level of services and tariffs	2-20
2.6.9	Water regulation and management.....	2-21
3	ESTIMATION OF MUNICIPAL WATER CONSUMPTION	3-1
3.1	<i>Introduction and Context</i>	3-1
3.1.1	Municipal water consumption per capita.....	3-1
3.1.2	Municipal water tariffs	3-2
3.2	Residential Water Consumption.....	3-4
3.2.1	Consumption benchmarking.....	3-4
3.2.2	Estimation approaches	3-6
3.2.3	Per capita water consumption and household size	3-7
3.2.4	Per capita irrigation and household size	3-8
3.3	Non-Residential Water Consumption	3-10
3.3.1	Hotels water consumption	3-11
3.3.2	Restaurants water consumption.....	3-59
3.3.3	Cafe water consumption.....	3-71
3.3.4	Office water consumption	3-78
3.3.5	Wholesale and retail trade water consumption	3-88
3.3.6	Schools water consumption	3-93
3.3.7	University water consumption	3-100
3.3.8	Hospital water consumption	3-108
3.3.9	Mosque water consumption	3-118
4	MATHEMATICAL MODELS IN MUNICIPAL WATER CONSUMPTION	4-2
4.1	<i>Introduction</i>	4-2
4.2	Residential Water Consumption Models	4-4
4.2.1	Residential water consumption unitary ratio parameters	4-4
4.2.2	Residential water consumption model assumptions	4-4
4.2.3	Daily residential water consumption equations	4-5
4.3	Non-Residential Water Consumption Models.....	4-8
4.3.1	Hotels	4-8
4.3.2	Restaurants	4-23
4.3.3	Cafe	4-49
4.3.4	Office	4-64
4.3.5	Wholesale and retail.....	4-72
4.3.6	Schools	4-80
4.3.7	University	4-95
4.3.8	Hospital.....	4-110

4.3.9 Mosques.....	4-124
5 MATHEMATICAL MODELS APPLICATION IN MUNICIPAL WATER DEMAND IN KSA 5-1	
5.1 <i>Introduction</i>	5-1
5.2 <i>Population Forecast</i>	5-2
5.2.1 Approach	5-2
5.2.2 Methodology	5-10
5.3 <i>Existing Population for KSA</i>	5-12
5.3.1 CDSI population projection	5-13
5.3.2 CDSI assumptions.....	5-14
5.3.3 Base year population	5-15
5.3.4 Fertility	5-15
5.3.5 Mortality	5-17
5.3.6 International migration	5-17
5.4 <i>Total number of Housing Units, Average Household Size and Forecast in KSA</i>	5-22
5.4.1 Total number of housing units.....	5-22
5.4.2 Average household size	5-23
5.4.3 Household forecast.....	5-24
5.5 <i>Water Demand Forecast Model</i>	5-24
5.5.1 Factors affecting water demand	5-25
5.5.2 Water demand approach	5-26
5.5.3 Main assumptions	5-27
5.5.4 Data source and assumption	5-28
5.5.5 Climatological data	5-28
5.5.6 Methodology	5-29
5.6 <i>Municipal Water Demand Forecast in KSA</i>	5-30
5.6.1 Riyadh region	5-31
6 CONCLUSION	6-1
6.1 <i>General conclusion</i>	6-1
6.2 <i>Objectives achieved</i>	6-2
6.3 <i>Particular conclusion focused on KSA</i>	6-2
6.4 <i>Future development</i>	6-3
REFERENCES.....	R-1
ANNEX: ARTICLE IN JOURNAL WATER (DOI.ORG/10.3390/W14233828).....	A-1

List of Figures

Figure 0- 1 Projected water demand based on historic trends	1-7
Figure 0- 2 Municipal water demand forecast – MoWE and NWS Projections.....	1-10
Figure 1- 1 Areas of KSA with respect to water resources availability (MOEP 2010a).....	1-3
Figure 1- 2 Contribution of different water sources to KSA supply (MCM/year).	1-3
Figure 1- 3. Desalination capacity (MCM/day) on east and west coast (2014-2015).....	1-6
Figure 1- 4 Desalination plant location map (SWCC 2015).	1-7
Figure 1- 5 Map showing the exploitable areas of the principal aquifers of KSA.....	1-11
Figure 1- 6 Cumulative groundwater abstraction for agricultural and municipal/industrial supply 1975-2008.	1-12
Figure 1- 7 Average annual groundwater abstraction between 2006-2008.....	1-12
Figure 1- 8 Groundwater treatment capacity by region in 2013.	1-14
Figure 1- 9 Existing potable supply and irrigation dams (MEWA, 2018).	1-16
Figure 1- 10 Renewable water resources exploitation in KSA (MOEP, 2010a).....	1-17
Figure 1- 11 Wastewater treatment capacity (m ³ /day) by region in 2013.	1-19
Figure 1- 12 TSE generation and reuse (MoWE, 2013).	1-21
Figure 1- 13 Wastewater treatment plants – location map.	1-22
Figure 1- 14 KSA total municipal water supply (2013) by source.....	1-23
Figure 1- 15 Water supply by source for the thirteen regions in KSA (2013).	1-24
Figure 1- 16 Regional view of current consumption and target budget.	1-26
Figure 1- 17 Total accessible reserves and years to depletion.....	1-28
Figure 1- 18 Projected agricultural water consumption (ADF-Best Case Scenario).	1-29
Figure 1- 19 Industrial water use in KSA (2007-2016).....	1-30
Figure 1- 20 Industrial water consumption & demand in KSA (2015-2040).....	1-30
Figure 1- 21 Total water use in BCM by source in KSA (2012).	1-31
Figure 1- 22 KSA water budget (2012).	1-32
Figure 1- 23 Sectoral water consumption in KSA (2007-2012).....	1-33
Figure 2- 1 Water, energy, and food security nexus.	2-10
Figure 2- 2 Water production by source per water supply group (2013).	2-13
Figure 3 - 1 Average daily municipal water consumption per capita.....	3-2
Figure 3 - 2 Domestic Water Tariffs in selected cities in 2015	3-3
Figure 3 - 3 Per capita water consumption versus number of occupants.	3-7
Figure 3 - 4 Percentage of per capita water consumption decrease vs. occupant numbers in housing units.....	3-8
Figure 3 - 5 Analysis of water consumption micro-components in hotels by use.	3-14
Figure 3 - 6 Guest room expressed as a percentage of total hotel water consumption.	3-15
Figure 3 - 7 Daily water consumption in guest room per hotel.	3-16
Figure 3 - 8 Average water consumption per guest room.	3-16
Figure 3 - 9 Shower flow rates (L/min) averaged from multiple sources.	3-18
Figure 3 - 10 Shower duration (minutes) averaged from multiple sources.	3-18
Figure 3 - 11 Faucet flow rates (L/min) averaged from multiple sources.	3-21
Figure 3 - 12 Faucet open duration (minutes) averaged from multiple sources.	3-21
Figure 3 - 13 Toilet water consumption averaged from multiple sources.....	3-23
Figure 3 - 14 Daily number of flushes averaged from multiple sources.....	3-24
Figure 3 - 15 Daily number of flushes per room in hotel averaged from multiple sources.	3-24
Figure 3 - 16 Kitchen water consumption expressed as a percentage of total hotel water consumption.	3-28
Figure 3 - 17 Daily water consumption in kitchen.....	3-28
Figure 3 - 18 Daily water consumption in kitchen per hotel.	3-29
Figure 3 - 19 Laundry water consumption expressed as a percentage of total hotel water consumption.	3-33
Figure 3 - 20 Daily water consumption in laundry.	3-33
Figure 3 - 21 Daily laundry water consumption per room in hotel.	3-34
Figure 3 - 22 Daily laundry water consumption per guest in hotel.....	3-34
Figure 3 - 23 Daily laundry water consumption per weight.....	3-35

<i>Figure 3 - 24 Irrigation water consumption expressed as a percentage of total hotel water consumption.</i>	3-38
<i>Figure 3 - 25 Irrigation water consumption per hotel.</i>	3-38
<i>Figure 3 - 26 Daily irrigation water consumption per room in hotel.</i>	3-39
<i>Figure 3 - 27 Daily irrigation water consumption per irrigation area.</i>	3-39
<i>Figure 3 - 28 Irrigation area vs. irrigation water consumption.</i>	3-40
<i>Figure 3 - 29 Correlation between irrigation water consumption per irrigation area and irrigation area.</i>	3-41
<i>Figure 3 - 30 Cooling and heating water consumption expressed as a percentage of total hotel water consumption.</i>	3-43
<i>Figure 3 - 31 Daily cooling and heating water consumption</i>	3-44
<i>Figure 3 - 32 Daily cooling and heating water consumption per room in hotel.</i>	3-44
<i>Figure 3 - 33 Daily cooling and heating water consumption per area.</i>	3-45
<i>Figure 3 - 34 Swimming pool water consumption expressed as a percentage of total hotel water consumption.</i>	3-47
<i>Figure 3 - 35 Daily swimming pool water consumption.</i>	3-47
<i>Figure 3 - 36 Swimming pool water consumption per swimmer.</i>	3-48
<i>Figure 3 - 37 Other water consumption expressed as a percentage of total hotel water consumption.</i>	3-49
<i>Figure 3 - 38 Distribution of daily water consumption in hotel.</i>	3-51
<i>Figure 3 - 39 Distribution of daily per floor area water consumption in hotel.</i>	3-52
<i>Figure 3 - 40 Hotel floor area vs. daily water consumption in hotel based on floor area.</i>	3-52
<i>Figure 3 - 41 Correlation between hotel water consumption per floor area and hotel floor area.</i>	3-53
<i>Figure 3 - 42 Distribution of daily per guest water consumption in hotel.</i>	3-54
<i>Figure 3 - 43 Number of guests vs. hotel water consumption based on number of guests.</i>	3-54
<i>Figure 3 - 44 Correlation between hotel water consumption per guest and hotel guests' number.</i>	3-55
<i>Figure 3 - 45 Distribution of daily per room water consumption in hotel.</i>	3-56
<i>Figure 3 - 46 Hotel rooms number vs. hotel water consumption based on number of rooms.</i>	3-56
<i>Figure 3 - 47 Correlation between hotel water consumption per room and hotel rooms number.</i>	3-57
<i>Figure 3 - 48 Analysis of water consumption micro-components in restaurants by use.</i>	3-61
<i>Figure 3 - 49 Distribution of daily water consumption in restaurant.</i>	3-62
<i>Figure 3 - 50. Distribution of daily per floor area water consumption in restaurant.</i>	3-63
<i>Figure 3 - 51. Restaurants floor area vs. daily water consumption in the restaurants based on floor area.</i>	3-63
<i>Figure 3 - 52 Correlation between restaurant water consumption per floor area and restaurant floor area.</i>	3-64
<i>Figure 3 - 53 Distribution of daily per customer water consumption in the restaurant.</i>	3-65
<i>Figure 3 - 54 Number of customers vs. restaurant water consumption based on number of customers.</i>	3-66
<i>Figure 3 - 55 Correlation between restaurant water consumption per customer and restaurant customers' number.</i>	3-66
<i>Figure 3 - 56 Distribution of daily per employee water consumption in the restaurant.</i>	3-67
<i>Figure 3 - 57. Distribution of daily per seat water consumption in restaurant.</i>	3-68
<i>Figure 3 - 58. Distribution of daily per meal water consumption in the restaurant.</i>	3-69
<i>Figure 3 - 59 Analysis of water consumption micro-components in cafes by use.</i>	3-72
<i>Figure 3 - 60 Distribution of daily water consumption in the cafe.</i>	3-73
<i>Figure 3 - 61 Distribution of daily per floor area water consumption in cafe.</i>	3-74
<i>Figure 3 - 62 Distribution of daily per employee water consumption in cafe.</i>	3-75
<i>Figure 3 - 63 Distribution of daily per seat water consumption in cafe.</i>	3-76
<i>Figure 3 - 64 Analysis of water consumption micro-components in offices by use.</i>	3-81
<i>Figure 3 - 65 Distribution of daily water consumption in office.</i>	3-82
<i>Figure 3 - 66 Distribution of daily per floor area water consumption in office.</i>	3-83
<i>Figure 3 - 67 Office floor area vs. daily water consumption in office based on floor area.</i>	3-83
<i>Figure 3 - 68 Correlation between offices water consumption per floor area and floor area.</i>	3-84
<i>Figure 3 - 69 Distribution of daily per employee water consumption.</i>	3-85
<i>Figure 3 - 70 Number of employees vs. daily per employee water consumption in the office.</i>	3-85
<i>Figure 3 - 71 Correlation between office water consumption per employee and number of employees.</i>	3-86
<i>Figure 3 - 72 Distribution of daily water consumption in wholesale and retail.</i>	3-89
<i>Figure 3 - 73 Distribution of daily per floor area water consumption in wholesale and retail trade.</i>	3-90
<i>Figure 3 - 74 Wholesale and retail floor area vs. daily water consumption in the wholesale and retail trade based on floor area.</i>	3-90
<i>Figure 3 - 75 Correlation between wholesale and retail trade water consumption per floor area and wholesale and retail trade floor area.</i>	3-91
<i>Figure 3 - 76 Distribution of daily per employee water consumption in wholesale and retail trade.</i>	3-92
<i>Figure 3 - 77 Analysis of water consumption micro-components in schools by use.</i>	3-95

<i>Figure 3 - 78 Distribution of daily water consumption in schools.</i>	3-96
<i>Figure 3 - 79 Distribution of daily per floor area water consumption in schools.</i>	3-97
<i>Figure 3 - 80 Distribution of daily per student water consumption in schools.</i>	3-98
<i>Figure 3 - 81 Analysis of water consumption micro-components in universities by use.</i>	3-102
<i>Figure 3 - 82 Distribution of daily water consumption in university.</i>	3-103
<i>Figure 3 - 83 Distribution of daily per capita water consumption in university.</i>	3-104
<i>Figure 3 - 84 Distribution of daily per floor area water consumption in university.</i>	3-105
<i>Figure 3 - 85 Distribution of daily per student water consumption in university.</i>	3-106
<i>Figure 3 - 86 Analysis of water consumption micro-components in hospitals by use.</i>	3-112
<i>Figure 3 - 87 Distribution of daily water consumption in hospital.</i>	3-113
<i>Figure 3 - 88 Distribution of daily per capita water consumption in hospital.</i>	3-114
<i>Figure 3 - 89 Distribution of daily per floor area water consumption in hospital.</i>	3-115
<i>Figure 3 - 90 Distribution of daily per bed water consumption in hospital.</i>	3-116
<i>Figure 3 - 91 Distribution of daily water consumption in mosque.</i>	3-119
<i>Figure 3 - 94 Distribution of daily per worshipper water consumption in mosque.</i>	3-120
<i>Figure 5 - 1 Components of the population forecast.</i>	5-2
<i>Figure 5 - 2 Link between population, economy, and demand forecasts.</i>	5-3
<i>Figure 5 - 3 KSA growth rate of population by nationality for the census periods.</i>	5-6
<i>Figure 5 - 4 Evolution of Saudi and Non-Saudi population, 1992-2012</i>	5-6
<i>Figure 5 - 5 KSA total population by age group, 2007.</i>	5-8
<i>Figure 5 - 6 KSA, Non-Saudi population by age group, 2007.</i>	5-8
<i>Figure 5 - 7 KSA, Saudi population by age group, 2007.</i>	5-9
<i>Figure 5 - 8 Population and household projection methodology.</i>	5-10
<i>Figure 5 - 9 KSA population forecast – comparison CDSI and UN.</i>	5-12
<i>Figure 5 - 10 KSA – CDSI population forecast – by nationality.</i>	5-13
<i>Figure 5 - 11 KSA-UN population forecast – scenarios high, base, low.</i>	5-19
<i>Figure 5 - 12 KSA – CDSI population forecast base scenario – high and low scenarios estimation 2010-2040.</i>	5-20
<i>Figure 5 - 13 Factors influencing water demand.</i>	5-26
<i>Figure 5 - 14 Simplified flow of work diagram for sectoral water-demand forecast.</i>	5-29

List of Tables

<i>Table 1- 1 Desalination production (2011-2012)</i>	1-7
<i>Table 1- 2 Energy requirements for different desalination processes.....</i>	1-9
<i>Table 1- 4 Average water supply from dams (2017)</i>	1-18
<i>Table 1- 5 Reuse applications by primary and sub-category</i>	1-20
<i>Table 1- 6 MoWE criteria for water demand forecast</i>	1-24
<i>Table 1- 7 Municipal water supply sector KPIs (2013).....</i>	1-25
<i>Table 2- 1 Water resource diversity (2013)</i>	2-14
<i>Table 2- 2 Water resource diversity assessment</i>	2-15
<i>Table 2- 3 Water transmission reliability ranking.....</i>	2-18
<i>Table 2- 4 Current water autonomy ranking.....</i>	2-19
<i>Table 3- 1 Relation between the number of occupants and irrigation water consumption in housing units ..</i>	3-8
<i>Table 3- 2 Significant categories contributing to overall municipal water consumption</i>	3-10
<i>Table 3- 3 Hotels water consumption efficiency benchmarking</i>	3-13
<i>Table 4 - 1 Different average ratio of per capita and outdoor or irrigation water consumption use based on housing unit with different occupant numbers ..</i>	4-4
<i>Table 4 - 2 Unitary residential water consumption based on numbers of houses with household members and per capita, when irrigation area is known.....</i>	4-6
<i>Table 4 - 3 Unitary residential water consumption-based numbers of houses with household members and per capita, when irrigation area is known.....</i>	4-7
<i>Table 4 - 4 Contribution of water consumption micro-components in hotels. Average figures and benchmarks.</i>	4-9
<i>Table 4 - 5 Unitary hotel water consumption based on floor area, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-11
<i>Table 4 - 6 Ratio of hotel water consumption based on floor area, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-12
<i>Table 4 - 7 Unitary hotel water consumption based on floor area, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-12
<i>Table 4 - 8 Unitary hotel water consumption based on number of guests, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-14
<i>Table 4 - 9 Ratio of hotel water consumption based on number of guests, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-15
<i>Table 4 - 10 Unitary hotel water consumption based on number of guests, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-16
<i>Table 4 - 11 Ratio of hotel water consumption based on number of guests, when cooling and heating area (CHA) and irrigation area (IA) are unknown.</i>	4-16
<i>Table 4 - 12 Unitary hotel water consumption based on number of guests, cooling and heating area (CHA) and irrigation area (IA). .4-18</i>	
<i>Table 4 - 13 Unitary hotel water consumption based on number of rooms, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-19
<i>Table 4 - 14 Ratio of hotel water consumption based on number of rooms, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-20
<i>Table 4 - 15 Unitary hotel water consumption based on number of rooms, when cooling and heating area (CHA) and irrigation area (IA) are unknown.</i>	4-20
<i>Table 4 - 16 Ratio of hotel water consumption based on number of rooms, when cooling and heating area (CHA) and irrigation area (IA) are unknown.</i>	4-21
<i>Table 4 - 17 Unitary hotel water consumption based on number of rooms, cooling and heating area (CHA) and irrigation area (IA) .4-22</i>	
<i>Table 4 - 18 Contribution of water consumption micro-components in restaurants. Average figures and benchmarks.....</i>	4-24

<i>Table 4 - 19 Unitary restaurant water consumption based on floor area, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-26
<i>Table 4 - 20 Ratio of restaurant water consumption based on floor area when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-27
<i>Table 4 - 21 Unitary restaurant water consumption based on floor area when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-27
<i>Table 4 - 22 Unitary restaurant water consumption based on number of customers, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-29
<i>Table 4 - 23 Ratio of restaurant water consumption based on number of customers, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-30
<i>Table 4 - 24 Unitary restaurant water consumption based on number of customers, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-31
<i>Table 4 - 25 Ratio of restaurant water consumption based on number of customers, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-31
<i>Table 4 - 26 Unitary restaurant water consumption based on number of customers, cooling and heating area (CHA) and irrigation area (IA).....</i>	4-33
<i>Table 4 - 27 Unitary restaurant water consumption based on number of employees, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-34
<i>Table 4 - 28 Ratio of restaurant water consumption based on number of employees, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-35
<i>Table 4 - 29 Unitary restaurant water consumption based on number of employees, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-36
<i>Table 4 - 30 Ratio of restaurant water consumption based on number of employees, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-36
<i>Table 4 - 31 Unitary restaurant water consumption based on number of employees, cooling and heating area (CHA) and irrigation area (IA).....</i>	4-38
<i>Table 4 - 32 Unitary restaurant water consumption based on number of seats, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-39
<i>Table 4 - 33 Ratio of restaurant water consumption based on number of seats, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-40
<i>Table 4 - 34 Unitary restaurants water consumption based on number of seats, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-41
<i>Table 4 - 35 Ratio of restaurant water consumption based on number of seats, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-41
<i>Table 4 - 36 Unitary restaurant water consumption based on number of seats, cooling and heating area (CHA) and irrigation area (IA).....</i>	4-43
<i>Table 4 - 37 Unitary restaurant water consumption based on number of meals, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-44
<i>Table 4 - 38 Ratio of restaurant water consumption based on number of meals, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-45
<i>Table 4 - 39 Unitary restaurants water consumption based on number of meals, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-46
<i>Table 4 - 40 Ratio of restaurant water consumption based on number of meals, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-46
<i>Table 4 - 41 Unitary restaurant water consumption based on number of meals, cooling and heating area (CHA) and irrigation area (IA).....</i>	4-48
<i>Table 4 - 42 Contribution of water consumption micro-components in cafes. Average figures and benchmarks.....</i>	4-50
<i>Table 4 - 43 Unitary cafe water consumption based on floor area, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-51
<i>Table 4 - 44 Ratio of cafe water consumption based on floor area when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-52
<i>Table 4 - 45 Unitary cafe water consumption based on floor area when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-52
<i>Table 4 - 46 Unitary cafe water consumption based on number of employees, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-54

<i>Table 4 - 47 Ratio of cafe water consumption based on number of employees, when cooling and heating area (CHA) and irrigation area (IA) are known.</i>	4-55
<i>Table 4 - 48 Unitary cafe water consumption based on number of employees, when cooling and heating area (CHA) and irrigation area (IA) are unknown.</i>	4-56
<i>Table 4 - 49 Ratio of cafe water consumption based on number of employees, when cooling and heating area (CHA) and irrigation area (IA) are unknown.</i>	4-56
<i>Table 4 - 50 Unitary cafe water consumption based on number of employees, when cooling and heating area (CHA) and irrigation area (IA) are known.</i>	4-58
<i>Table 4 - 51 Unitary cafe water consumption based on number of seats, when cooling and heating area (CHA) and irrigation area (IA) are known.</i>	4-59
<i>Table 4 - 52 Ratio of cafe water consumption based on number of seats, when cooling and heating area (CHA) and irrigation area (IA) are known.</i>	4-60
<i>Table 4 - 53 Unitary cafe water consumption based on number of customers, when cooling and heating area (CHA) and irrigation area (IA) are unknown.</i>	4-61
<i>Table 4 - 54 Ratio of cafe water consumption based on number of seats, when cooling and heating area (CHA) and irrigation area (IA) are unknown.</i>	4-61
<i>Table 4 - 55 Unitary cafe water consumption based on number of seats, when cooling and heating area (CHA) and irrigation area (IA) are known.</i>	4-63
<i>Table 4 - 56 Contribution of water consumption micro-components in offices. Average figures and benchmarks.</i>	4-65
<i>Table 4 - 57 Unitary office water consumption based on number of employees, when cooling and heating area (CHA) and irrigation area (IA) are known.</i>	4-66
<i>Table 4 - 58 Ratio of office water consumption based on number of employees, when cooling and heating area (CHA) and irrigation area (IA) are known.</i>	4-67
<i>Table 4 - 59 Unitary office water consumption based on number of employees, when cooling and heating area (CHA) and irrigation area (IA) are unknown.</i>	4-67
<i>Table 4 - 60 Ratio office water consumption based on number of employees, when cooling and heating area (CHA) and irrigation area (IA) are unknown.</i>	4-68
<i>Table 4 - 61 Unitary office water consumption based on number of employees, cooling and heating area (CHA) and irrigation area (IA).</i>	4-69
<i>Table 4 - 62 Unitary office water consumption based on floor area, when cooling and heating area (CHA) and irrigation area (IA) are known.</i>	4-70
<i>Table 4 - 63 Unitary office water consumption based on floor area, when cooling and heating area (CHA) and irrigation area (IA) are unknown.</i>	4-71
<i>Table 4 - 64 Contribution of water consumption micro-components in wholesale and retail. Average figures and benchmarks.</i> ...	4-73
<i>Table 4 - 65 Unitary wholesale and retail trade water consumption based on floor area, when cooling and heating area (CHA) and irrigation area (IA) are known.</i>	4-74
<i>Table 4 - 66 Ratio of wholesale and retail trade water consumption based on floor area, when cooling and heating area (CHA) and irrigation area (IA) are known.</i>	4-75
<i>Table 4 - 67 Unitary wholesale and retail trade water consumption based on floor area, when cooling and heating area (CHA) and irrigation area (IA) are unknown.</i>	4-75
<i>Table 4 - 68 Unitary wholesale and retail trade water consumption based on number of employees, when cooling and heating area (CHA) and irrigation area (IA) are known.</i>	4-76
<i>Table 4 - 69 Ratio of wholesale and retail trade water consumption based on number of employees, when cooling and heating area (CHA) and irrigation area (IA) are known.</i>	4-76
<i>Table 4 - 70 Unitary wholesale and retail trade water consumption based on number of employees when cooling and heating area (CHA) and irrigation area (IA) are unknown.</i>	4-77
<i>Table 4 - 71 Ratio wholesale and retail trade water consumption based on number of employees, when cooling and heating area (CHA) and irrigation area (IA) are unknown.</i>	4-77
<i>Table 4 - 72 Unitary wholesale and retail trade water consumption based on number of employees, cooling and heating area (CHA) and irrigation area.</i>	4-79
<i>Table 4 - 73 Contribution of water consumption micro-components in schools. Average figures and benchmarks.</i>	4-81
<i>Table 4 - 74 Unitary schools water consumption based on floor area, when cooling and heating area (CHA) and irrigation area (IA) are known.</i>	4-82
<i>Table 4 - 75 Ratio of schools water consumption based on floor area, when cooling and heating area (CHA) and irrigation area (IA) are known.</i>	4-83

<i>Table 4 - 76 Unitary schools water consumption based on floor area when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-85
<i>Table 4 - 77 Unitary schools water consumption based on number of students, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-87
<i>Table 4 - 78 Ratio of schools water consumption based on number of students, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-88
<i>Table 4 - 79 Unitary schools water consumption based on number of students, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-90
<i>Table 4 - 80 Ratio of schools water consumption based on number of students, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-91
<i>Table 4 - 81 Unitary schools water consumption based on number of students, cooling and heating area (CHA) and irrigation area (IA).....</i>	4-93
<i>Table 4 - 82 Contribution of water consumption micro-components in universities. Average figures and benchmarks.....</i>	4-96
<i>Table 4 - 83 Unitary university water consumption based on per capita, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-97
<i>Table 4 - 84 Ratio of university water consumption based on per capita, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-98
<i>Table 4 - 85 Unitary university water consumption based on per capita when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-99
<i>Table 4 - 86 Ratio of university water consumption based on per capita, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-99
<i>Table 4 - 87 Unitary university water consumption based on per capita, cooling and heating area (CHA) and irrigation area (IA)....</i>	4-101
<i>Table 4 - 88 Unitary university water consumption based on floor area, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-102
<i>Table 4 - 89 Ratio of university water consumption based on floor area, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-103
<i>Table 4 - 90 Unitary university water consumption based on floor area, when, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-103
<i>Table 4 - 91 Unitary university water consumption based on number of students, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-105
<i>Table 4 - 92 Ratio of university water consumption based on number of students, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-106
<i>Table 4 - 93 Unitary university water consumption based on number of students, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-107
<i>Table 4 - 94 Ratio of university water consumption based on number of students, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-107
<i>Table 4 - 95 Unitary university water consumption based on number of students, cooling and heating area (CHA) and irrigation area (IA).....</i>	4-109
<i>Table 4 - 96 Contribution of water consumption micro-components in hospitals. Average figures and benchmarks.....</i>	4-111
<i>Table 4 - 97 Unitary hospital water consumption based on per capita, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-112
<i>Table 4 - 98 Ratio of hospital water consumption based on per capita, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-113
<i>Table 4 - 99 Unitary hospital water consumption based on per capita, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-114
<i>Table 4 - 100 Ratio of hospital water consumption based on per capita, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-114
<i>Table 4 - 101 Unitary hospital water consumption based on per capita, cooling and heating area (CHA) and irrigation area (IA).....</i>	4-116
<i>Table 4 - 102 Unitary hospital water consumption based on floor area, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-117
<i>Table 4 - 103 Ratio of hospital water consumption based on floor area, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-118
<i>Table 4 - 104 Unitary hospital water consumption based on floor area, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-118

<i>Table 4 - 105 Unitary hospital water consumption based on number of beds, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-119
<i>Table 4 - 106 Ratio of hospital water consumption based on number of beds, when cooling and heating area (CHA) and irrigation area (IA) are known.....</i>	4-120
<i>Table 4 - 107 Unitary hospital water consumption based on number of beds, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-121
<i>Table 4 - 108 Ratio of hospital water consumption based on number of beds, when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-121
<i>Table 4 - 109 Unitary hospital water consumption based on number of beds, cooling and heating area (CHA) and irrigation area (IA).</i>	4-123
<i>Table 4 - 110 Contribution of water consumption micro-components in mosques. Average figures and benchmarks.....</i>	4-124
<i>Table 4 - 111 Unitary mosque water consumption-based number of mosques (NM), cooling and heating area (CHA) and irrigation area (IA).....</i>	4-126
<i>Table 4 - 112 Unitary mosque water consumption based on number of mosques(NM), when cooling and heating area (CHA) and irrigation area (IA) are unknown.....</i>	4-127
<i>Table 4 - 113 Ratio of mosque water consumption based on number of mosques(NM), when cooling and heating area (CHA) and irrigation area (IA) are unknown.</i>	4-127
<i>Table 4 - 114 Unitary mosque water consumption based on worshippers, cooling and heating area (CHA) and irrigation area (IA)....</i>	4-129
<i>Table 4 - 115 Ratio of mosque water consumption based on number of worshippers, when cooling and heating area (CHA) and irrigation area (IA) are known.</i>	4-129
<i>Table 4 - 116 Unitary mosque water consumption based on number of worshippers, cooling and heating area (CHA) and irrigation area (IA) are unknown.</i>	4-130
<i>Table 4 - 117 Ratio of mosque water consumption based on number of worshippers, when cooling and heating area (CHA) and irrigation area (IA) are unknown.</i>	4-130
<i>Table 5 - 1 KSA, major demographic indicators.....</i>	5-4
<i>Table 5 - 2 KSA, list of administrative area from census.....</i>	5-5
<i>Table 5 - 3 KSA, total population by nationality, households and census years.</i>	5-5
<i>Table 5 - 4 KSA population by nationality, gender and age groups, year 2007.</i>	5-7
<i>Table 5 - 5 KSA population by nationality, gender and administrative area, 2010.....</i>	5-9
<i>Table 5 - 6 KSA Population forecast – comparison of CDSI and UN.</i>	5-12
<i>Table 5 - 7 KSA-CDSI, total population forecast by administrative area 2010-2025.....</i>	5-14
<i>Table 5 - 8 KSA, total fertility rates estimates by nationality (CDSI).</i>	5-15
<i>Table 5 - 9 KSA-CDSI population forecast, summary of assumptions.</i>	5-17
<i>Table 5 - 10 KSA-UN population history and forecast 1950-2050.....</i>	5-18
<i>Table 5 - 11 KSA-UN total fertility rate, high-base-low scenarios 2010-2050.....</i>	5-20
<i>Table 5 - 12 KSA-CDSI population forecast 2010-2040, by administrative area.</i>	5-21
<i>Table 5 - 13 KSA housing units by administrative area and housing type, 2010.....</i>	5-22
<i>Table 5 - 14 KSA, average household size by region in 2010.</i>	5-23
<i>Table 5 - 15 Summarized residential statistics information and calculation obtained in Riyadh region in 2016.</i>	5-33
<i>Table 5 - 16 Residential water consumption equations selection and calculation in 2016.....</i>	5-34