

COMPUTATIONAL SYMMETRY VIA PROTOTYPE DISTANCES FOR SYMMETRY GROUPS CLASSIFICATION

M. Agustí-Melchor, Ángel Rodas-Jordá and J. M. Valiente-González
Computer Vision Group, DISCA, ETS. Ingeniería Informática
Universitat Politècnica de València (UPV), Camino de Vera, s/n, 46022 Valencia, Spain
{magusti, arodas, jvalienti}@disca.upv.es

Keywords: Computational symmetry, Symmetry groups, Prototype-based classification, Adaptive nearest neighbour classification.

Abstract: Symmetry is an abstract concept that is easily noticed by humans and as a result designers make new creations based on its use, e.g. textile and tiles. Images of these designs belong to a more general group called wallpaper images, and these images exhibit a repetitive pattern on a 2D space. In this paper, we present a novel computational framework for the automatic classification into symmetry groups of images with repetitive patterns. The existing methods in the literature, based on rules and trees, have several drawbacks because of the use of thresholds and heuristics. Also, there is no way to give some measurement of the classification *goodness-of-fit*. As a consequence, these methods have shown low classification values when images exhibit imperfections due to the manufacturing process or hand made process. To deal with these problems, we propose a classification method that can obtain an automatic parameter estimation for symmetry analysis. Using this approach, the image classification is redefined as distance computation to the binary prototypes of a set of defined classes. Our experimental results improve the state of the art in symmetry group classification methods.

1 INTRODUCTION

Symmetry is an abstract concept that is easily noticed by humans and as a result designers make new creations based on its use. In industrial sectors, like textile, ceramics or graphic arts, the notion of symmetry is always present as an aesthetic element, indispensable in every new design. When using a symmetrical design, a pattern is repeated to fill the workplane, following strict placement rules. The traditional *Tillings and Patterns Theory* describes the fundamentals of this design creation process. The results are designs such as those shown in Figure 1. These are images of typical wovens samples and mosaics samples, commonly referred as *regular mosaics*, *wallpaper images*, *wallpaper patterns*, or simply *Wallpapers*. However, little effort has been made in the area of wallpaper image analysis and classification, and so this work explores this direction.

Tile and textile companies have thousands of these samples accumulated over the years and stored in company storerooms or museums. In most cases, these collections are digitized and stored in images databases. These collections are an invaluable asset used as source of inspiration for designers. But de-

signers suffer serious limitations when searching and manage these information because the images are in bitmap format, and designers are accustomed to use other abstract terms related with perceptual criteria (Closeness, Co-circularity, Co-linearity, Overlapping, etc..). Therefore some kind of image analysis is necessary to extract information about the internal geometry and structure of these patterns. All this information, conveniently organized, can be used to build an Information System that allows all these historical designs to be effectively used. The compact image description obtained can also be used in other areas such as object detection or Content Based Image Retrieval.

The term *computational symmetry* refers to the algorithmic treatment of symmetries. The recent resurgence interests in computational symmetry, for computer vision and computer graphics applications, has been recognized by the recent tutorial at ECCV 2010 Conference (Liu et al., 2010) that explored the fundamental relevance and potential power that computational symmetry enables. But, as is stated by these authors, using real world data: it "turns out to be challenging enough that, after decades of effort, a fully automated symmetry system remains elusive for real world applications". The authors also summa-




Figure 1: Details of wallpaper images obtained from (Wikipedia,), (Edwards, 2009), and (Joyce, 2007) collections. They are images of real textile samples, showing hand-made artefacts and damaged or scratched parts. The geometry of the Unit Lattice is drawn on the centre of each image.

size two key points. Firstly, to compute the concepts of group theory from imperfect, noisy, ambiguous, distorted and often hidden symmetry patterns in real world data. And secondly, to apply the mathematical theory of symmetry, group theory, to algorithms that incorporate/assume the limitations of representational power of computers.

In this paper, in order to explicitly addressing each of these statements, we propose a novel computational framework based on continuous measures of symmetries to classify real and synthetic images of two-dimensional repetitive patterns. These will be formally described as symmetry groups (*wallpaper groups or plane symmetry groups or plane crystallographic groups*), based on the symmetries in the pattern. Some examples of textile and tile patterns are shown in Figure 1.

A symmetry of any 2D pattern can be described through a set of geometrical transformations that transforms it in itself. Those transformations that preserve distances are known as isometries, and the only plane isometries are: translations, rotations (n -fold), reflections (specular) and glide reflections (specular plus lateral displacement). Therefore, in a pattern up to four different kinds of symmetries can be observed, one external to the pattern (*translational symmetry*), and the other three internal (*rotation, reflection and glide reflection symmetries*).

Regarding the translational symmetry, a wallpaper pattern is a repetition of a parallelogram shaped subimage, called Unit Lattice (UL), so that the full pattern can be reconstructed by the replication (displacements) of this UL. A lattice extraction procedure is then needed to obtain the lattice geometry, in the form of two direction vectors (UL sides) that define the translational symmetry of the pattern. Among others, autocorrelation ((Liu and Collins, 2000), (Liu et al., 2004)), Fourier or wavelet (Agustí et al., 2008) approaches have been used, among others, to solve this question. In this work we assume that the lattice geometry has been already obtained and the UL

is known.

For internal symmetries, we rely on the Symmetry Groups theory (Horne, 2000), which uses the concept of symmetry groups to formulate a mathematical description of complex plane pattern structures. The set of isometric transformations that brings a figure in coincidence with itself is called a symmetry group. In the 1-D case, *Frieze Symmetry Groups* (FSG), the pattern contains one translational symmetry and some other isometries. In the 2D case, *Plane Symmetry Groups* (PSG), the pattern contains two translational symmetries (lattice) and some other isometries. For example, the pattern in Figure 1 (left) has only translational symmetry. In contrast, the other patterns of Figure 1 have more isometries, such as 180° rotations and reflections about two axes, and the last pattern can be reconstructed using 120° rotations.

It is also known that there is a geometric restriction, called the 'crystallographic constraint', which limits the number of possible rotations that can be applied to a motif or tile to completely fill the plane without holes nor overlapping. These rotations are 180° , 120° , 90° and 60° . Accordingly, the number of PSG are limited to 17 cases, which is one of the main issues that help us to describe the pattern structure. Figure 2 shows the details of each PSG, as well as their standard notation. For example, the patterns in Figure 1 belong, from left to right, to symmetry groups P1, PMM, PGG and P31M.

2 STATE OF THE ART

An extended discussion and comparison of Symmetry Detection algorithms can be found in (Liu et al., 2010). The authors have chosen three algorithms because they are "(1) recently published; (2) have gone beyond single reflection/rotation symmetry detection. In fact, they all claim to detect multiple symmetries in an image; (3) directly applicable to un-segmented, real images; and (4) the authors make their source




Figure 2: Visual representation of the 17 Wallpaper Groups including their standard notation, the reflection symmetry axes (glide and non-glide) and rotation centres of n -fold symmetries. The UL is referred as Fundamental Parallelogram.

code publicly available". They use a test bed of 176 images with hand-labeled ground truth from image databases of object-detection challenges, divided according to (i) synthetic versus real images; and (ii) images containing a single dominant symmetry versus multiple symmetries, considering only two types of symmetries (rotation and reflection). To quantify algorithms performance, a success rate over the test image dataset is computed obtaining a 63% of best mean sensitivity for reflection over all types (synthetic or real, single or multiple symmetries) of images. In real images, the best mean sensitivity rate is 42% (for reflection). However, for a true understanding of multiple existing symmetries in an image, we should be more concerned with the overall success rate $S1$ (including the false positives). The best values of $S1$ are much worse: 27% for reflection/rotation symmetry detection in the overall image set, and 19% on real images.

On the other side, the classical algorithms to catalogue wallpaper designs are procedures to be used by humans based on heuristics ((Grunbaum and Shepard, 1987), (Schattschneider, 1978)). They are proposed in the form of decision trees whose branches are raised as questions that humans can answer by looking at the design. The ambiguities in the rules formulation poses complexity into the computer reformulation of these rules as computer programs.

The main computer autonomous approach of this kind has been made by Liu et al. ((Liu and Collins, 2000), (Liu et al., 2004)) in which a computer model is proposed for the automatic classification of frieze and plane groups on grayscale bitmap images. This

model expresses the Schattschneider algorithm in the form of a rule-based classifier (RBC) where each symmetry group corresponds to a unique sequence of yes/no answers to whether the pattern contains some symmetries, such as n -fold rotation or reflections. It can be seen as a kind of *decision tree* classifier with binary symmetry values. These values are computed as scores as follows. Firstly, the maximum of the correlation between the transformed image (by applying the symmetry that has been measured) and the original image is obtained. Secondly, at the position of this maximum, an UL is extracted from the transformed image, and the SSD (*sum of squared differences*) between corresponding intensity values of the original and transformed UL is computed. As the classification needs binary values, a thresholding step is required. In a initial work (Liu and Collins, 2000), an experimentally obtained fixed threshold value was used. In a later work (Liu et al., 2004), a most robust procedure was introduced using a $\chi^2(N)$ test and computing the threshold as a function of N .

Our experience confirms that both methods can be tuned to obtain good results for the Joyce (Joyce, 2007) dataset. Even so, the first method of obtaining a threshold cannot be generalized to other datasets because it has been experimentally obtained. The second method assumes that translational symmetry has non-zero standard deviation, so it can not be applied in ideal synthetic images. In addition, the use of RBC obtains only one classification result without an associate measure of confidence. Therefore, it becomes necessary to enhance this solution - as is also noted in (Reddy and Liu, 2005).

In this work, we propose the use of continuous features for a distance-based classification approach and the use of binary class prototypes describing the 17 PSG mentioned above, and which are adaptively adjusted for image conditions. In this way, the high degree of variance of symmetry features, due to noise, deformations or just the nature of the hand made products, is assumed.

3 PROPOSED METHOD

3.1 Feature Computation

We started by using a nearest neighbour classifier (NNC) as this enabled us to obtain a measure of goodness for the classification. This kind of method require the use of continuous-value feature vectors. A close view of symmetry groups description in Figure 2 reveals that the minimum number of symmetry features needed to distinguish every PSG is twelve. They are four (R_2, R_3, R_4 and R_6) related to rotational symmetries (2-fold, 3-fold, 4-fold and 6-fold); four (T_1, T_2, T_{1G} and T_{2G}) to describe reflection simetries (non-glide and glide) along axes parallel to the sides of UL; and four more features (D_1, D_2, D_{1G} and D_{2G}) for reflection (non-glide and glide) with respect to the two UL diagonals.

We defined a symmetry feature vector (SFV) of twelve elements that identifies the presence/absence of these image symmetries as follows:

$$SFV = (f_1, f_2, \dots, f_{12}); f_i \in \mathfrak{R}, \quad 0 \leq f_i \leq 1 \quad (1)$$

We compute the twelve symmetry features f_i , by using a slightly different method to the Liu's team. To obtain a symmetry value for a specific isometry, e.g 2-fold rotation, we apply this transformation to the original image $I(x,y)$ obtaining the transformed image $I^T(x,y)$. A piece of the transformed image, of the same size that the UL, is taken. A bounding box of the UL is actually used $BBox(x_0, y_0)$, to save computations. A score map is then computed as $Map(x,y) = 1 - SAD(x,y)$, where $SAD(x,y)$ is the sum of absolute differences between the transformed $BBox$ and the original image at (x,y) position, and it is scaled to $[0, 1]$ by $BBox$ size m , according to:

$$SAD(x,y) = \frac{1}{m} \sum_{x_0 y_0} |I(x - x_0, y - y_0) - BBox(x_0, y_0)|$$

If the symmetry is present in the image, this

map peaks at several positions indicating the presence of that symmetry, while revealing lower values in areas where the symmetry is not hold. The $|maximum - minimum|$ difference should then be a good measure to quantify that feature. Figure 3 shows an example. However, there are patterns without internal symmetries, such as P1 patterns (see Fig 2) so that max-min difference should be relative to any other value representing the presence of symmetry. The only symmetry always present in every pattern is the traslational symmetry (S_T). So we can obtain S_T by computing the previous score map using the original image and its translated version (following UL sides) and the maximum of this map will represent the upper score level of symmetry S_T present in the image. Finally, we compute the normalized components of the Symmetry Feature Vector (SFV) as follows:

$$f_i = \frac{\max(Map) - \min(Map)}{S_T - \min(Map)} \quad 1 \leq i \leq 12 \quad (2)$$

The higher the value of f_i , the more likely the image contains symmetry. Table 1 shows the SFV vectors obtained for the four wallpaper samples in Figure 1. As expected, these results partially confirm high values that indicate the presence of symmetry and low values otherwise. For example, sample 2 is a PMM wallpaper group, so it must have R_2, T_1 and T_2 symmetries, and correspondingly its SFV shows values higher than 0.80 for those features. The same happens in sample 3, with very high values (> 0.9) for R_2, T_{1G} and T_{2G} symmetries, which is expected in a PGG wallpaper. However, sample 3 (P31M) have features with values of 0.7 and 0.65 denoting the presence of symmetry, while these values would be considered as indicating non-symmetry in the other cases. On the contrary, the first sample is a P1 with no symmetries, but its SFV shows values up to 0.8, what would be considered as symmetry in the other cases. Because these features were computed as gray level differences between image patches, so their values will strongly depend on the particular arrangements of image pixels, i.e. the image complexity. As a consequence SFV requires a higher level of adaptation to the image conditions, i.e. taking into account on the contents of each image separately. This idea will be used later.

3.2 Symmetry Groups Classification

To classify a wallpaper image, featured by SFV, we need to learn or define a set of class samples. Fortunately, the number of classes (17) and their structure are known in advance. For the sake of simplicity, we

Table 1: Symmetry feature vectors of the four wallpapers showed in Figure 1. The bold values means a value that has to be considered as presence of symmetry to consider each vector as the group that it belongs to, while the others mean absence of others symmetries.

Sample	SFV=($R_2, R_3, R_4, R_6, T_1, T_2, D_1, D_2, T_{1G}, T_{2G}, D_{1G}, D_{2G}$)	PSG
1	(0.62, 0.47, 0.69, 0.34, 0.65, 0.67, 0.80, 0.59, 0.37, 0.43, 0.80, 0.59)	$P1$
2	(0.82 , 0.09, 0.20, 0.09, 0.88, 0.83 , 0.20, 0.19, 0.27, 0.26, 0.2, 0.19)	PMM
3	(0.95 , 0.42, 0.33, 0.46, 0.39, 0.45, 0.31, 0.48, 0.98, 0.99 , 0.31, 0.48)	PGG
4	(0.46, 0.69 , 0.28, 0.49, 0.74, 0.65, 0.48, 0.72, 0.74, 0.65 , 0.48, 0.72)	$P31M$

Table 2: Binary prototypes for the 17 PSG classes.

Classes	Prototype Feature vectors	Classes	Prototype Feature vectors
$P1$	(0,0,0,0,0,0,0,0,0,0,0,0)	CMM	(1,0,0,0,0,0,1,1,0,0,1,1)
$P2$	(1,0,0,0,0,0,0,0,0,0,0,0)	$P4$	(1,0,1,0,0,0,0,0,0,0,0,0)
PM_1	(0,0,0,0,1,0,0,0,0,0,0,0)	$P4M$	(1,0,1,0,1,1,1,1,0,0,1,0)
PM_2	(0,0,0,0,0,1,0,0,0,0,0,0)	$P4G$	(1,0,1,0,0,0,1,1,1,1,1,0)
PG_1	(0,0,0,0,0,0,0,0,1,0,0,0)	$P3$	(0,1,0,0,0,0,0,0,0,0,0,0)
PG_2	(0,0,0,0,0,0,0,0,0,1,0,0)	$P31M_1$	(0,1,0,0,1,1,1,0,1,1,1,0)
CM_1	(0,0,0,0,0,0,1,0,0,0,1,0)	$P31M_2$	(0,1,0,0,1,1,0,1,1,1,0,0)
CM_2	(0,0,0,0,0,0,0,1,0,0,0,0)	$P3M1_1$	(0,1,0,0,0,0,1,0,0,0,1,0)
PMM	(1,0,0,0,1,1,0,0,0,0,0,0)	$P3M1_2$	(0,1,0,0,0,0,0,1,0,0,0,0)
PMG_1	(1,0,0,0,1,0,0,0,0,1,0,0)	$P6$	(1,1,0,1,0,0,0,0,0,0,0,0)
PMG_2	(1,0,0,0,0,1,0,0,1,0,0,0)	$P6M$	(1,1,0,1,1,1,1,1,1,1,1,0)
PGG	(1,0,0,0,0,0,0,0,1,1,0,0)		

start by proposing the use of binary prototypes representing each one of the 17 classes. Each prototype has a SFV with components to '1' if the symmetry is hold, and '0' otherwise. The Table 2 shows the resulting 23 prototypes. Some classes have two prototypes because there are two possibilities where reflection symmetry can appears (two UL sides and two diagonals). We then use a Nearest Neighbour Classifier (NNC) to perform the task. The Euclidean distance to the class prototype can be used as a measure of confidence.

After applying the NNC to several image collections we did not found significant improvements in comparison with RBC (see the Experiments section). It is probably due to the bias of the feature values. The minimum values (non-symmetry) are higher than expected because the SAD between image patches always produces non-null values. Moreover, maximum values (symmetry) rarely approximate to traslational symmetry. In this situation, the use of binary prototypes, with inter-class boundaries equidistant to each class, does not fit the problem. However, some advantage has been achieved. The NNC produces an ordered set of outputs describing the class membership of each sample. This latter consideration can enable an automatic adjustment of the prototypes in order to adapt them to the image variability.

3.3 Adaptive NNC (ANNC)

Recent works on NN classifiers have shown that adaptive schemes (Wang et al., 2007) outperforms the re-





Figure 3: Original image (up) width the unit lattice (UL) and score map (down) for 2-fold symmetry rotation.

sults of classic NNC in many applications. We adopt this approach for several reasons. Firstly, the discrete nature of the image domain introduces errors in the computations of image transforms. However, when

assuming perfect symmetries (synthetic images), the absence of symmetry cannot be computed as '0' nor can perfect symmetry be computed as '1'. Secondly, the dynamic range of the symmetry values (f_i) is extremely variable, depending on the specific conditions of each image. In simple images (e.g. line-drawings) the presence of large homogeneous areas in the image leads to high symmetry scores, even in the absence of symmetry. In some images, the presence/absence of certain symmetries is due to small details, leading to symmetry components being compressed into a narrow range. In other cases, symmetries are diminished by a particular symmetry score that is stressed by specific pixel arrangements in the image. A further concern is that the null-class $P1$ (total absence of interior symmetries) is the main source of false positives.

In response to this situation we propose an adaptive approach based on establishing a merit function to adapt the inter-class boundaries to the specific image conditions. Figure 4-a shows a simplified example of a 2D feature space including 4 binary prototypes. The inter-class boundaries are symmetric with respect to each prototype. In a real context, and image of a pattern or any version translated or rotated will have symmetry feature vectors $SFV(f_1, f_2)$ that never reach certain areas close to the prototypes. These areas can be founded computing the SFV for different translated or transformed version of the same pattern, and looking for f_{min} and f_{max} values. Figure 4-b shows this forbidden areas. In this space, the distances to the prototypes are distorted, so it would be desirable to adapt the boundaries between classes to this situation.

To do this, a transformation of the the feature space can be performed by normalising these features using f_{min} and f_{max} values. In this new space the null-class $P1$ disappears (every SFV has at least a '1' value), therefore this class should be treated separately. In this new space, a boundary between classes can be searched in a way that maximizes a merit function. To simplify the computations, we use orthogonal boundaries defined by a single parameter U , that represents the *Uncertainty Boundary of Symmetry*. We studied several merit functions and, finally, propose the distance ratio between the reported first and second classes after classifying the sample with respect to binary prototypes using a NN classifier. The result is the boundary U_{opt} that best separates the classes. Moreover, instead of moving the inter-class boundaries, the problem is reformulated to modify the class prototypes into new values $(H, L) \in [0, 1]$ that are symmetrical with respect to the middle value U (Figure 4-c). Finally, the closest class to new prototypes (H, L) and the null-class $P1$ are disambiguated (Fig-




Figure 4: (a) A 2D feature space including binary prototypes $P1$, $P2$, $P3$ and $P4$. (b) Forbidden areas around the prototypes. (c) Normalized space to f_{min} and f_{max} . Adaption of class boundaries. (d) Prototype adaption and final $P1$ disambiguation.

ure 4-d). The algorithm is as follows:

Step 1 - The symmetry values are normalized between the maximum and minimum values of SFV :

$$SFV' = (f'_1, f'_2, \dots, f'_{12}); \quad (3)$$

$$f'_i = \frac{f_i - \min(SFV)}{\max(SFV) - \min(SFV)}; \quad 1 \leq i \leq 12$$

In this way we assume that every image has one symmetry and one non-symmetry value, discharging the $P1$ class and resulting in a 16-class problem.

Step 2 - The original prototypes are transformed into (H, L) prototypes for each of 16 classes. These values are defined with respect to parameter U as in Eq. 4:

$$\begin{aligned} U &\in \mathfrak{R}, \quad 0 \leq U \leq 1 \\ U \geq 0,5 &\Rightarrow H = 1, L = 2 \cdot U - 1 \\ U < 0,5 &\Rightarrow L = 0, H = 2 \cdot U \end{aligned} \quad (4)$$

Step 3 - For each U , ranging from 0.2 to 0.8, the H and L limits are computed using Eq. 4 and a nearest neighbour classification is performed using SFV and the resulting prototypes. The merit function is the distance ratio between the reported first and second classes. After repeating steps 2-3 for all U values, the value (U_{opt}) that maximizes the merit function is selected, and the corresponding class is also tentatively selected (candidate class).

Step 4 - Finally, we disambiguate the candidate class from the previously excluded $P1$ class. To achieve this, we again re-classify the SFV but only using the $P1$ and candidate classes. The nearest class is selected as the final result.

4 EXPERIMENTS

As indicated in (Liu et al., 2010), without a systematic evaluation of different symmetry detection and classification algorithms against a common image set under a uniform standard, our understanding of the power and limitations of the proposed algorithms remains partial.

As image datasets reported in literature were not publicly available, we selected several wallpaper images from known websites, to carry out the comparison between the proposed ANNC and the reference RBC methods. We picked out images from Wallpaper dataset in (Joyce, 2007), Wikipedia dataset in (Wikipedia,), Quadibloc dataset in (Savard,), and SPSU dataset in (Edwards, 2009), resulting in a test bed of 161 images. All images were hand-labelled to make the ground truth. Also, an initial process of lattice extraction were performed to obtain the UL, using wavelets (Agustí et al., 2008).

As the original RBC algorithm source code was unavailable, we implemented it using the original RBC decision tree reported in (Liu et al., 2004), but using our SFV feature vectors, and binarising the features using a fixed threshold for all image datasets. A threshold of 0.7 was obtained as the average of the better classification results when all the threshold values are explored.

The results obtained with RBC, NNC and ANNC classifiers are shown in Table 3. For the shake of

brevity, we only put here the percentage of successful classification, i.e. accuracy or precision results.

Table 3: Experimental classification results from RBC, NNC, and ANNC.

Collection	Sub-set	RBC	NNC	ANNC
Wallpaper		100	94,12	100
Wikipedia		56,6	60,38	54,72
	WikiGeom	88,24	76,47	94,12
Quadibloc		69,57	73,91	82,61
	Quad0102	62,07	79,31	79,31
	Quad03	88,24	58,82	88,24
SPSU		45,37	52,75	54,63

The first image collection is Wallpaper, a standard collection reported in previous works. In this case, both RBC and ANNC methods obtain a 100% of success. The RBC achieves the same result as reported in (Liu et al., 2004), which means that our implementation of this algorithm has similar results as the original implementation.

To take into account the varying complexity of the images, we separate the next two collections in sub-sets. In the WikiGeom dataset, which is a sub-set of Wikipedia formed by strongly geometrical patterns, the ANNC and NNC results outperformed the RBC. Figure 5 shows some examples of this collection. In the case of the entire Wikipedia collection, which include other distorted images, a decrease in results is evident.

Similar results were obtained with Quadibloc image collection, which is of intermediate complexity. We studied it as two subsets: one formed by sketches over uniform background (Quad0102), and other (Quad03) is constituted by more complex motives with many highly contrasted colours are present. The ANNC obtains near 80% of success rate with this collections, clearly outperforming the NNC and RBC.

The worse results were obtained with the more complex images in the SPSU collection. The Figure 6 show some examples of this collection. In this case, all results are below 60%. This lower values are due to the existence of noise and imprecise details (hand-made) in the images. Also, they exhibit several repetitions and illumination artifacts, which suggest the necessity of pre-processing. It is remarkable that the ANNC algorithm is still 10 points up that RBC algorithm for this complex dataset.

5 CONCLUSIONS

This paper had presented a proposal for an adaptive nearest neighbour classifier (ANNC) able to classify




Figure 5: Wallpaper pattern examples in the wikiGeom collection.




Figure 6: Wallpaper pattern examples in the SPSU collection.

repetitive 2D pattern images into symmetry groups. The feature vector is composed of twelve symmetry scores, computationally obtained from the image gray level values. The procedure uses a Sum-of-Absolute-Differences approach and normalize these values by the translational symmetry, the only symmetry that image certainly contains. A distance-based Nearest

Neighbour classifier is then used to classify the image into a symmetry group. A main issue is the use of binary class prototypes to represent the 17 PSG classes.

However, the absence of symmetry is never computed as '0', nor the presence of symmetry is computed as '1', even assuming perfect image conditions (synthetic images). The dynamic range of the sym-

metry values (f_i) is extremely variable, depending on the specific conditions of each image. The binary Rule Based Classifier (RBC) and the Nearest Neighbour classifiers behave poorly in that situation. This leads to the use of some adaptive approach. The proposed ANNC classifier is based on establishing a merit function to adapt the inter-class boundaries to the specific image conditions, and it is reformulated as an adaptation of prototype feature vectors from binary values (0, 1) to adjusted (H, L) values. This classifier is non-parametric, so there is no need to adjust the parameters involved, and it is also non-supervised, so no learning stages are needed. The experimental results show the limits of previous reported method (RBC) when the image conditions are not established and the need to adapt to these conditions. The ANNC clearly outperforms the other methods, even with very complex image collections.

As future work we are now on looking for a new way of computing the symmetry features, because the used approach seems to have a limited sensitivity. We are also extending the method to colour images. Moreover, the results can be useful in recovery tasks using an extended version of ANNC. Finally, we will concentrate on the matter of test beds: a standard database does not exist in bibliography.

ACKNOWLEDGEMENTS

This work is supported in part by spanish project VIS-TAC (DPI2007-66596-C02-01).

REFERENCES

- Agustí, M., Valiente, J. M., and Rodas, A. (2008). Lattice extraction based on symmetry analysis. In *Procs. of 3rd. Int. Conf. on Computer Vision Applications (VIS-APP'08)*, volume 1, pages 396–402.
- Edwards, S. (2009). Tiling plane & fancy. <http://www2.spsu.edu/math/tile/index.htm>.
- Grunbaum, B. and Shepard, G. (1987). *Tilings And Patterns*. W.H. Freeman and Company, New York.
- Horne, C. (2000). *Geometric Symmetry in Patterns and Tilings*. Woodhead Publishing, Abington Hall (England).
- Joyce, D. (2007). Wallpaper groups (plane symmetry groups). <http://www.clarku.edu/~djoyce/>.
- Liu, Y. and Collins, R. (2000). A computational model for repeated pattern perception using frieze and wallpaper groups. Technical Report CMU-RI-TR-00-08, Robotics Institute, CMU.
- Liu, Y., Collins, R., and Tsin, Y. (2004). A computational model for periodic pattern perception based on frieze and wallpaper groups. *Trans. on PAMI*, 26(3).
- Liu, Y., Hel-Or, H., Kaplan, C. S., and Gool, L. V. (2010). Computational symmetry in computer vision and computer graphics. In *Foundations and Trends in Computer Graphics and Vision*, volume 5, pages 1–195.
- Reddy, S. and Liu, Y. (2005). On improving the performance of the wallpaper symmetry group classification. Technical Report CMU-RI-TR-05-49, Robotics Institute, Carnegie Mellon University.
- Savard, J. G. Basic tilings: The 17 wallpaper groups. <http://www.quadibloc.com/math/tilint.htm>.
- Schattschneider, D. (1978). The plane symmetry groups: Their recognition and notation. *The American Mathematical Monthly*, 85:439–450.
- Wang, J., Neskovic, P., and Cooper, L. N. (2007). Improving nearest neighbor rule with a simple adaptive distance measure. *Pattern Recognition Letters*, 28(2):207–213.
- Wikipedia. Wallpaper group. <http://www.wikipedia.org>.