

Contents

I Introduction and Objectives	1
1 Introduction and Objectives	3
1.1 Characterising Transportation Enhancement	4
1.2 Artificial Intelligence for Transportation	7
1.3 Motivation	9
1.4 Objectives	12
1.5 Structure of the Thesis	13
1.6 List of Publications	16
1.7 Research Projects	19
1.8 Research Grants	20
II Transportation Simulation	21
2 Data Generators for Agent-based Simulations	23
2.1 Introduction	24
2.2 Related Work	25
2.3 Extending the SimFleet Simulator	28
2.4 Charging Stations Generator	30
2.5 Mobility Data Generator	40
2.6 Case Study	46
2.7 Conclusions	58
3 Taxi versus Carsharing Services: A Case Study in Valencia	59
3.1 Introduction	60
3.2 Materials and Methods	63

3.3	Results	71
3.4	Discussion	79
3.5	Conclusions	82
III	Urban Transportation Enhancement	85
4	Best-Response Planning for Urban Fleet Coordination	87
4.1	Introduction	88
4.2	Related Work	90
4.3	System Overview	94
4.4	Urban Mobility Planning Scenario	97
4.5	Ad-hoc Planner	101
4.6	Best-response Planning	104
4.7	Experimental Results	106
4.8	Discussion	121
4.9	Conclusions	124
5	Self-interested Demand-Responsive Shared Transportation	127
5.1	Introduction	128
5.2	Related Work	130
5.3	Overview	135
5.4	Static Subsystem	139
5.5	Dynamic Subsystem	144
5.6	Discussion	146
5.7	Conclusions	147
IV	Rural and Interurban Transportation Enhancement	149
6	Demand-Responsive Transportation for Rural and Interurban Mobility	151
6.1	Introduction	152
6.2	Definitions and Problem Description	153
6.3	State of the Art Classification	157

6.4	Discussion	170
6.5	Conclusions	178
7	Flexible Approach for Rural Demand-Responsive Public Transport	181
7.1	Introduction	182
7.2	Demand-Responsive Transportation Description	184
7.3	System Proposal	189
7.4	Experimental Results	199
7.5	Discussion	207
7.6	Conclusion	209
V	Discussion	211
8	Discussion	213
8.1	Contributions to Transportation Simulation	213
8.2	Contributions to Urban Transportation Enhancement	215
8.3	Contributions to Rural Transportation Enhancement	217
8.4	Limitations	219
VI	Conclusions and Future Work	221
9	Conclusions and Future Work	223
9.1	Conclusions	223
9.2	Future Work	225
	Bibliography	229

List of Figures

1.1	Core Components of Transportation.	5
2.1	Random distribution of stations.	31
2.2	Uniform distribution of stations process.	34
2.3	Radial distribution of stations process.	35
2.4	Genetic distribution of stations example.	40
2.5	Randomly generated routes in Manhattan.	42
2.6	Number of available points according to map division granularity. . . .	43
2.7	50 routes examples in Manhattan with different granularity.	45
2.8	Manhattan population and traffic.	48
2.9	Charging stations in Manhattan obtained by the genetic-based generator.	51
2.10	Restricted set of taxi zones of the Manhattan borough.	55
3.1	Evolution of waiting and unsatisfied clients in carsharing simulations.	73
3.2	Evolution of waiting and unsatisfied clients in taxi simulations.	75
4.1	Operation of the Best-Response Fleet Planner.	96
4.2	Problem configuration visualised in SimFleet.	109
4.3	Agent charging intervals with no charging congestion costs.	119
4.4	Agent charging intervals with default charging congestion costs.	119
4.5	Agent charging intervals with high charging congestion costs.	120
4.6	Power network usage with default charging congestion costs.	121
4.7	Power network usage with high charging congestion costs	121
5.1	System architecture.	138
6.1	Operational patterns for rural demand-responsive transportation systems.	154
6.2	Different configurations of demand-responsive transportation systems.	164

List of Tables

2.1	Example of a probability distribution among 3 points.	44
2.2	Monetary cost of each of the charging station distributions in Manhattan.	52
2.3	Genetic algorithm results.	52
2.4	Clean taxi service dataset.	54
2.5	Dataset formatted to train a regression model.	54
2.6	Best pipeline found for our dataset.	56
2.7	Regression data prediction.	57
3.1	Description of the output metrics of the simulation.	69
3.2	Mobility demand per hour.	70
3.3	Simulation metrics of carsharing configurations.	72
3.4	Comparison of global simulation metrics of the different taxi fleets.	76
3.5	Simulation metrics comparison of the hybrid simulations.	78
4.1	Visual representation of a joint plan.	100
4.2	Station usage table example.	102
4.3	Problem instances used for experimentation.	108
4.4	Default values for the problem variables.	110
4.5	Average performance of the algorithm.	111
4.6	Solution quality comparison.	114
4.7	Cost reduction percentages.	115
4.8	Costs and congested agents according to resource bound.	117
4.9	Mean costs and congested agents.	118
5.1	Review of DRT system configurations.	133
6.1	Classification of surveys and analytical works.	171
6.2	Classification of experimental works.	172

7.1	Service quality evolution with fixed fleet.	205
7.2	Service quality evolution with ranging fleet size.	206
7.3	Lower bound of acceptable service quality.	206