

Contents

Introduction	1
1.1 Spinal cord: structure and function.....	1
1.2 Ascending and descending tracts in the spinal cord	4
1.2.1 The corticospinal tract (CST)	4
1.2.2 The rubrospinal tract (RbSt).....	4
1.2.3 The reticulospinal tract (RtSt)	5
1.2.4 Vestibulospinal Tract (VST).....	5
1.2.5 Raphespinal (RpST) Tract	6
1.3 Spinal Cord Injury	6
1.3.1 Introduction and Prevalence.....	6
1.3.2 Pathophysiology	8
1.4 Remodelling of SC after injury.....	12
1.5 Regeneration impediments	13
1.5.1 Lack of intrinsic regenerative capacity in the adult CNS:.....	13
1.5.2 Glial scar:.....	13
1.5.3 Presence of inhibitory matrix within inside and around the scar:.....	14
1.5.4 Inhibitory nature of myelin:	14
1.6 Therapies for SCI.....	14
1.6.1 Use of pharmacological agents:.....	14
1.6.2 Gene therapy	16
1.6.3 Cell therapy	17
1.7 New trends - Importance of maintaining activity after SCI.....	21
1.8 Use of DRGs as a potential therapy for spinal cord injury	22
1.8.1 NaChBac sodium channel induced expression in DRGs can modify the neuronal behaviour	25
Hypothesis and objectives	27
Materials and methods	29
1.1 NaChBac stable overexpression	29
1.1.1 Production of pLL3.7-NaChBac-eGFP:.....	29
1.1.2 Generation of pLL3.7-NaChBac-mScarlet:	29

1.1.3	Obtention of pLL3.7-mScarlet:.....	29
1.1.4	Lentiviral production	30
1.1.5	Virus collection and concentration:	31
1.2	DRG and Neuro2A infection	32
1.3	Dissociated dorsal root ganglia (mixed) culture.....	32
1.3.1	Coatings.....	32
1.3.2	Dorsal root ganglia isolation and culture	33
1.4	DRG Experiments.....	33
1.4.1	Neurite assay experiments:	33
1.4.2	Electrophysiology experiments.....	34
1.4.3	Calcium live imaging	35
1.4.4	cAMP Determination	36
1.4.5	Secretome Analysis	36
1.5	Neuro2A experiments	37
1.5.1	Proliferation curve.....	37
1.5.2	Hypoxia experiments	37
1.5.3	Protein extraction	37
1.5.4	Western Blotting	38
1.6	Animal models.....	38
1.6.1	Chapter 2 mouse model.....	39
1.6.2	Chapter 3 mouse model.....	39
1.6.3	DRG cell transplantation	40
1.6.4	Neuroanatomical tracing	40
1.7	Functional Evaluation	41
1.7.1	Basso Mouse Scale:.....	41
1.7.2	Horizontal ladder beam test:	42
1.7.3	Von Frey test:	43
1.8	Sacrifice and tissue processing.....	44
1.8.1	Chapter 2 Tissue processing.....	44
1.8.2	Chapter 3 Tissue processing.....	45
1.9	Immunohistochemistry	46
1.10	Image Analysis	47

1.10.1	Quantifications from Chapter 1.....	47
1.10.2	Quantifications from Chapter 2.....	47
1.10.3	Quantifications from Chapter 3.....	49
1.11	Statistical Analysis.....	52
Chapter 1 – Study the ability of cytoskeleton modulating drugs to enhance axonal length, alone or in combination with NaChBac expression in neuronal cultures.....		
1.1	Introduction.....	53
1.1.1	Neurite length assays as a method to evaluate neuronal response to cytoskeleton altering drugs:.....	55
1.1.2	NaChBac sodium expression in DRG neurons, relationship between Na ⁺ , Ca ²⁺ and cAMP.....	56
1.1.3	Use of murine neuroblastoma 2A (N2A) cell line:	57
1.2	Results	58
1.2.1	Blebbistatin alone rescues the neurite length of neurons plated over of CSPGs, whereas a combination with Epothilone B reverts this effect.....	58
1.2.2	Growth cone area increases with presence of CSPGs, Blebbistatin reverts back to normal conditions whereas the combination with Epothilone B fails to do so	60
1.2.3	NaChBac expression increases the excitability of neonatal rat DRG neurons...	61
1.2.4	NaChBac expression elevates Ca ²⁺ currents and cAMP in DRG neurons.....	64
1.2.5	NaChBac expression enhances cell survival and pro-survival signaling in murine neuroblastoma cells and growth factor secretion in DRGs.....	65
Chapter 2 – Evaluation of DRGs expressing NaChBac transplant in a moderate spinal cord injury		
2.1	Introduction.....	70
2.1.1	Spinal cord injury models: Single lateral hemisection model.....	70
2.1.2	Choice of short-term <i>in vivo</i> study	71
2.2	Results	72
2.2.1	Transplantation of NaChBac-expressing DRGs increase survival of total number of cells	72
2.2.2	Transplantation of NaChBac-expressing DRG neurons increase CST preservation in a mouse model of SCI by single lateral hemisection	75
Chapter 3 - Evaluation of DRGs expressing NaChBac transplant in a chronic, severe injury scenario.....		
3.1	Introduction.....	79
3.1.1	Double hemisection model.....	79

3.1.2	Choice of long-term <i>in vivo</i> study	81
3.2	Results	83
3.2.1	NaChBac-GFP alone improves BMS score of mice, combinatory treatment does not	83
3.2.2	Transplanted NaChBac-expressing DRG transplants improve locomotor function after complete SCI in a double-staggered hemisection SCI mouse model	84
3.2.3	Transplanted NaChBac-expressing dissociated DRGs enhance neuronal fiber preservation rostral to the injury site without long-term CST or serotonergic tract preservation	87
3.2.4	NaChBac-expressing DRG transplant fails to protect endogenous neurons but increases VGLUT1 excitatory input within relay zone and immediately caudal to the injury	90
3.2.5	NaChBac-expressing DRG transplant increases the excitatory profile of host neurons within the relay zone and immediately caudal to the injury	92
	Discussion.....	96
	Conclusions	104
	Future perspectives	106
	References.....	108

