



UNIVERSITAT
POLITÈCNICA
DE VALÈNCIA

Engineering of CRISPR-Cas9-based systems for diagnostics and biocomputing

Author:

Rosa Márquez Costa

Thesis Advisor:

Dr. Guillermo Rodrigo Tárrega

UPV Advisor:

Prof. Carmelo López del Rincón

València, July 2024

TABLE OF CONTENTS

ABBREVIATIONS	11
SUMMARY	15
RESUMEN.....	17
RESUM	20
CHAPTER 1.....	23
GENERAL INTRODUCTION	23
CRISPR-Cas systems	23
Point-of-care diagnostics.....	27
CRISPR-based diagnostics.....	29
Signal integration by CRISPR-Cas systems.....	37
Motivation for Expanding the CRISPR Toolkit.....	44
REFERENCES.....	45
CHAPTER 2.....	59
OBJECTIVES	59
CHAPTER 3.....	61
Multiplexable Virus Detection by CRISPR-Cas9-Mediated Strand Displacement	61
1. INTRODUCTION.....	63
2. RESULTS	65
2.1 Rational Design of COLUMBO	65
2.2 SARS-CoV-2 Detection with COLUMBO	67
2.3 Evaluation of Modifications of COLUMBO	73
2.4 Multiplexed SARS-CoV-2 Detection with COLUMBO	75
2.5 Differential Virus Detection with COLUMBO	80
3. DISCUSSION	85

4. MATERIALS AND METHODS.....	87
4.1 Test Samples	87
4.2 Clinical Samples	88
4.3 Primers.....	88
4.4 CRISPR Elements.....	88
4.5 Molecular Beacons	89
4.6 Nucleic Acid Amplification by PCR	89
4.7 Nucleic Acid Amplification by RPA.....	90
4.8 CRISPR-Cas9-Based Detection	91
4.9 Activity assessment of different Cas9 versions	92
4.10 CRISPR-Cas9-based detection with no prior purification	92
4.11 Combined CRISPR-Cas9- and CRISPR-Cas12a-Based Detection	93
4.12 Single-point mutation detection with CRISPR-Cas9	93
4.13 RT-qPCR.....	94
4.14 Gel Electrophoresis.....	94
4.15 Fluorometry	95
4.16 Data set	97
5. REFERENCES.....	101
CHAPTER 4.....	105
Pathogen detection by CRISPR-Cas9-mediated strand displacement in a lateral flow assay	105
1. INTRODUCTION.....	107
2. RESULTS	110

2.1 Working principle and design of the Cas9-mediated detection LFA	110
2.2 Validation of the platform with test SARS-CoV-2 samples	112
2.3 Validation of the platform with SARS-CoV-2 clinical samples ...	117
2.4 Validation of the platform with plant infected samples	120
3. DISCUSSION	125
4. MATERIALS AND METHODS.....	127
4.1 Test Samples	127
4.2 Clinical Samples	127
4.3 Plant Infection with Viruses	128
4.4 Plant tissue preparation.....	128
4.5 CRISPR Elements.....	129
4.6 Probes	129
4.7 Nucleic Acid Amplification by RT-PCR.....	129
4.8 Nucleic Acid Amplification by RT-RPA.....	130
4.9 RT-qPCR.....	130
4.10 CRISPR-Cas9-Based detection coupled to Lateral Flow Assay	131
4.11 CRISPR-Cas12a-Based detection.....	131
4.12 Data set	133
5. REFERENCES.....	137
CHAPTER 5.....	142
Integration of multiple signals into a CRISPR-Cas9-based detection mechanism	142
1. INTRODUCTION.....	144
2. RESULTS	146

2.1 Biocomputational Virus Detection with CRISPR-Cas9	146
2.2 Development and Optimization of a Spike Protein Aptamer-Regulated CRISPR-Cas9 System.....	149
3. DISCUSSION	160
4. MATERIALS AND METHODS.....	162
4.1 Nucleic acid sequences	162
4.2 CRISPR Elements.....	162
4.3 Spike Protein.....	163
4.4 Nucleic Acid Amplification by PCR	163
4.5 Biocomputing Coupled to CRISPR-Cas9-Based Detection.....	164
4.6 Conditional CRISPR-Cas9-Based Detection.....	165
4.7 Data Set.....	167
5. REFERENCES.....	170
CHAPTER 6.....	174
GENERAL DISCUSSION.....	174
REFERENCES.....	183
CHAPTER 7.....	190
CONCLUSIONS	190
SCIENTIFIC CONTRIBUTION	192
ACKNOWLEDGEMENTS	194