

Contents

| | |
|---|-----------|
| Abstract | iii |
| Resumen | v |
| Resum | vii |
| Acknowledgements | ix |
| Abbreviations and Acronyms | xvii |
| 1 Introduction | 1 |
| 1.1 Background and Motivation | 1 |
| 1.2 Objectives of the Thesis | 3 |
| 1.3 Organization of Thesis | 3 |
| 2 State of the Art | 5 |
| 2.1 Sound Source Localization | 5 |
| 2.1.1 Signal Model | 5 |
| 2.1.2 Time Difference Of Arrival (TDOA) | 6 |
| 2.1.3 Generalized Cross Correlation | 7 |
| 2.1.4 Steered Response Power | 8 |
| 2.1.5 SRP-PHAT Variants | 11 |
| 2.2 Automatic Speech Recognition | 12 |
| 2.2.1 The Speech Recognition Problem | 12 |
| 2.2.2 Hidden Markov Models | 14 |
| 2.2.3 Speech Recognition Evaluations | 15 |
| 2.3 Source Separation and Enhancement | 16 |
| 2.3.1 Mixing Models | 17 |
| 2.3.2 Source Separation Tasks and Approaches | 20 |
| 2.3.3 Underdetermined Source Separation | 21 |
| 2.3.4 Time-Frequency Masking Limitations | 25 |
| 3 Paper Contributions and Discussion | 27 |
| 3.1 Modified SRP-PHAT Functional | 28 |
| 3.1.1 Abstract | 28 |
| 3.1.2 Contributions | 28 |
| 3.2 A SRP Iterative Method for Source Localization | 28 |
| 3.2.1 Abstract | 28 |
| 3.2.2 Contributions | 29 |
| 3.3 A Real-Time SSL and Enhancement System | 29 |
| 3.3.1 Abstract | 29 |
| 3.3.2 Contributions | 29 |
| 3.4 Real-Time Speaker Localization and Detection System | 30 |
| 3.4.1 Abstract | 30 |
| 3.4.2 Contributions | 30 |
| 3.5 ASR in Cocktail-Party Situations | 30 |

| | |
|---|-----------|
| 3.5.1 Abstract | 30 |
| 3.5.2 Contributions | 31 |
| 3.6 Influence of Sound Separation Methods in ASR | 31 |
| 3.6.1 Abstract | 31 |
| 3.6.2 Contributions | 31 |
| 4 A Modified SRP-PHAT Functional for Robust Real-Time Sound Source Localization with Scalable Spatial Sampling | 33 |
| 4.1 Introduction | 33 |
| 4.2 The SRP-PHAT Algorithm | 34 |
| 4.3 The Inter-Microphone Time Delay Function | 35 |
| 4.4 Proposed Approach | 37 |
| 4.4.1 Computation of Accumulation Limits | 37 |
| 4.4.2 Computational Cost | 38 |
| 4.5 Experiments | 38 |
| 4.6 Conclusion | 39 |
| 4.7 References | 40 |
| 5 A Steered Response Power Iterative Method for High-Accuracy Acoustic Source Localization | 43 |
| 5.1 Introduction | 43 |
| 5.2 Modified SRP Algorithm | 44 |
| 5.3 Proposed Approach | 45 |
| 5.3.1 Mean-Based Functional | 45 |
| 5.3.2 Iterative Sub-Volume Decomposition | 45 |
| 5.3.3 Computational Cost | 46 |
| 5.4 Experiments | 47 |
| 5.4.1 Influence of Initial Resolution | 48 |
| 5.4.2 Algorithm Comparison | 49 |
| 5.4.3 Real Setup | 50 |
| 5.4.4 Discussion | 50 |
| 5.5 Conclusion | 50 |
| 5.6 References | 50 |
| 6 A Real-Time Sound Source Localization and Enhancement System Using Distributed Microphones | 51 |
| 6.1 Introduction | 51 |
| 6.2 SRP-PHAT Sound Source Localization | 53 |
| 6.2.1 Modified SRP-PHAT | 53 |
| 6.3 Enhancement | 54 |
| 6.3.1 Delay and Sum Beamformer | 54 |
| 6.3.2 SRP-PHAT Binary Masking | 55 |
| 6.3.3 Estimation of Localization Error | 55 |
| 6.4 Experiments | 57 |
| 6.4.1 Results | 57 |
| 6.5 Conclusion | 58 |
| 6.6 References | 58 |

| | |
|---|-----------|
| 7 Real-Time Speaker Localization and Detection System for Camera Steering in Multiparicipant Videoconferencing Environments | 61 |
| 7.1 Introduction | 61 |
| 7.2 SRP-Based Source Localization | 62 |
| 7.2.1 Modified SRP-PHAT Functional | 63 |
| 7.3 Speaker Detection | 63 |
| 7.3.1 Distribution of Location Estimates | 63 |
| 7.3.2 Speech/Non-Speech Discrimination | 64 |
| 7.3.3 Camera Steering | 65 |
| 7.4 Experiments | 65 |
| 7.4.1 Results | 66 |
| 7.5 Conclusion | 67 |
| 7.6 References | 67 |
| 8 Automatic Speech Recognition in Cocktail-Party Situations: A Specific training for Separated Speech | 69 |
| 8.1 Introduction | 69 |
| 8.2 Robust Speech Recognition | 71 |
| 8.2.1 Speech Recognition in Cocktail-Party Situations | 71 |
| 8.3 Source Separation in Real Environments | 72 |
| 8.3.1 Speech Separation Based on Interclass Variance Maximization | 73 |
| 8.4 ASR Training for Reverberant and Simultaneous Speech | 73 |
| 8.4.1 Recognizer Specifications and Baseline System | 74 |
| 8.4.2 Training Data-sets | 74 |
| 8.5 Experiments | 76 |
| 8.5.1 Experiment 1: Single Speech Recognition | 76 |
| 8.5.2 Experiment 2: Speech Recognition With Interfering Speech | 76 |
| 8.5.3 Experiment 3: Simultaneous Speech Recognition | 78 |
| 8.6 Discussion | 78 |
| 8.7 Conclusion | 78 |
| 8.8 References | 79 |
| 9 Evaluating the Influence of Source Separation Methods in Robust Automatic Speech Recognition with a Specific Cocktail-Party Training | 81 |
| 9.1 Introduction | 81 |
| 9.2 Speech Recognition in Cocktail-Party Situations | 83 |
| 9.3 Sound Source Separation | 84 |
| 9.3.1 Multi-Level Thresholding Separation | 85 |
| 9.3.2 Separation with Full-Rank Spatial Covariance Models | 85 |
| 9.4 Experiments | 85 |
| 9.4.1 Experiment 1: Test Data-Set Using Multi-Level Thresholding Separation | 86 |
| 9.4.2 Experiment 2: Test Data-Set Using Separation with Full-Rank Spatial Covariance Models | 86 |
| 9.5 Conclusion | 87 |
| 9.6 References | 87 |

| | |
|---|-----------|
| 10 Conclusions and Future Research | 89 |
| 10.1 Summary and Conclusions | 89 |
| 10.2 Further Work | 91 |
| Bibliography | 92 |