

Contents

Introduction	1
Contributions of the Thesis	3
Part I – Backward Trace Analysis	3
Part II – Forward Trace Analysis	5
Related Work	7
0 Preliminaries	11
0.1 The Term-language of Maude	11
0.2 Program Equations and Rules	13
0.3 Conditional Rewrite Theories	14
0.4 Rewriting in Conditional Rewrite Theories	18
0.5 Instrumented Execution Traces	21
0.6 Term Slices and their Concretizations	25
0.7 (Instrumented) Trace Slices and their Concretizations	27
0.8 Meaningful Descendants and Ascendants	28
I Backward Trace Analysis	31
1 Backward Trace Slicing for Conditional Rewrite Theories	33
1.1 Backward Slicing for Execution Traces	34
1.2 The Function <i>slice-step</i>	39
1.3 Correctness of Backward Trace Slicing	45
2 The <i>iJULIENNE</i> System	51
2.1 <i>iJULIENNE</i> at Work	53
2.1.1 Debugging Maude Programs with <i>iJULIENNE</i>	53
2.1.2 Trace Querying with <i>iJULIENNE</i>	61
2.1.3 Dynamic Program Slicing	68
2.2 Experimental Evaluation	70

II Forward Trace Analysis	73
3 Exploring Conditional Rewriting Logic Computations	75
3.1 The Generic Exploration Scheme	76
3.1.1 Inspecting the Instrumented Traces	77
3.1.2 Exploring the Instrumented Computation Tree Slices	79
4 Exploration Modalities	83
4.1 Interactive Stepper	83
4.2 Partial Stepper	84
4.3 Stepper and Partial Stepper Correctness	87
4.4 Forward Trace Slicer	90
4.5 Forward Trace Slicer Correctness	98
4.6 Backward Trace Slicing as an Instance of the Generic Scheme	101
5 The Anima system	105
5.1 The Anima Exploration Tool	105
5.2 Implementation of the Tool	111
Conclusions	117
Bibliography	121
A Maude Specification of the Experimental Evaluation Examples	133

List of Figures

1	Maude specification of the maze game.	16
2	The 5×5 grid encoded in MAZE	17
3	Meaningful descendants of a rewrite step $s \xrightarrow{r,\sigma,w} K t$	28
1.1	The <code>_mod_</code> operator.	34
1.2	Maude specification of a distributed banking system.	38
1.3	Backward step slicing function.	39
1.4	Condition processing function.	41
2.1	<i>iJULIENNE</i> architecture.	52
2.2	Faulty Maude specification of a distributed banking system.	54
2.3	<i>iJULIENNE</i> output for the trace \mathcal{T}_{bank} w.r.t. the slicing criterion <code>ac(•, -11)</code>	55
2.4	BLOCKS-WORLD faulty Maude specification.	57
2.5	Program slice computed w.r.t. the slicing criterion <code>empty & empty</code>	58
2.6	Navigation through the trace slice of the <i>Blocks World</i> example.	60
2.7	Navigation though the refined trace slice of the <i>Blocks World</i> example.	60
2.8	Program slice computed w.r.t. the slicing criterion <code>hold(•)</code>	61
2.9	Maude specification of the <code>minmax</code> function.	63
2.10	<i>iJULIENNE</i> output for the trace \mathcal{T}_{minmax}^* w.r.t. the slicing criterion automatically inferred in the query <code>PAIR(?, _)</code>	64
2.11	Loading the webmail execution trace.	65
2.12	Querying the webmail trace w.r.t. <code>B(idA, _, ?, _, _, _, _, _, _)</code>	66
2.13	Webmail trace slice after querying the trace.	67
2.14	MINMAX program slice computed w.r.t. the query <code>PAIR(?, _)</code>	69
3.1	Computation tree.	76
3.2	The inference rule <code>trans</code> of the transition system $(Conf, \Rightarrow)$	78
3.3	The one-step <code>expand</code> function.	80

3.4	The interactive <i>explore</i> function.	81
4.1	Inspection of the state s_0 w.r.t. \mathcal{I}_{step}	84
4.2	Computation tree slice fragment for s_0^\bullet w.r.t. \mathcal{I}_{pstep}	86
4.3	Inspection function that models the forward slicing of a conditional rewrite step.	91
4.4	The condition processing function.	92
4.5	Computation tree slice fragment for s_0^\bullet w.r.t. \mathcal{I}_{slice}	97
5.1	Anima architecture.	106
5.2	Anima at work.	107
5.3	Anima search mechanism.	108
5.4	Anima trace information.	109
5.5	Inspection of a condition with Anima	111
5.6	Benchmark problem for the <code>metaReducePath</code> command.	116