

TABLE OF CONTENTS

I. INTRODUCTION **1**

I.1. FOOD PRODUCTS SHELF-LIFE **3**

I.1.1. MICROBIAL FOOD SPOILAGE 3

I.2. FOOD PACKAGING TECHNOLOGIES **5**

I.2.1. ACTIVE FOOD PACKAGING 6

I.2.1.1. Antimicrobial food packaging 9

I.2.1.1.1. Naturally-occurring antimicrobial compounds 12

I.2.1.1.1.1. Cinnamaldehyde 13

I.2.1.1.1.2. Natamycin 17

I.2.1.1.1.3. Lysozyme 19

I.2.1.2. Legal issues of active packaging 21

I.2.1.3. Future trends in active packaging 22

I.3. FOOD PACKAGING MATERIALS **22**

I.3.1. MATERIALS USED IN FOOD PACKAGING 22

I.3.1.1. Bioplastics 24

I.3.1.1.1. Proteins 29

I.3.1.1.1.1. Gluten, Gliadins and Glutenins 33

I.3.1.1.2. Future trends in bioplastics 35

I.4. REFERENCES **36**

II. OBJECTIVES **49**

II.1. DISSERTATION AIM AND OBJECTIVES **51**

II.1.1. GENERAL OBJECTIVE 51

II.1.2. SPECIFIC OBJECTIVES 51

III. CHAPTERS **53**

CHAPTER 1. FUNCTIONAL PROPERTIES OF BIOPLASTICS MADE FROM WHEAT GLIADINS MODIFIED WITH CINNAMALDEHYDE **55**

1.1. INTRODUCTION	57
1.2. MATERIALS AND METHODS	59
1.2.1. MATERIALS	59
1.2.2. GLIADIN-RICH FRACTION EXTRACTION FROM WHEAT GLUTEN	59
1.2.3. CHEMICAL MODIFICATION OF GLIADINS	59
1.2.4. FILM THICKNESS	60
1.2.5. PROTEIN SOLUBILITY	60
1.2.6. FILM COLOR	61
1.2.7. MECHANICAL PROPERTIES	61
1.2.8. WEIGHT LOSS	61
1.2.9. MODULATED DIFFERENTIAL SCANNING CALORIMETRY (MDSC)	62
1.2.10. THERMOGRAVIMETRIC ANALYSIS (TGA)	62
1.2.11. MORPHOLOGY	63
1.2.12. STATISTICAL ANALYSIS	63
1.3. RESULTS AND DISCUSSION	63
1.3.1. PH EFFECT ON THE CROSS-LINKING CAPACITY OF CINNAMALDEHYDE	63
1.3.2. FILM COLOR	65
1.3.3. MECHANICAL PROPERTIES	66
1.3.4. WEIGHT LOSS	69
1.3.5. MODULATED DIFFERENTIAL SCANNING CALORIMETRY (MDSC)	70
1.3.6. THERMOGRAVIMETRIC ANALYSIS (TGA)	71
1.3.7. MORPHOLOGY	72
1.4. CONCLUSION	73
1.5. REFERENCES	74

CHAPTER 2. BIOCHEMICAL PROPERTIES OF BIOPLASTICS MADE FROM WHEAT GLIADINS CROSS-LINKED WITH CINNAMALDEHYDE

2.1. INTRODUCTION	79
2.2. MATERIALS AND METHODS	81
2.2.1. REAGENTS	81
2.2.2. GLIADIN-RICH FRACTION EXTRACTION FROM WHEAT GLUTEN	81
2.2.3. CHEMICAL MODIFICATION OF GLIADINS	81
2.2.4. FILM FORMATION AND CONDITIONING	82
2.2.5. SODIUM DODECYL SULFATE - POLYACRYLAMIDE GEL ELECTROPHORESIS (SDS-PAGE)	82
2.2.6. CROSS-LINK DENSITY (CLD)	82
2.2.7. AMINO ACID ANALYSIS	83

2.2.8.	DETERMINATION OF THE FREE AMINO GROUP CONTENT	83
2.2.9.	SWELLING	84
2.2.10.	PROTEIN SOLUBILITY	84
2.2.11.	EVALUATION OF THE LONG TERM STABILITY OF CROSS-LINKED FILMS IN WATER	84
2.2.12.	ENZYMATIC DEGRADATION UNDER SIMULATED GASTRIC AND INTESTINAL CONDITIONS	85
2.2.13.	STATISTICAL ANALYSIS	86
2.3.	RESULTS AND DISCUSSION	86
2.3.1.	CROSS-LINKING WHEAT GLIADINS WITH CINNAMALDEHYDE	86
2.3.2.	LONG TERM STABILITY OF CROSS-LINKED FILMS IN WATER	94
2.3.3.	ENZYMATIC DEGRADATION OF CROSS-LINKED FILMS UNDER SIMULATED GASTRIC AND INTESTINAL CONDITIONS	95
2.4.	CONCLUSION	97
2.5.	REFERENCES	97
CHAPTER 3. MASS TRANSPORT PROPERTIES OF GLIADIN FILMS: EFFECT OF CROSS-LINKING DEGREE, RELATIVE HUMIDITY, AND TEMPERATURE		103
3.1.	INTRODUCTION	105
3.2.	MATERIALS AND METHODS	106
3.2.1.	MATERIALS	106
3.2.2.	FILM PRODUCTION	107
3.2.3.	WATER VAPOR MASS TRANSPORT PROPERTIES	107
3.2.3.1.	Water vapor permeability	107
3.2.3.2.	Activation energy of water vapor permeability	108
3.2.3.3.	Water vapor sorption isotherm	108
3.2.3.3.1.	Sorption isotherm fitting	109
3.2.3.3.2.	Clustering function	109
3.2.3.4.	Water vapor diffusivity	110
3.2.3.5.	Mechanism of water vapor transport	111
3.2.4.	OXYGEN MASS TRANSPORT PROPERTIES	112
3.2.4.1.	Oxygen permeability	112
3.2.4.2.	Oxygen diffusivity	112
3.2.5.	CARBON DIOXIDE PERMEABILITY	112
3.3.	RESULTS AND DISCUSSION	113
3.3.1.	WATER VAPOR MASS TRANSPORT PROPERTIES	114
3.3.1.1.	Water vapor permeability	114
3.3.1.2.	Activation energy of water vapor permeability	117
3.3.1.3.	Water vapor solubility	121

3.3.1.4.	Water vapor diffusivity	126
3.3.1.5.	Mechanism of water vapor transport	129
3.3.2.	OXYGEN MASS TRANSPORT PROPERTIES	129
3.3.2.1.	Oxygen Permeability	129
3.3.2.2.	Activation energy of oxygen permeability	131
3.3.2.3.	Oxygen diffusivity	133
3.3.3.	CARBON DIOXIDE MASS TRANSPORT PROPERTIES	135
3.3.3.1.	Carbon dioxide permeability	135
3.3.3.2.	Permeability selectivity	136
3.3.4.	POTENTIAL OF CINNAMALDEHYDE AS AN IMPROVER OF GLIADIN FILMS BARRIER PROPERTIES	137
3.4.	CONCLUSION	138
3.5.	REFERENCES	139

CHAPTER 4. RETENTION AND RELEASE OF CINNAMALDEHYDE FROM WHEAT PROTEIN MATRICES **145**

4.1.	INTRODUCTION	147
4.2.	MATERIALS AND METHODS	148
4.2.1.	REAGENTS	148
4.2.2.	GLIADIN-RICH FRACTION EXTRACTION FROM WHEAT GLUTEN	148
4.2.3.	CHEMICAL MODIFICATION OF GLIADINS	149
4.2.4.	FILM FORMATION	149
4.2.5.	FILM THICKNESS DETERMINATION	149
4.2.6.	FILM MOISTURE CONTENT DETERMINATION	149
4.2.7.	EVALUATION OF GLIADIN CROSS-LINKING WITH CINNAMALDEHYDE	149
4.2.7.1.	Size exclusion–High performance liquid chromatography (SE–HPLC)	149
4.2.7.2.	Attenuated total reflectance–Fourier transform infrared spectroscopy (ATR–FTIR)	150
4.2.7.3.	Overall migration tests in food simulants	151
4.2.8.	EVALUATION OF FREE CINNAMALDEHYDE RELEASE FROM CROSS-LINKED GLIADIN FILMS	152
4.2.8.1.	Kinetics of cinnamaldehyde release from gliadin films	152
4.2.8.2.	Extraction of remaining cinnamaldehyde from gliadin films	152
4.2.8.3.	Mathematical modeling of cinnamaldehyde release from gliadin films	153
4.2.8.4.	Determination of apparent diffusivity of cinnamaldehyde	155
4.2.9.	STATISTICAL ANALYSIS	155
4.3.	RESULTS AND DISCUSSION	156
4.3.1.	EVALUATION OF GLIADIN CROSS-LINKING WITH CINNAMALDEHYDE	156
4.3.1.1.	SE-HPLC	156

4.3.1.2.	ATR-FTIR	160
4.3.1.3.	Migration tests	163
4.3.2.	EVALUATION OF FREE CINNAMALDEHYDE IN GLIADIN FILMS AFTER CROSS-LINKING REACTION AND DRYING STEP	165
4.3.3.	KINETICS OF CINNAMALDEHYDE RELEASE FROM GLIADIN FILMS AND ESTIMATED APPARENT DIFFUSIVITY	169
4.3.3.1.	Influence of cinnamaldehyde concentration	169
4.3.3.2.	Influence of relative humidity	170
4.4.	CONCLUSIONS	172
4.5.	REFERENCES	173

CHAPTER 5. ANTIFUNGAL PROPERTIES OF GLIADIN FILMS INCORPORATING CINNAMALDEHYDE AND APPLICATION IN ACTIVE FOOD PACKAGING OF BREAD AND CHEESE SPREAD FOODSTUFFS

5.1.	INTRODUCTION	181
5.2.	MATERIALS AND METHODS	184
5.2.1.	REAGENTS AND MICROBIAL STRAINS	184
5.2.2.	GLIADIN-RICH FRACTION EXTRACTION FROM WHEAT GLUTEN	184
5.2.3.	CHEMICAL MODIFICATION OF GLIADINS	184
5.2.4.	FILM FORMATION	184
5.2.5.	CULTURE PREPARATION	185
5.2.6.	EFFECTIVENESS OF ANTIMICROBIAL GLIADIN FILMS AGAINST <i>P. EXPANSUM</i> AND <i>A. NIGER</i> IN VITRO	185
5.2.7.	DETERMINATION OF FUNGICIDAL/FUNGISTATIC CAPACITIES OF ANTIMICROBIAL GLIADIN FILMS	186
5.2.8.	EXHAUSTION AND STORAGE OF THE ANTIMICROBIAL FILMS	186
5.2.9.	ANTIMICROBIAL EFFECTIVENESS OF ACTIVE GLIADIN FILMS IN SLICED WHITE BREAD	186
5.2.9.1.	Bread production	186
5.2.9.2.	Bread inoculation	187
5.2.9.3.	Bread packaging and storage	187
5.2.10.	ANTIMICROBIAL EFFECTIVENESS OF ACTIVE GLIADIN FILMS IN CHEESE SPREAD	187
5.3.	RESULTS AND DISCUSSION	188
5.3.1.	EFFECTIVENESS OF ANTIMICROBIAL GLIADIN FILMS IN VITRO	188
5.3.2.	SHELF-LIFE EXTENSION OF FOOD PRODUCTS BY ACTIVE PACKAGING WITH GLIADIN FILMS CONTAINING CINNAMALDEHYDE	193
5.3.2.1.	Effectiveness of antimicrobial films in sliced bread	193
5.3.2.2.	Effectiveness of antimicrobial gliadin films in cheese spread	196

5.4. CONCLUSION	199
5.5. REFERENCES	199

CHAPTER 6. COMPOSTABLE PROPERTIES OF ANTIMICROBIAL BIOPLASTICS BASED ON CINNAMALDEHYDE CROSS-LINKED GLIADINS

6.1. INTRODUCTION	209
6.2. MATERIALS AND METHODS	210
6.2.1. REAGENTS	210
6.2.2. PREPARATION AND CHARACTERIZATION OF ANTIMICROBIAL CROSS-LINKED GLIADIN FILMS	211
6.2.3. COMPOST CONDITIONING AND CHARACTERIZATION	212
6.2.4. DISINTEGRATION TESTS	213
6.2.4.1. Visual inspection	213
6.2.4.2. Scanning Electron Microscope (SEM)	213
6.2.5. BIODEGRADATION TESTS	213
6.2.6. ECOTOXICITY TESTS IN PLANTS	215
6.3. RESULTS AND DISCUSSION	217
6.3.1. COMPOST CHARACTERISTICS	217
6.3.2. DISINTEGRATION TESTS	217
6.3.3. BIODEGRADATION TESTS	220
6.3.4. PLANT ECOTOXICITY TESTS	226
6.4. CONCLUSIONS	227
6.5. REFERENCES	228

CHAPTER 7. FUNCTIONAL PROPERTIES AND ANTIFUNGAL ACTIVITY OF FILMS BASED ON GLIADINS CONTAINING CINNAMALDEHYDE AND NATAMYCIN

7.1. INTRODUCTION	233
7.2. MATERIALS AND METHODS	235
7.2.1. REAGENTS AND MICROBIAL STRAINS	235
7.2.2. FILM FORMATION AND CHARACTERIZATION	235
7.2.2.1. Gliadin-rich fraction extraction from wheat gluten	235
7.2.2.2. Chemical modification of gliadins	235
7.2.2.3. Film production and conditioning	236
7.2.2.4. Water uptake, weight loss and diameter gain	236
7.2.2.5. Barrier properties	237
7.2.2.5.1. Water permeability	237
7.2.2.5.2. Oxygen permeability	237

7.2.2.6.	Determination of natamycin migration from the films to the agar media	237
7.2.2.7.	Determination of cinnamaldehyde level evolution in the head-space of the assay system	238
7.2.3.	EFFICACY OF GLIADIN FILMS CONTAINING CINNAMALDEHYDE AND NATAMYCIN AGAINST FUNGAL GROWTH IN VITRO	239
7.2.3.1.	Culture preparation	239
7.2.3.2.	Bio-assay system preparation	239
7.2.3.3.	Measurement of fungal growth	239
7.2.3.4.	Determination of cinnamaldehyde levels in the head-space of bio-assay systems	240
7.2.3.5.	Determination of cinnamaldehyde-metabolized products by <i>C. acutatum</i>	240
7.2.4.	EFFICACY OF GLIADIN FILMS CONTAINING CINNAMALDEHYDE AND NATAMYCIN AGAINST FUNGAL GROWTH IN CHEESE	241
7.2.5.	STATISTICAL ANALYSIS	242
7.3.	RESULTS AND DISCUSSION	242
7.3.1.	FILM FORMATION AND CHARACTERIZATION	242
7.3.1.1.	Water uptake, weight loss and diameter gain	242
7.3.1.2.	Barrier properties	243
7.3.1.3.	Natamycin migration into the agar	244
7.3.1.4.	Cinnamaldehyde level evolution in the head-space of the assay system	246
7.3.2.	EFFICACY OF GLIADIN FILMS CONTAINING CINNAMALDEHYDE AND NATAMYCIN AGAINST FUNGAL GROWTH	247
7.3.2.1.	Antifungal activity	247
7.3.2.2.	Cinnamaldehyde level evolution in the head-space of bio-assay systems	250
7.3.2.3.	Metabolic products from cinnamaldehyde produced by <i>C. acutatum</i>	252
7.3.3.	ANTIFUNGAL EFFECT OF GLIADIN FILMS CONTAINING CINNAMALDEHYDE AND NATAMYCIN IN CHEESE	254
7.4.	CONCLUSION	257
7.5.	REFERENCES	257
<hr/>		
CHAPTER 8. CHEMICALLY MODIFIED GLIADINS AS SUSTAINED RELEASE SYSTEMS FOR LYSOZYME		261
<hr/>		
8.1.	INTRODUCTION	263
8.2.	MATERIALS AND METHODS	265
8.2.1.	REAGENTS AND BACTERIAL STRAINS	265
8.2.2.	EXTRACTION OF GLIADIN-RICH FRACTION	265

8.2.3.	CHEMICAL MODIFICATION OF GLIADINS	265
8.2.4.	FILM FORMATION AND CONDITIONING	266
8.2.5.	SWELLING, WEIGHT LOSS, AND DIMENSIONAL STABILITY OF ANTIMICROBIAL GLIADIN FILMS AFTER IMMERSION IN WATER	266
8.2.6.	RELEASE OF LYSOZYME FROM ANTIMICROBIAL GLIADIN FILMS	267
8.2.7.	ANTIMICROBIAL PROPERTIES OF GLIADIN FILMS	267
8.2.8.	MECHANICAL PROPERTIES	268
8.2.9.	WATER VAPOR PERMEABILITY	268
8.2.10.	OXYGEN PERMEABILITY	269
8.2.11.	STATISTICAL ANALYSIS	269
8.3.	RESULTS AND DISCUSSION	269
8.3.1.	FILM FORMATION	270
8.3.2.	SWELLING, DIMENSIONAL STABILITY, AND WEIGHT LOSS OF ANTIMICROBIAL GLIADIN FILMS AFTER IMMERSION IN PHOSPHATE BUFFER	270
8.3.3.	RELEASE OF LYSOZYME FROM FILMS CROSS-LINKED WITH CINNAMALDEHYDE	271
8.3.4.	ANTIMICROBIAL ASSAY	275
8.3.5.	MECHANICAL PROPERTIES	276
8.3.6.	BARRIER PROPERTIES	277
8.4.	CONCLUSION	278
8.5.	REFERENCES	278

IV. GENERAL DISCUSSION **283**

V. CONCLUSIONS **295**