

- Noise in offices from buildings services LAeq, 2min < 35dB
- In offices and meeting rooms from floor Lnw = 58
- Noise in offices from traffic, Lden < 68dB
- R/w between meeting rooms and other rooms > 48dB
- R/w between offices > 40dB



UNIVERSITY COLLEGE
SCHOOL OF TECHNOLOGY AND BUSINESS - Horsens

PROJECT: New Administration Building for NIELS NISSEN A/S


SCALE: 1:100

SUBJECT: SOUND ANALYSIS

CREATED BY: Cristina Mirret Román

CLASS:
CAHS 72

BDS_SN_GF



FIRST FLOOR

- █ Noise in offices from buildings services LAeq, 2min < 35dB
- █ In offices and meeting rooms from floor Lnw = 58
- █ Noise in offices from traffic, Lden < 68dB
- █ R/w between meeting rooms and other rooms > 48dB
- █ R/w between offices > 40dB

VIAXX UNIVERSITY COLLEGE
SCHOOL OF TECHNOLOGY AND BUSINESS - Horsens

PROJECT: New Administration Building for NIELS NISSEN A/S SCALE: 1:100

SUBJECT: SOUND ANALYSIS

CREATED BY: Cristina Miret Román

CLASS:
CAHS 72

BDS_SN_FF