

Index

CHAPTER 1. GENERAL INTRODUCTION

1.1. INTRODUCTION.....	13
1.2. ECONOMIC IMPORTANCE OF Capsicum Spp.....	14
1.3. HISTORICAL AND BOTANICAL PERSPECTIVES	15
1.3.1. <i>C. annuum</i> L.....	16
1.3.2. <i>C. Chinense</i> Jacq.	18
1.3.3. <i>C. frutescens</i> L.	19
1.3.4. <i>C. baccatum</i> L. (<i>C. var pendulum</i>)	20
1.3.5. <i>C. pubescens</i> R & P	20
1.4. AGROCLIMATIC REQUIREMENTS.....	21
1.5. MAIN ENVIRONMENTAL PROBLEMS TO CULTIVATE PEPPER PLANTS.....	22
1.5.1. Biotic stresses.....	23
1.5.2. Abiotic stresses.....	27
1.5.2.1. Drought stress	28
1.5.2.2. Salinity	30
1.6. MAIN DISORDERS RELATED TO ABIOTIC STRESS IN PEPPER PLANTS	33
1.6.1. Blossom end rot.....	33
1.6.2. Fruit cracking	36
1.6.3. Other disorders	37

1.7. COPING WITH ABIOTIC CONSTRAINTS.....	39
1.8. GRAFTING	40
1.8.1. Grafting to cope with salt stress.....	42
1.8.2. Grafting to overcome water stress.....	43
1.8.3. Grafting compatibility and incompatibility	44
1.9. THESIS OBJECTIVES	47
1.10. REFERENCES.....	49

CHAPTER 2. EVALUATION OF SOME PEPPER GENOTYPES AS ROOTSTOCKS IN WATER STRESS CONDITIONS

2.1. ABSTRACT	70
2.2. INTRODUCTION.....	71
2.3. MATERIALS AND METHODS.....	73
2.3.1. Experiment 1: Screening pepper genotypes to be used as rootstocks under water stress conditions during vegetative and reproductive stages.....	74
2.3.2. Experiment 2: Yield responses to water stress conditions of the commercial cv. 'Verset' grafted onto the selected genotypes of Experiment 1	77
2.4. RESULTS AND DISCUSSION	78
2.4.1. Experiment 1	78
2.4.2. Experiment 2	85
2.5. CONCLUSIONS.....	87
2.6. REFERENCES.....	88

CHAPTER 3. EVALUATION FOR SALT STRESS TOLERANCE OF PEPPER GENOTYPES
TO BE USED AS ROOTSTOCKS

3.1. ABSTRACT	97
3.2. INTRODUCTION.....	98
3.3. MATERIALS AND METHODS.....	99
3.3.1. Experiment 1: Screening pepper genotypes under salinity conditions to be used as rootstocks.....	99
3.3.1.1.Plant material and growing conditions	99
3.3.1.2. Leaf gas exchange and chlorophyll a fluorescence	100
3.3.2. Experiment 2: Potential of germination under salt conditions of the tolerant genotypes selected from experiment 1	102
3.3.3. Experiment 3: Grafting of two cultivars onto four selected genotypes of experiment 1	103
3.4. RESULTS	104
3.4.1.Effect of stress conditions on photosynthetic parameters	104
3.4.2. Seed germination test	106
3.4.3. Field experiment.....	109
3.5. DISCUSSION	110
3.6. CONCLUSIONS.....	115
3.7. REFERENCES.....	115

**CHAPTER 4. ROOTSTOCK ALLEVIATES PEG-INDUCED WATER STRESS IN
GRAFTED PEPPER SEEDLINGS: PHYSIOLOGICAL RESPONSES**

4.1. ABSTRACT	124
4.2. INTRODUCTION.....	126
4.3. MATERIALS AND METHODS.....	129
4.3.1. Plant material and greenhouse conditions	129
4.3.2. Water relations.....	130
4.3.3. Proline determination	131
4.3.4. Photosynthetic activity and chlorophyll fluorescence	132
4.3.5. Nitrate reductase activity	133
4.3.6. Lipid peroxidation.....	133
4.3.7. Statistical analyses.....	133
4.4. RESULTS	134
4.4.1. Plant water status.....	134
4.4.2. Leaf osmotic potential.....	137
4.4.3. Accumulation of proline	139
4.4.4. Photosynthetic parameters.....	141
4.4.5. Changes in nitrate reductase activity.....	143
4.4.6. Lipid peroxidation.....	146
4.5. DISCUSSION	148
4.6. REFERENCES.....	154

CHAPTER 5. SOME ROOTSTOCKS IMPROVE PEPPER TOLERANCE TO MILD SALINITY THROUGH IONIC REGULATION

5.1. ABSTRACT	163
5.2. INTRODUCTION.....	164
5.3. MATERIAL AND METHODS.....	166
5.3.1. Plant material	166
5.3.2. Soil-field experiment	166
5.3.3. Hydroponic greenhouse experiment	167
5.3.4. Water relations.....	168
5.3.5. Ion analysis	168
5.3.6. Proline determination	169
5.3.7. Photosynthetic activity and chlorophyll fluorescence	170
5.3.8. Nitrate reductase activity	170
5.3.9. Lipid peroxidation.....	171
5.3.10. Statistical analyses.....	171
5.4. RESULTS	172
5.4.1. Fruit yield.....	172
5.4.2. Water relations.....	172
5.4.3. Ion partitioning.....	174
5.4.4. Proline content in leaves	178
5.4.5. Gas exchange parameters	179
5.4.6. Nitrate reductase activity in leaves	182
5.4.7. Lipid peroxidation.....	183

5.4.6. Relationship between osmotic potential, ions and proline concentrations and photosynthesis in leaves	184
5.5. DISCUSSION	186
5.6. REFERENCES.....	193

CHAPTER 6. CAN A ROBUST ROOTSTOCK OF PEPPER IMPROVE A SCION'S SALT TOLERANCE

6.1. ABSTRACT	202
6.2. INTRODUCTION.....	203
6.3. MATERIAL AND METHODS.....	206
6.3.1. Plant material	206
6.3.2. Soil -field experiment	207
6.3.3. Greenhouse experiment.....	208
6.3.4. Biomass and ion determination	208
6.3.5. Water potential and relative water content	209
6.3.6. Gas exchange and PSII photochemistry measurements	209
6.3.7. Leaf lipid peroxidation.....	210
6.3.8. Antioxidant enzymes	210
6.3.9. Proline	211
6.3.10. Tocopherol and β -carotene determination	212
6.3.11. Ascorbic acid content	212
6.3.12. Statistical analysis.....	213

6.4. RESULTS	213
6.4.1. Fruit yield.....	213
6.4.2. Ion partitioning.....	214
6.4.3. Water potential	215
6.4.4. Gas exchange and chlorophyll fluorescence parameters	216
6.4.5. Antioxidant enzymes	220
6.4.6. Effect of salt treatment on lipid peroxidation, α -tocopherol, β -carotene, ascorbate and proline	222
6.4.7. Biomass	224
6.5. DISCUSSION	226
6.6. REFERENCES.....	233

CHAPTER 7. COULD WE ANTICIPATE THE INCOMPATIBILITY PHENOMENA IN PEPPER GRAFTED PLANTS? CHLOROPHYLL IMAGING REFLECTS HISTOLOGICAL STUDIES

7.1. ABSTRACT	247
7.2. INTRODUCTION.....	249
7.3. MATERIAL AND METHODS.....	253
7.3.1. Plant materials and grafting plants	253
7.3.2. Light microscopy.....	254
7.3.3. Chlorophyll fluorescence imaging	255
7.3.4. Statistical analysis.....	256

7.4. RESULTS AND DISCUSSION	256
7.4.1. Histological evaluation of scion/rootstock interactions.....	256
7.4.2. Chlorophyll fluorescence imaging in grafted plants.....	260
7.4.3. Connecting values of CFI parameters to histological studie	265
7.5. CONCLUSIONS.....	266
7.6. REFERENCES.....	267

CHAPTER 8. GENERAL DISCUSSION

8.1. GENERAL DISCUSSION	277
8.2. REFERENCES.....	285

<u>FINAL CONCLUSIONS</u>	295
--------------------------------	-----

