

Contents

List of Figures	xix
List of Tables	xxiii
Notations	xxv
1 Introduction	1
1.1 Introduction	3
1.2 Objectives	7
1.2.1 Main objective	7
1.2.2 Specific objectives	7
1.3 Justification	8
1.4 Thesis outline	11
1.5 Contributions of the thesis	15
2 Background	19
2.1 Non-destructive surveying methods	21
2.2 Non-destructive methods in the location of WSS components	23
2.3 GPR overview	25
2.4 Theoretical foundations of GPR	30
2.5 Electromagnetic parameters	31
2.5.1 Conductivity	31
2.5.2 Dielectric permittivity	32
2.5.3 Magnetic permeability	32
2.5.4 Wave propagation velocity	33
2.5.5 Reflection and refraction	34

CONTENTS

2.5.6	GPR equation	37
2.6	GPR interpretations	38
2.7	GPR data processing	42
2.7.1	Filters	44
2.7.2	Predictive deconvolution	45
2.7.3	Migration	46
2.7.4	Fast Fourier Transform – FFT	46
2.7.5	Hilbert transform	46
2.7.6	Signal correction procedures	47
2.7.6.1	Background removal	47
2.7.6.2	Gain	47
3	GPR images as tools for visualizing WSS components	49
3.1	Introduction to methodologies of visualization of objects in GPR images	53
3.1.1	GPR role in the analysis of WSS components	54
3.1.2	Factors influencing the visualization of objects in GPR images	55
3.2	Principles of the proposed visualization process – T_{14} and T_{15} matrices	56
3.2.1	WAV classification	60
3.2.2	WAV extraction	62
3.2.2.1	Generation of matrices D	63
3.2.2.2	Generation of matrices U	65
3.2.3	WAV accumulation	66
3.2.4	WAV rebuild	67
3.3	Experimental study – matrices T_{14} and T_{15}	69
3.3.1	Case 1. Simple case	70
3.3.2	Case 2. Complex case	72
3.4	Implementation issues	75
3.5	Summary and comments	75

4	Location of buried plastic pipes using multi-agent support based on GPR images	77
4.1	Automatic pipe location – multi-agent process	81
4.2	A brief introduction to multi-agent systems	82
4.3	Proposed multi-agent process	84
4.4	Experimental study – multi-agent process	87
4.4.1	Customizing the multi-agent location process	88
4.4.2	Case 1. Simple case	89
4.4.3	Case 2. Complex case	90
4.5	Implementation issues	92
4.6	Summary and comments	93
5	Segmentation of GPR images of WSS components	95
5.1	Principles of the segmentation and cleaning proposed	100
5.2	Segmentation and cleaning methodology	107
5.2.1	Binarization	108
5.2.1.1	Standardizing traces	108
5.2.1.2	Selecting trends	109
5.2.2	Segmentation and cleaning	111
5.2.2.1	Edge detection	112
5.2.2.2	Horizontal straight lines detection – Hough transform	113
5.2.2.3	Removing lines	115
5.2.3	Refining	116
5.3	Density analysis	116
5.4	Experimental studies – segmentation and cleaning	118
5.4.1	Segmentation and cleaning - pre-processing	119
5.4.2	Density analysis	123
5.5	Summary and comments	126
6	Automatic generation of WSS pipeline layout maps based on GPR images	129
6.1	Introduction to the use of GPR for WSS component mapping	134
6.2	Proposal for detecting piping layout	136

CONTENTS

6.2.1	Approach 1	136
6.2.2	Approach 2	137
6.3	Approaches 1 and 2 – general aspects	139
6.4	Sampling of interest area	141
6.4.1	Latin square sampling (LSS)	141
6.4.2	Training for pipe existence plausibility	143
6.4.3	Adaptive sampling route	145
6.4.4	Generation of probability maps	148
6.4.4.1	Obtaining points of view	148
6.4.4.2	Integration of points of view	150
6.5	Image pre-processing	151
6.6	Analysis of the proposed system for detecting the piping layout in a case of an urban WSS	153
6.6.1	Case study - Approach 1	154
6.6.2	Case study - Approach 2	156
6.7	Summary and comments	162
7	Water supply system component evaluation from GPR radar- grams using a multi-agent approach	165
7.1	Principles of the proposed pre-processing – Agents race	170
7.2	Proposed pre-processing algorithm – Agents race	174
7.2.1	Interpretation	175
7.2.2	Decision to move	177
7.2.3	Movement time	177
7.2.4	The race phases	178
7.3	Implementation issues and recommendations	179
7.4	Experimental study – <i>Agent race</i>	181
7.4.1	Case study	181
7.4.2	Data reduction percentages in GPR matrix data	183
7.5	Summary and comments	185

8	Hierarchical agglomerative clustering analysis of GPR data	187
8.1	Motivation and principles of the proposed clustering method – Hierarchical agglomerative clustering	191
8.2	Proposed system architecture	193
8.3	Hierarchical Agglomerative Clustering	194
8.3.1	Distance metrics	195
8.3.2	Linkage methods	196
8.3.3	Cophenetic correlation	197
8.3.4	Cluster analysis	198
8.4	Experimental Study – HAC	200
8.5	Summary and comments	207
9	GPR-based water leak models in water supply systems	209
9.1	Short introduction to the role of GPR to tackle leaks in WSSs	214
9.2	Data capturing: design and layout of the laboratory tests	216
9.3	Analysis of the location and identification of hyperbolas from the raw images	218
9.3.1	Initial state: raw images	218
9.3.2	Final state: raw images	220
9.4	Analysis: contrast between raw images for the initial and final states	223
9.5	Analysis of location and identification of anomalies in pre-processed images	226
9.5.1	Data pre-processing and ordering algorithm	226
9.5.2	Initial state: pre-processed images	229
9.5.3	Final state: pre-processed images	231
9.6	Analysis: contrast between pre-processed images	233
9.7	3D comparison of the analysis of contrasts between raw and pre-processed images	235
9.8	Analysis of field images: a case study	238
9.9	Summary and comments	242

CONTENTS

10 Conclusions and future developments	245
10.1 Summary	247
10.2 Conclusions	251
10.3 Future developments	262
Appendices	265
A File structure: *.dzt	267
B Equipment configuration for the performed tests	271
C Contributions	279
References	289