

Contents

1	Introduction	1
1.1	Background: regional science and remote sensing	1
1.2	Research justification	7
1.3	Aim and objectives	9
1.3.1	Objectives	9
1.4	Document structure	10
2	Satellite remote sensing and regional science in urban settings	13
2.1	Slum detection (deprivation hot-spots)	17
2.2	Quality of Life index assessment	20
2.3	Housing value estimation	23
2.4	Urban growth	24
2.5	Population estimation	28
2.6	Social vulnerability assessment	30
2.7	Crime	32
2.8	Chapter conclusions	34
3	Data preprocessing for quantitative analysis	41
3.1	Data integration at object level	41
3.2	Study site	42
3.3	Socioeconomic data for statistical analysis	43
3.3.1	Intra-urban poverty: the slum index	43
3.3.2	Crime: background, intra-urban homicide counts and socioeconomic variables	45
3.4	Spatial unit of analysis	49
3.5	Remote sensing data and image processing	50
3.5.1	Land cover features	51
3.5.2	Structure features	53

CONTENTS

3.5.3	Texture features	54
4	Measuring intra-urban poverty from space	57
4.1	Poverty and neighborhood appearance	58
4.2	Modeling the slum index from remote sensing variables	59
4.2.1	Statistical correlations between slum index and remote sensing variables	62
4.2.2	Models using VHR Image derived variables	65
4.2.3	Models using Factor Analysis to summarize structure and texture features	70
4.3	Discussion	74
4.4	Chapter conclusions	80
5	Crime and the urban layout	83
5.1	Crime and the urban environment	83
5.2	Modeling approach	85
5.2.1	A classic spatial model of homicide	85
5.2.2	Integrating urban fabric descriptors from VHR imagery to the classic model	88
5.3	Discussion	96
5.4	Chapter conclusions	98
6	Conclusions	103
7	Related publications	109
	Bibliography	110
A	FETEX variables	131
A.1	Structure features	131
A.1.1	Parameters near the origin	133
A.1.1.1	RVF: Ratio variance - first lag	133
A.1.1.2	RSF: Ratio between semivariance values at second and first lag	133
A.1.1.3	FDO: First derivative near the origin	133
A.1.1.4	SDT: Second derivative at third lag	133
A.1.2	Parameters up to the first maximum	134
A.1.2.1	MFV: Mean of the semivariogram values up to the first maximum	134

A.1.2.2	VFM: Variance of the semivariogram up to the first maximum	134
A.1.2.3	DMF: Difference mean of semivariogram and first lag semivariance	134
A.1.2.4	RMM: Ratio between the semivariance at first local maximum and the mean semivariogram values up to this maximum	135
A.1.2.5	SDF: Second-order difference between first lag and first maximum	135
A.1.2.6	AFM: Area between the semivariogram value in the first lag and the semivariogram function until first maximum	135
A.2	Texture features	135
A.2.1	Parameters based on the histogram	136
A.2.1.1	Skewness	136
A.2.1.2	Kurtosis	136
A.2.2	Parameters based on the gray level co-occurrence matrix	137
A.2.2.1	UNIFOR: Uniformity	137
A.2.2.2	ENTROP: Entropy	138
A.2.2.3	CONTRAS: Contrast	138
A.2.2.4	IDM: Inverse Difference Moment	138
A.2.2.5	VARIAN: Variance	138
A.2.2.6	COVAR: Covariance	138
A.2.2.7	CORRELAT: Correlation	139
A.2.3	Parameters based on the edgeness factor	139
B	Regionalization with max-p-regions	141