

List of contents

Abstract	-1-
Resumen	-3-
Resum	-5-

General introduction	-7-
The background of animal nutrition and breeding briefly	-9-
Defining the theoretical framework	-12-
The rabbit female	-16-
Nutrition and resource allocation	-16-
Genetics and resource allocation	-18-
Statistical approach	-21-
Hypothesis and objectives	-25-

Paper I: Accounting for (co)variance structure of longitudinal data from traits associated to productive performance in reproductive rabbit females: Model fitting and performance	-33-
Abstract	-35-
Introduction	-37-
Materials and methods	-38-
Animals and experimental procedure	-38-
Traits and data	-38-
Statistical analysis	-39-
Results and discussion	-45-
Structures considering residual variation exclusively: Group 1	-46-
Structures including variation between animals: Group 2	-51-
Structures including variation between lactations from a given animal: Group 3	-53-
Conclusions	-54-
Acknowledgments	-54-
References	-55-

Paper II: Homeorhetic control and homeostatic regulation from a mixed-model view: Reinterpreting nutrient partitioning using the rabbit female as a model	-57-
Abstract	-59-
Introduction	-61-
Materials and methods	-62-
Animals and experimental procedure	-62-
Traits	-63-
Statistical analysis	-64-

Results	-66-
Evolution of traits over the reproductive cycle	-66-
Relations among traits	-68-
Discussion	-69-
(Co)Variation between animals and the homeorhetic control	-69-
Covariation within animals and homeostatic regulation	-72-
Body condition under this framework	-75-
Conclusions	-75-
Acknowledgments	-76-
References	-76-

Paper III: Long-term implications of fitting feed energy source to the genetic type in reproductive rabbit females I. Resource acquisition and allocation -79-

Abstract	-81-
Introduction	-83-
Materials and methods	-84-
Animals	-84-
Diets	-85-
Experimental procedure	-86-
Traits	-86-
Statistical analysis	-87-
Results	-88-
Acquisition and allocation of resources	-88-
Blood plasma parameters	-93-
Discussion	-95-
General pattern of acquisition and allocation of resources	-95-
Acquisition and allocation patterns of genetic types	-96-
Primiparous females	-98-
Conclusions	-99-
Acknowledgments	-100-
References	-100-

Paper IV: Long-term implications of fitting feed energy source to the genetic type in reproductive rabbit females III. Fitness and productivity -105-

Abstract	-107-
Introduction	-109-
Materials and methods	-109-
Animals	-110-
Diets	-110-
Experimental procedure	-110-

Traits	-111-
Statistical analysis	-111-
Results	-112-
Discussion	-116-
Energy source	-116-
Genetic type	-117-
Genetic type x energy source and the genetic background	-118-
Conclusions	-121-
Acknowledgments	-121-
References	-121-
<hr/>	
General discussion	-125-
Statistical approach	-127-
The role of the animal and the effect of energy source	-127-
Optimizing resource allocation to the genetic type	-129-
References	-132-
<hr/>	
Conclusions	-135-
<hr/>	
Perspectives	-139-
<hr/>	
Short curriculum vitae	-143-
<hr/>	
Supplementary material	-145-
<hr/>	

List of Tables

Table	Short description	Pag
1.1	Means and number of records for the monitored traits	-39
1.2	(Co)variances structures	-42
1.3	Fitting information using Akaike information criteria (AIC)	-47
1.4	Decomposition of variance for the structures from group 2	-52
2.1	Means and number of records for the monitored traits	-64
2.1	Phenotypic variance and repeatability of traits conditioning acquisition and partition of energy at different states of the reproductive rabbit-female cycle	-67
2.2	Within-trait correlations for the traits conditioning acquisition and partition of energy of the reproductive rabbit female	-68
2.3	Permanent and residual correlations among traits	-69
3.1	Ingredients and chemical composition of experimental diets	-85
3.2	LSmeans and standard errors of the main effects on feed intake, perirenal fat thickness, milk yield and litter weight	-89
3.3	Effect of genetic type, energy source and time control on plasma concentration of glucose, β -OH-butyrate, non-esterified fatty acids and leptin	-94
4.1	Effect of genetic type and energy source on female traits	-112
4.2	Effect of genetic type and energy source on litter traits	-115

List of Figures

Figure	Short description	Page
0.1	Possible reaction norms of two animals in arbitrary phenotypic and environmental units	-12-
0.2	Schematic view of genetically driven trajectories (targeted trajectory) homeorhetic control and homeostatic regulation	-15-
0.3	Schematic view of the effect of energy source on milk yield and body condition under the resource allocation framework	-18-
0.4	Relative priorities between current and future litters of females differently selected for litter size at weaning during	-20-
0.5	References related with energy requirements in function of the number of cycles evaluated in the experiment	-22-
1.1	Estimated evolution of phenotypic variance over time with different structures for feed intake, body weight and milk yield	-49-
1.2	Estimated phenotypic correlations with different structures for feed intake, body weight and milk yield	-50-
2.1	Individual trajectories of rabbit females across the reproductive cycle for each one of the evaluated traits	-71-
2.2	Estimated permanent value for each rabbit female and trait	-72-
2.3	Schematic view of the relation between nutrient partitioning and information provided by the estimated residuals with mixed models	-73-
2.4	Studentized residuals for two different traits from two rabbit females	-74-
3.1	Evolution of feed intake over the reproductive cycle and across reproductive cycles depending on genetic type and energy source	-91-
3.2	Evolution within a reproductive cycle of perirenal fat thickness depending on genetic type and energy source	-92-
3.3	Evolution of milk yield over the reproductive cycle and across reproductive cycles depending on genetic type and energy source	-92-
3.4	Plasma glucose and non-esterified fatty acids concentration throughout time depending on genetic type	-93-
3.5	Plasma β -OH-butyrate concentration throughout time depending on genetic type and energy source	-94-
3.6	Inner-average temperature per month of the farm and number of females that had their first parturition in the corresponding month	-98-
4.1	Percentage of adult weight at insemination for the subsequent RC depending on the genetic type	-113-
4.2	Cumulated survival rate (%) at parturition in each reproductive cycle depending on genetic type	-113-
4.3	Conception rate depending on genetic type and energy source	-114-
4.4	Offspring survival rate during lactation in each reproductive cycle depending on genetic type and energy source	-114-
4.5	Live history traits for each genetic type depending on energy source	-116-

5.1 Relative priorities between current and future litter of females selected for different criteria -130