

Table de Contents

INTRODUCTION	1
1. Fruit plastids and their contribution to fruit quality	3
1.1. Role of photosynthesis in the fruit.....	4
1.2. Chloroplast are remodeled to chromoplast during ripening.....	9
1.3. Genetic regulation of genes involved in chloroplast development.	10
1.4. Fruit chloroplast reinforcement, a double-edged sword?.....	17
1.5. Walking on the wild side: oxidative stress during normal fruit ripening and under stressful environmental conditions.....	19
2. Photoprotection approach.....	20
2.1 Anthocyanins: natural source of photoprotection.....	20
2.2 Tomato fruit are capable of accumulating anthocyanins.....	21
2.3 Anthocyanin biosynthetic pathway.....	22
2.4 Regulation of anthocyanin Pathway.....	25
2.5 Tomato engineering for high content in anthocyanins.....	27
OBJECTIVES	31
CHAPTER 1: Plastid Fortified Tomatoes Obtained by Combined over-expression of <i>GLK</i> and <i>APRR2</i> Transcription Factors during Early Fruit Development.....	35
3. INTRODUCTION	37
4. RESULTS.....	40
2.1 Engineering tomato plants expressing <i>GLKs</i> and <i>APRR2</i> TFs under the control of the TFM5 promoter	40
2.2 <i>A dark green fruit phenotype is observed when GLKs and APRR2 are over-expressed simultaneously.....</i>	42
2.3 The largest increase in chlorophyll and carotenoid levels is observed in fruit at IMG stage from double engineered <i>GLKs-APRR2</i> plants.....	46
2.4 Primary metabolism also reflects the additive effect between <i>GLKs</i> and <i>APRR2</i> at IMG stage.....	49



2.5	<i>GLKs-APRR2</i> increases fruit plastid number, compartment size and grana stacking	51
2.6	Engineering <i>GLK</i> and <i>APRR2</i> early in ovary/ fruit development have consequences on fruit quality at the ripe stage.....	55
2.6.1	<i>dCEF</i> lines accumulate higher levels of total soluble solids....	55
2.6.2	<i>dCEF</i> lines show higher contents of nutritional and healthy compounds.....	56
2.6.3	Volatile profiles modified in <i>dCEF</i>	57
5.	DISCUSSION	60
6.	MATERIALS AND METHODS	66
4.1	Plant materials and growth conditions.....	66
4.2	Plasmid construction and generation of transgenic plants	68
4.3	Transgenic plants evaluation.....	69
4.4	RNA extraction and qRT PCR expression analysis.....	70
4.5	Carotenoid and chlorophyll analysis.....	71
4.6	Light and transmission electron microscopy	72
4.7	Volatile compounds profiling.....	74
4.8	Primary metabolite profiling.....	74
4.9	Data analysis and visualization	75
CHAPTER 2: Molecular mechanisms underlying the fruit phenotypes driven by early expression of <i>GLK</i> and <i>APRR2</i> . 77		
7.	INTRODUCTION	79
8.	RESULTS	82
2.1	Transcriptome data overview shows changes consistent with the metabolomic fruit phenotype	82
2.2	Early activation of <i>GLK2</i> or <i>APRR2</i> under the control of a fruit specific promoter affects a common set of genes that are related to fruit photosynthesis and chloroplast development.....	85
2.3	Nuclear genes implicated in chloroplast retrograde signaling are DEG in CEF	88
2.4	Joint expression of <i>APRR2</i> and <i>GLK2</i> early in development results in further reinforcement of chlorophyll synthesis and photosynthesis machinery in the fruit.....	89



2.5	The boost in photosystem machinery in double engineered <i>GLK-APRR2</i> fruit is maximized when using <i>GLK1</i>	91
2.6	Early expression of <i>GLK2</i> and <i>APRR2</i> still has a quantitatively large effect on fruit transcriptome at MG stage	94
2.7	Fruit chloroplast enhancement in <i>GLK1-APRR2</i> lines results in a higher total protein content.....	97
2.8	Proteomics analysis of fortified fruit revealed that mitochondria and chloroplast are the most affected cellular components	101
2.9	Chloroplast biogenesis increases in CEF genotypes.....	104
2.10	Largest differentially protein portion analyzed belong to chloroplast proteome	106
2.11	Relationship between proteome and transcriptome	108
2.12	Over-represented motives in common upregulated genes.....	109
9.	DISCUSSION.....	110
3.1	GLKs and <i>APRR2</i> affecting an array of chloroplast biogenesis and chloroplast functions including retrograde signaling program.....	111
3.2	Additive effect resulting from joint expression of <i>GLK</i> and <i>APRR2</i> early in fruit development and the possible underlying mechanism.....	114
3.3	Increased in plastid development is well-correlated with the upregulation of genes and proteins process-associated.....	117
3.4	Fruit photosynthesis enhancement supported by upregulation of carbon fixation enzymes.....	119
10.	Materials and Methods.....	120
4.1	Plant materials and growth conditions	120
4.2	Protein analysis	121
4.3	RNA extraction	121
4.4	Global transcriptomics profiling by RNAseq.....	122
4.5	RNA Data Analysis.....	123
CHAPTER 3: Expression of tomato complex BHLH:MYB:WD40 under the light inducible promoter PLI results in high levels of anthocyanin accumulation in the fruit peel and Type VI glandular trichomes.....		
11.	INTRODUCTION	127



12. RESULTS.....	132
1.1 Generation of tomato plants overexpressing tomato BHLH:MYB:WD40 complex in fruit peel.....	132
1.2 Engineered fruit display intense purple pigment accumulation in fruit peel.....	134
1.3 Biochemical analysis revealed the detailed composition of anthocyanin-enriched fruits.....	137
1.4 Unexpected anthocyanin accumulation in type VI trichomes.....	140
1.5 Trichome-type Specificity	142
1.6 Anthocyanin trichome expression appears to require BM transcriptional complex to be driven the PLI promoter.....	145
1.7 Specificities of the alteration of the flavonoid pathway in type VI glandular trichomes driven by the PLI::BMW.....	147
1.8 AEP phenotype is dependent on light.....	149
1.9 Differences in light intensity produces dramatic changes in the flavonoid profile of the fruit peel.....	154
13. DISCUSSION	157
1.10 Purple pigment in our AEP is restricted to peel similarly as it happens in fruit of wild species.....	157
1.11 Unexpected novel localization of anthocyanin in tomato trichomes	158
1.12 Engineering trichomes as biofactories.....	161
1.13 Enriched fruit flavonoid profile.....	162
1.14 Light dependent phenotype	164
1.15 Photo-oxidative Stress Protection.....	165
1.16 Conclusion and future perspectives	166
14. MATERIALS AND METHODS	167
1.17 Plant materials and growth conditions.....	167
1.18 Anthocyanin module construct and plant transformation.....	168
1.19 Transgene expression determination by quantitative real time PCR	169
1.20 Sampling method.....	170
1.21 Microscopy characterization.....	170



1.22 LC-ESI(+/-)-MS analysis of phenylpropanoids and anthocyanins in tomato fruits and trichomes 171

GENERAL DISCUSSION 175

15. Fruit Photosynthesis..... 177

16. Early-fruit Specific Overexpression of *GLKs* and *APRR2* TFs: Chloroplast and Photosynthesis Boost with Additive Effect..... 179

16.1 A Multi-level Analysis Confirmed the Chloroplast Boost..... 180

16.2 Beyond Chloroplasts- Mitochondria and other Related Functions 182

16.3 Molecular Basis of the *GLK::APRR2* additive Effect..... 183

16.4 Fruit Photosynthesis Boost Demonstrated through Metabolites Associated..... 184

16.5 An Early Chloroplast Boost Impacts on Red Fruit Quality..... 185

17. A Possible Solution for Tomato Fruit Photooxidative Stress. 186

17.1 Novel Anthocyanin Trichome Phenotype..... 188

18. Future perspectives for CEF and AEP 189

CONCLUSION..... 191

SUPPLEMENTARY FIGURES..... 195

SUPPLEMENTARY TABLES.....207

REFERENCES.....213

