

# Contents

Abstract [English]	ix
Abstract [Catalan]	xi
Abstract [Spanish]	xiii
List of symbols	xix
List of figures	xxvii
List of tables	xxix
1 Introduction	1
2 State of the art	7
2.1 Stepped spillways . . . . .	8
2.2 Stilling basins . . . . .	9
2.3 Practical application case. . . . .	11
3 Objective and justification	13
4 Materials and Methods	15
4.1 Numerical model . . . . .	15
4.1.1 Flow equations . . . . .	15

---

xv

4.1.2 Geometry and mesh . . . . .	17
4.1.3 Free surface modeling . . . . .	19
4.1.4 Flow aeration . . . . .	20
4.1.5 Turbulence modeling . . . . .	21
4.1.6 Boundary conditions . . . . .	23
4.1.7 Wall treatment . . . . .	26
4.1.8 Discretization schemes . . . . .	27
4.2 Experimental data . . . . .	27
4.2.1 Stepped spillways . . . . .	28
4.2.2 Stilling basins . . . . .	29
4.2.3 Practical application case . . . . .	30
<b>5 Analysis of results</b>	<b>33</b>
5.1 Mesh convergence . . . . .	33
5.2 Model validation . . . . .	35
5.2.1 Stepped Spillways . . . . .	35
5.2.2 Stilling basins . . . . .	45
5.2.3 Practical application case . . . . .	50
<b>6 Conclusions</b>	<b>55</b>
<b>Appendices</b>	<b>59</b>
<b>A Numerical analysis of hydraulic jumps using OpenFOAM</b>	<b>61</b>
A.1 Introduction . . . . .	63
A.2 Methods . . . . .	66
A.2.1 Geometry and mesh . . . . .	66
A.2.2 Numerical model . . . . .	67
A.2.3 Water surface tracking . . . . .	68
A.2.4 Flow aeration . . . . .	70
A.2.5 Turbulence . . . . .	70
A.2.6 Boundary conditions . . . . .	71
A.2.7 Wall treatment . . . . .	73
A.2.8 Discretization schemes . . . . .	74
A.2.9 Postprocessing . . . . .	75
A.2.10 Case study . . . . .	77

A.3 Results and discussion . . . . .	77
A.3.1 Graphic analysis . . . . .	77
A.3.2 Sensitivity analysis . . . . .	78
A.3.3 Quantitative analysis . . . . .	80
A.4 Conclusions . . . . .	82
 B Performance assessment of OpenFOAM and FLOW-3D in the numerical modeling of a low Reynolds number hydraulic jump	85
B.1 Introduction . . . . .	87
B.2 Numerical model . . . . .	89
B.2.1 Geometry and mesh . . . . .	90
B.2.2 Flow equations . . . . .	91
B.2.3 Free surface modeling . . . . .	92
B.2.4 Flow aeration . . . . .	93
B.2.5 Turbulence modeling . . . . .	94
B.2.6 Boundary conditions . . . . .	95
B.3 Experimental setup . . . . .	96
B.4 Case study . . . . .	97
B.4.1 Mesh sensitivity analysis . . . . .	97
B.4.2 Time-averaging window size sensitivity analysis . . . . .	98
B.5 Results and discussion . . . . .	99
B.5.1 Graphical analysis . . . . .	99
B.5.2 Average variable analysis . . . . .	100
B.5.3 Time analysis . . . . .	104
B.5.4 Hydraulic jump length . . . . .	106
B.6 Conclusions . . . . .	107
B.6.1 Future work . . . . .	108
 C Influence of VOF technique, turbulence model and discretization scheme on the numerical modeling of the non-aerated skimming flow in stepped spillways	111
C.1 Introduction . . . . .	113
C.2 Experimental data . . . . .	116
C.3 Theoretical and numerical models . . . . .	119
C.3.1 Flow model . . . . .	119

C.3.2 Free surface modeling . . . . .	119
C.3.3 Turbulence modeling . . . . .	120
C.3.4 Boundary conditions . . . . .	121
C.3.5 Numerical models and schemes . . . . .	122
C.4 Model implementation . . . . .	123
C.4.1 Geometry and mesh . . . . .	123
C.5 Analysis of results . . . . .	125
C.5.1 Mesh convergence . . . . .	125
C.5.2 Sensitivity analysis. . . . .	127
C.5.3 Discussion of approaches . . . . .	131
C.5.4 Self-similarity analysis . . . . .	135
C.6 Final remarks and conclusions . . . . .	139
 D Numerical analysis and validation of south Valencia Sewage Collection System Diversion	 141
D.1 Introduction . . . . .	143
D.2 Materials and methods . . . . .	145
D.2.1 Geometry . . . . .	145
D.2.2 Numerical model . . . . .	148
D.2.3 Mesh . . . . .	148
D.2.4 Implementation. . . . .	149
D.2.5 Turbluence . . . . .	150
D.2.6 Boundary conditions . . . . .	151
D.2.7 Physical model . . . . .	153
D.2.8 Postprocessing . . . . .	154
D.3 Results. . . . .	155
D.4 Conclusions . . . . .	159
 Bibliography	 179