

Table of Contents

1	Introduction	1
1.1	Justification and background	1
1.2	Objectives and methodology	6
1.3	Thesis structure	9
	References	11
2	The autoignition phenomenon	13
2.1	Introduction	14
2.2	Chemical kinetics and autoignition theory	15
2.2.1	Chemical kinetics of the autoignition phenomenon . . .	18
2.2.2	Ignition delay trends	26
2.2.3	Ignition delay under transient conditions. The Liven- good & Wu integral method	32
2.3	Experimental facilities and numerical tools to characterize the autoignition phenomenon	38
2.3.1	Experimental facilities	39
2.3.1.1	Combustion vessels	40
2.3.1.2	Shock tubes	42
2.3.1.3	Rapid Compression Machines	45
2.3.1.4	Rapid Compression-Expansion Machines	48
2.3.2	Current challenges in experimental autoignition studies	51
2.3.2.1	Advantages and disadvantages of the different facilities	52

2.3.2.2	Uncertainties on the autoignition phenomenon	53
2.3.2.3	Criteria to define the start of ignition	61
2.3.3	Chemical kinetic mechanisms	70
2.4	Research gaps present in the autoignition phenomenon	73
	References	78
3	Experiments and methods	91
3.1	Experimental facilities	93
3.1.1	RCEM	93
3.1.1.1	The RCEM available at CMT - Motores Térmicos	93
3.1.1.2	The RCEM available at ETH - Zurich	96
3.1.2	Optical setups	97
3.1.2.1	Chemiluminescence	97
3.1.2.2	Spectroscopy	99
3.2	Parametric study performed	99
3.2.1	N-heptane and iso-octane	100
3.2.2	PRF25, PRF50 and PRF75	102
3.2.3	N-dodecane	103
3.3	Methodological approach	105
3.3.1	RCEM	106
3.3.2	Optical techniques	108
3.3.2.1	Chemiluminescence	108
3.3.2.2	Spectroscopy	113
3.3.3	CHEMKIN	113
3.3.3.1	Validation of the detailed chemical kinetic mechanism for PRF mixtures	119
3.3.3.2	Validation of the reduced chemical kinetic mechanism for n-dodecane	125
3.A	Appendix: Validation of the experimental facility	132
3.A.1	Repeatability of the RCEM	132

3.A.2	Comparison versus other similar facilities	136
3.B	Appendix: Excited OH* sub-model	140
	References	141
4	Theoretical and modeling results	145
4.1	Design of synthetic EGR for autoignition studies	146
4.1.1	Definition of the synthetic EGR	147
4.1.2	Effect of the initial temperature on the ignition delay deviation	151
4.1.2.1	Thermodynamic effect	151
4.1.2.2	Chemical effect	155
4.1.3	Effect of the equivalence ratio and the oxygen molar fraction on the ignition delay deviation	160
4.1.4	Criterion to select the EGR composition	162
4.2	Theoretical development of an alternative procedure to predict ignition delays	163
4.2.1	Prediction of an ignition delay referred to a critical concentration of chain carriers	164
4.2.1.1	Method based on the Relative Concentration of Chain Carriers (RCCC)	167
4.2.1.2	Simplification to a global zero-order reaction	168
4.2.2	Prediction of cool flames	170
4.2.3	Prediction of the high-temperature stage	172
4.2.4	Conclusions	176
4.3	Validity of predictive methods based on a critical concentration of chain carriers	177
4.3.1	Analysis of the Livengood & Wu hypotheses	179
4.3.2	Comparison between the Livengood & Wu integral and the new proposed methods	184
4.3.3	Conclusions	189
4.A	Ignition delay prediction according to the Müller, Peters and Liñán's model for autoignition	190
	References	193

5	Experimental results	195
5.1	Experimental measurements of the ignition delay	196
5.2	Validation of the predictive methods	201
5.2.1	Predictive methods applied to cool flames	202
5.2.2	Predictive methods applied to the high exothermic stage	207
5.2.3	Conclusions	211
5.3	Autoignition measurements by means of optical techniques ..	213
5.3.1	Validation of the OH* sub-model. Optical measurements of the ignition delay	214
5.3.2	Spectroscopic analysis	217
5.3.3	Generalization and intensity of the auto-ignition	224
5.3.4	Conclusions	226
5.4	Autoignition propagation: a phenomenological explanation ..	228
5.4.1	Theory and calculations	228
5.4.2	Results and discussion	232
5.4.3	Conclusions	245
	References	246
6	Conclusions and future works	249
6.1	Conclusions	249
6.2	Future works	256
	References	259
7	Appendices	261
7.1	Appendix: Evaluation of the homogeneity in temperature at the RCEM by CFD calculations	261
7.1.1	Evolution of the in-cylinder temperature during the filling and compression processes	262
7.1.2	Fuel vaporization, mixing and stratification characteris- tic times	270
7.2	Appendix: N-dodecane evaporation characteristic time in RCEM experiments	275

7.3	Appendix: Post-processing of the experimental data from the RCEM	279
7.3.1	Models and their fitting procedure	279
7.3.2	Calculation of diagnosis parameters	285
	References	288
	References	289