

Contents

1	Motivation, Objectives and Organization of the Thesis	1
1.1	Motivation	1
1.2	Objectives of the Thesis	2
1.3	Organization of the Thesis	3
2	Vehicular Networks	5
2.1	Introduction	5
2.2	Advances and Trends in Vehicular Network Technologies	6
2.3	Vehicular Networks: Rationale & Motivation	9
2.4	Road Safety and Emergency Services	16
2.4.1	Hazards / Accident Contributing Factors	17
2.5	Trends in Emergency Services: From Cellular to VANET-based	22
2.5.1	Comparison of eCall and OnStar	24
2.6	A View on Future Emergency Services	25
2.6.1	Data for Emergency Use in the Future	26
2.7	Summary	29
3	Vehicular Ad Hoc Networks (VANETs)	31
3.1	Introduction	31
3.2	Characteristics and Applications of VANETs	32
3.3	Standards for VANETs	34
3.3.1	Wireless Access in Vehicular Environments (WAVE)	35
3.3.2	Components of a WAVE System	36
3.3.3	Communication Protocols	39
3.3.4	IEEE 1609.1	40
3.3.5	IEEE 1609.2	40
3.3.6	IEEE 1609.3	41
3.3.7	IEEE 1609.4	41
3.3.8	IEEE 802.11p	42
3.4	Existing Broadcast Storm Reduction Schemes	43
3.4.1	Counter-based	43
3.4.2	Distance-based	43
3.4.3	Location-based	44
3.4.4	Cluster-based	44
3.4.5	Smart Gossip Scheme	45

CONTENTS

3.4.6	Weighted p-persistence, Slotted 1-persistence, and Slotted p-persistence	45
3.4.7	The Last One (TLO) Scheme	45
3.5	Dissemination of Warning Messages in VANETs	46
3.6	Summary	47
4	Simulation of VANETs	49
4.1	Introduction	49
4.2	Mobility Models in VANETs	50
4.2.1	Factors Affecting Realistic Motion Patterns in VANETs	52
4.2.2	Mobility Models' Classification	54
4.2.2.1	Synthetic Models	55
4.2.2.2	Survey-based Models	58
4.2.2.3	Trace-based Models	59
4.2.2.4	Traffic Simulators-based Models	60
4.2.3	Road Topology in Mobility Simulation	60
4.2.4	Validation of Mobility Models	61
4.3	Overview of VANET Simulators	65
4.3.1	VANET Mobility Generators	66
4.3.1.1	Vehicular Traffic Models	66
4.3.1.2	Existing Mobility Generators	67
4.3.2	Network Simulators	68
4.3.2.1	Existing Network Simulators	69
4.3.2.2	Comparison of Network Simulators	70
4.3.3	VANET Simulators	70
4.3.3.1	Existing VANET Simulators	71
4.3.3.2	Comparison of VANET Simulators	75
4.4	Radio Propagation Models	75
4.4.1	Existing Radio Propagation Models	77
4.4.1.1	Free Space	77
4.4.1.2	Two-Ray Ground	77
4.4.1.3	Ricean and Rayleigh Fading	78
4.4.1.4	Shadowing	79
4.4.1.5	RPMO	80
4.4.1.6	Nakagami Model	81
4.4.1.7	Mahajan et al.	81
4.4.2	Limitations of Existing Attenuation Schemes	82
4.4.3	Visibility Schemes	83
4.4.3.1	Visibility Scheme for Real Maps	85
4.5	Methodology and Metrics	88
4.6	Summary	89
5	Determining the Key Factors in VANETs	91
5.1	Introduction	91
5.2	Related work	92
5.3	The 2k Factorial Analysis	93
5.3.1	Calculating the Effects of the Factors	95

5.4	Factors to Study in VANETs	96
5.4.1	Number of Warning Vehicles	96
5.4.2	Number of Vehicles	96
5.4.3	Channel Bandwidth	96
5.4.4	Broadcast Scheme	97
5.4.5	Radio Propagation Model	98
5.4.6	Message Periodicity	98
5.4.7	Speed of Vehicles	98
5.4.8	Transmission Range	99
5.5	Factors Determination Using 2k Factorial Analysis	99
5.5.1	Evaluating the Impact of the Transmission Range	100
5.5.2	Evaluating the Impact of the Radio Propagation Model	100
5.5.3	Evaluating the Impact of the Number of Vehicles	103
5.5.4	Lessons Learnt and Guidelines for Future Research	104
5.6	Summary	106
6	Improved Mobility Models for Vehicular Networks	109
6.1	Introduction	109
6.2	Proposed Mobility Environment	109
6.2.1	CityMob v.1 Mobility Generator	110
6.2.1.1	CityMob's v.1 features	111
6.2.1.2	Installation and operation	112
6.2.2	CityMob v.2 Mobility Generator	114
6.2.3	Proposed SUMO-based Mobility Environment	114
6.3	Qualitative Comparison of Mobility Generators	115
6.4	Performance Comparison of Mobility Generators	117
6.5	Summary	119
7	Improved Radio Propagation Models for Vehicular Networks	123
7.1	Introduction	123
7.2	Proposed Radio Propagation Models	124
7.2.1	Distance Attenuation Model (DAM)	124
7.2.2	Building Model (BM)	125
7.2.3	Building and Distance Attenuation Model (BDAM)	125
7.2.4	Real Attenuation and Visibility (RAV) model	125
7.2.4.1	RAV Attenuation Scheme	126
7.2.4.2	RAV Visibility Scheme	129
7.2.4.3	Summary of RAV operation	132
7.3	Simulation Results	132
7.3.1	Manhattan-based RPMs Evaluation	132
7.3.1.1	Reference Scenario for the proposed Manhattan-based RPMs	134
7.3.1.2	Varying the Number of Vehicles	134
7.3.1.3	Varying the Building Size	138
7.3.1.4	Overall Summary for the proposed Manhattan-based RPMs	138
7.3.2	RAV Model Evaluation	141

CONTENTS

7.3.2.1	Evaluating the impact of the RAV model versus other existing radio propagation models	141
7.3.2.2	Evaluating the impact of vehicle density and simulation scenario	146
7.4	Summary	151
8	Efficient Message Dissemination in Vehicular Networks	153
8.1	Introduction	153
8.2	SBR: the Proposed Broadcast Storm Reduction Algorithm	154
8.3	Formal Description of the SBR Algorithm	158
8.3.1	Definition of the Available Sets	158
8.3.2	Definition of the Different Functions	158
8.3.2.1	Functions to Operate with Vehicles	159
8.3.2.2	Functions to Operate with Streets	159
8.3.2.3	SBR Formal Definition	160
8.4	SBR Simulation Results in Manhattan-based Scenarios	162
8.5	The Street Broadcast Reduction (SBR) Scheme in Real Map Scenarios	163
8.6	Simulation Results Obtained for the SBR in Real Maps	166
8.7	Summary	171
9	Conclusions, Publications and Future Work	173
9.1	Publications Related to the Thesis	174
9.1.1	Journals	174
9.1.2	Indexed Conferences	176
9.1.3	International Conferences	178
9.1.4	National Conferences	179
9.2	Future work	180