

INDEX

SUMMARY	14
RESUMEN	17
RESUM	20
1. INTRODUCTION	23
1.1. Fire blight of Rosaceae	24
1.1.1. Symptomatology of fire blight and host range of <i>Erwinia amylovora</i>	24
1.1.2. Economic impact	35
1.1.3. Global distribution	37
1.1.4. Situation in Spain	43
1.1.5. Fire blight epidemiology and control	45
1.1.5.1. Fire blight cycle	45
1.1.5.2. Preventive and cultural measures	48
1.1.5.3. Chemical control	49
1.1.5.4. Biological control	51
1.1.5.5. Cultivar susceptibility and genetic control	53
1.1.5.6. Integrated control in Spain and the European Union (EU)	53
1.1.5.6. Legislation	54
1.2. Copper and field application	57
1.2.1. The history of the use of copper	57
1.2.2. Copper formulations and mode of action	59
1.2.3. Field applications in the EU	60
1.3. Copper, friend and foe for bacterial cells: targets for copper action and strategies	62
1.3.1. Copper and generation of reactive oxygen species	63
1.3.2. Copper uptake and homeostasis	64
1.3.3. Multicomponent copper efflux systems	67
1.3.4. Biosynthesis of extracellular polymeric substances (EPS)	68
1.3.5. The viable but nonculturable (VBNC) state can be	69

induced by copper

1.4. <i>Erwinia amylovora</i>, the causal agent	71
1.4.1. Taxonomy and general features	71
1.4.2. Virulence factors	73
1.5. <i>E. amylovora</i> genetics	77
1.5.1. <i>E. amylovora</i> genome	77
1.5.2. Plasmids	82
1.5.3. Genetics of host-pathogen interaction	84
1.5.4. <i>E. amylovora</i> under stress	86
1.5.5. Transcriptomic approach for gene expression evaluation	89
2. OBJECTIVES	92
3. MATERIALS AND METHODS	94
3.1. Bacterial strains and growth conditions	95
3.2. Minimal inhibitory concentration (MIC) of copper	96
3.3. Short-term assay for <i>E. amylovora</i> survival in AB medium supplemented with different concentrations of copper	99
3.4. RNA isolation	99
3.5. Stress-related selected genes. Primers and probes for relative quantitation of gene expression by real-time RT-PCR	100
3.6. Real-time RT-PCR standard curve for estimating PCR amplification efficiency of <i>rpoS</i> gene	102
3.7. Long-term assay for <i>E. amylovora</i> survival in AB medium supplemented with copper sulfate and expression of <i>rpoS</i> gene under these conditions	104
3.8. Microarray experiment	105
3.8.1. <i>Erwinia amylovora</i> microarray	105
3.8.2. Experimental set-up for preparation of samples for microarray hybridization	107
3.8.3. Microarray data analysis	110

3.9. Validation of the differentially expressed genes by quantitative real-time PCR	110
3.10. Mutant construction and complementation	114
3.11. Experiments with mutants of <i>E. amylovora</i> to evaluate the role of different genes	117
3.11.1. The possible role of <i>rpoS</i> gene in the survival of strain CFBP 1430	117
3.11.2. Assays to evaluate the possible role of <i>copA</i> , <i>soxS</i> , <i>arcB</i> , <i>yjcE</i> , <i>ygcF</i> , <i>yhhQ</i> , <i>galF</i> and EAM_3469 genes of strain <i>Ea1189</i> after copper shock	117
3.11.2.1. Copper tolerance <i>in vitro</i>	117
3.11.2.2. Effect of introduction of target genes in the mutants	118
3.12. The <i>copA</i> case	119
3.12.1. Expression curve of <i>copA</i> in <i>E. amylovora</i> after copper-shock induction	119
3.12.2. Copper tolerance <i>in planta</i>	121
4. RESULTS	123
4.1. MIC for copper	124
4.2. Short-term assay for <i>E. amylovora</i> survival in AB medium supplemented with different copper concentrations	125
4.3. Efficiency of RNA extraction	125
4.4. Sensitivity of <i>rpoS</i> , <i>katG</i> and <i>dsbC</i> primers	127
4.5. Real-time PCR standard curve for <i>rpoS</i> gene	128
4.6. Long-term assay for <i>E. amylovora</i> survival in AB medium supplemented with copper sulfate and expression of <i>rpoS</i> gene through time	130
4.7. General characteristics of the <i>E. amylovora</i> <i>Ea1189</i> strain transcriptome in response to a copper shock	132
4.8. Evaluation of differentially expressed genes under copper conditions by quantitative real-time PCR	138
4.9. Mutants of selected genes of <i>E. amylovora</i>	142
4.9.1. Assays to evaluate the possible role of <i>rpoS</i> gene	142
4.9.2. Assays to evaluate the possible role of <i>copA</i> , <i>soxS</i> ,	144

<i>arcB</i> , <i>yjcE</i> , <i>ygcF</i> , <i>yhhQ</i> , <i>galF</i> and EAM_3469 genes	
4.9.2.1. Copper tolerance <i>in vitro</i>	144
4.9.2.2. Introduction of target genes in the mutants	145
4.10. The <i>copA</i> case	148
4.10.1. Induced expression of <i>copA</i> gene	148
4.10.2. Involvement of the <i>copA</i> gene in copper tolerance <i>in planta</i>	149
5. GENERAL DISCUSSION	152
5.1. Survival of <i>E. amylovora</i> under several copper conditions and the role of a general stress regulator	157
5.2. Global response against a copper shock	160
5.2.1. Copper transport genes (copper homeostasis)	162
5.2.2. Oxidative stress (copper toxicity)	168
5.3. Response model to copper in <i>E. amylovora</i>	171
6. CONCLUSIONS	173
7. REFERENCES	177