

Contents

Abstract	iii
Resumen	v
Resum	vii
Acknowledgments	ix
Contents	xi
Acronyms and Nomenclature	xvii
1 Introduction	1
1.1 Motivation and Objectives of the Thesis	1
1.2 Antiproton Production at CERN	5
1.2.1 Physics of Antiproton Production	5
1.2.2 Previous Designs of Antiproton Targets at CERN	6
1.2.3 Current Target Design	9
1.3 Main Inherent Concerns and Operational Experience of the CERN's Antiproton Target	13
1.3.1 Sudden Rise of Temperature and Stress Waves in the Target Core	13
1.3.2 Radiation Damage	15
1.3.3 Concerns on the Target Envelope	16

1.4 Comparison with other High Power Target Facilities.	17
1.4.1 The Pbar Source at Fermilab.	18
1.5 Candidate Core Materials for the Future AD-Target Design.	20
1.5.1 Iridium	20
1.5.2 Tungsten	21
1.5.3 Tungsten doped with Lanthanum Oxide.	24
1.5.4 Tantalum.	24
1.5.5 Molybdenum and TZM	27
 2 Computational Methods for Simulating the Response of the AD-Target Core	 29
2.1 Introduction	29
2.2 Principles of Stress Wave Propagation in Solids and Vibration Theory . . .	31
2.2.1 Stress Wave Propagation in Solids	31
2.2.2 Free Vibrations Modes of a Cylinder	39
2.3 Energy Deposition in the AD-Target: FLUKA Monte-Carlo Code.	44
2.4 Thermo-Mechanical Simulations using Implicit-FE ANSYS Mechanical . .	46
2.5 Limitations of Implicit-FE ANSYS® Mechanical for Simulating the AD- Target Dynamic Response	48
2.5.1 Implicit vs Explicit.	48
2.5.2 Strain Rate Dependence of the Material Response.	49
2.5.3 Non-linearity, Yielding and Fracture	50
2.6 Introduction to Hydrocodes	51
2.6.1 Stress Tensor Decomposition	53
2.6.2 EOS - Governing the Hydrostatic Component	55
2.6.3 Strength Model - Governing the Deviatoric Component	59
2.6.4 Failure Models	63
2.7 Computational Method for the Resolution of Dynamic Response of the AD-Target	66
2.7.1 Computational Approach	66
2.7.2 Geometry and Computational Domain.	67
2.7.3 Employed EOS, Strength and Failure Models.	69
2.8 Configurations and Objectives of the Performed Simulations	74
2.8.1 From Simple Assumptions to Complex Models.	74
2.8.2 Parametric Analysis of Influence of Proton Pulse Length on the Pressure Response.	74

2.8.3 Parametric Analysis of Influence of Core Cladding on the Pressure Response	75
2.8.4 Comparisons of Iridium and Tungsten as Core Material	76
2.8.5 Analysis of Dynamic Response of the Graphite Matrix	76
3 Results of the Dynamic Response of the Target Core under Proton Beam Impact	77
3.1 Adiabatic Increase of Temperature in the Target	78
3.2 Elastic Response of the Target Core	79
3.3 Plastic Response of the Target Core	82
3.4 Importance of the Proton Pulse Length on the Pressure Response	84
3.5 Use of Core Cladding as a Strategy to Reduce Tensile Pressure in the Core	86
3.6 Application of Failure Models to the Cases of Study	88
3.7 Comparison between Tungsten and Iridium as Core Material	89
3.8 Response of the Graphite Matrix	90
3.9 Main Conclusions and Discussion of the Results	93
4 The HRMT27 Experiment: Recreating Equivalent Conditions as in the AD-Target	97
4.1 Introduction and Motivation of the Experiment	97
4.2 Definition of Goals of the Experiment	100
4.3 Involved Challenges	101
4.3.1 Creating Equivalent Conditions in the HiRadMat Targets as in the AD-Target	101
4.3.2 Challenges in terms of Accuracy and Beam Monitoring	102
4.3.3 Instrumentation Selection and Configuration	102
4.3.4 Activation of Targets	103
4.4 Design of the Experiment	104
4.4.1 Design of the Targets and Beam Parameters	104
4.4.2 General Layout	113
4.4.3 Instrumentation Selection	117
4.4.4 Thermal and Structural Calculations of the Experimental Setup	121
4.5 List of Investigated Target Materials	129
4.5.1 Iridium	130
4.5.2 Pure Tungsten and Tungsten doped with Lanthanum Oxide	131

4.5.3 Tantalum	132
4.5.4 Molybdenum and TZM	133
4.5.5 Tungsten Cladded in Tantalum	133
4.6 Execution of the Experiment	137
4.6.1 Targets Alignment Procedure	137
4.6.2 Operation Procedure	138
4.6.3 Pulses Impacted on Targets	140
4.6.4 Beam Stability during Operation	141
4.6.5 Radiation Levels during Operation	144
5 The HRMT27 Experiment: Online Results	149
5.1 Thermocouples and Pyrometer Recordings	151
5.2 Dynamic Response at Low Intensity Pulses	153
5.3 Change of the Dynamic Response when Increasing Intensity	161
5.3.1 Targets Experiencing Plastic Deformation and Internal Damage	161
5.4 High Intensity Pulses. Extensive Target Damage	166
5.4.1 Tungsten at High Intensity	166
5.4.2 Massive Fragmentation of the Iridium Target	167
5.5 Summary of Response of the Irradiated Targets	171
5.6 Discussion	174
6 The HRMT27 Experiment: First PIEs and Experiment vs Simulation Comparisons	175
6.1 Pictures of the Targets after the Experiment	176
6.1.1 Mo and TZM targets	176
6.1.2 Ta targets	177
6.1.3 W and W-La targets	178
6.1.4 Ir targets	181
6.1.5 W-Ta cladded target	183
6.2 Graphite Clamps Damage	184
6.3 Measurements of Targets Deformation	185
6.4 Comparisons between Hydrocode Simulations and Experimental Results .	189
6.4.1 Comparisons at low intensity pulses	189
6.4.2 Medium Intensities and Failure Model Benchmarking	193
6.4.3 Comparisons at High Intensity Pulses for #8W3 and #12Ir3 targets .	197

6.5 Simulations of Targets Bending and Experimental Crosscheck	200
6.6 Main Outcomes of the Experiment and Proposed Improvements.	203
7 Conceptual Design of the New AD-Target	207
7.1 Proposed Core Configuration and Containing Matrix	209
7.1.1 New core material: Tantalum	209
7.1.2 New core geometry configuration	209
7.1.3 Compressed Expanded Graphite (EG) as target core containing matrix.	211
7.1.4 Prototyping Activities for Manufacturing an EG-Matrix Embedding the Target Core	213
7.2 Proposed Pressurized Air Cooling System.	220
7.2.1 Proposed Geometry	220
7.2.2 CFD Simulations and Cooling Flow Parameters	221
7.2.3 Thermal Analysis of the Target Assembly	224
7.3 Structural and Fatigue Analysis of the Ti-6Al-4V Beam Windows	226
7.3.1 Stresses Reached in the Windows	227
7.3.2 Fatigue Analysis	229
7.4 Conclusions of the Thesis.	233
Bibliography	237