

SUMMARY	I
RESUMEN	III
RESUM	V
ABBREVIATIONS	VII
GENERAL INTRODUCTION	1
1. Phytopathogenic fungi and their relevance in agriculture	2
1.1 <i>Penicillium digitatum</i>	3
1.2 <i>Penicillium expansum</i>	4
2. Antimicrobial peptides as alternatives for the control of fungal pathogens	5
2.1 Antifungal Peptides and Proteins	7
2.2 Cysteine-Rich Proteins	8
2.3 Fungal Antifungal Proteins	11
3. Modes of Antifungal Action	14
4. Use of Antifungal Peptides in Plant Protection	18
4.1. Antifungal peptides in postharvest conservation	20
4.2. Biofactories for AMP production	22
4.3. Filamentous fungi as biofactories for the production of AFPs	24
OBJECTIVES	25
CHAPTER I	31
ABSTRACT	31
INTRODUCTION	32
MATERIALS AND METHODS	34
Microorganism, media and culture conditions	34

Protein sequence and phylogenetic analyses	34
Fruit Infection assays	34
Total RNA extraction and quantitative RT-PCR	35
Generation of deletion and constitutive <i>P. digitatum</i> strains	35
Phenotypic assays on <i>P. digitatum</i> transformants	36
Fluorescence microscopy	37
RESULTS	38
Phylogenetic tree reconstruction supports the classification of known fungal antifungal proteins in three major classes	38
The <i>P. digitatum afpB</i> gene is expressed during fungal growth and the infection of citrus fruit	40
The constitutive expression of <i>P. digitatum afpB</i> results in a drastic reduction of axenic growth, abnormal hyphal morphology and delayed conidiogénesis	41
The reduced growth phenotype of constitutive <i>afpB^C</i> strains is not stable	45
<i>P. digitatum afpB</i> gene is not required for virulence in citrus fruit	47
Expression of citrus genes involved in fruit defence in response to infection by <i>P. digitatum afpB</i> mutants	49
DISCUSSION	51
REFERENCES	56
SUPPLEMENTARY MATERIAL	61
CHAPTER II	71
ABSTRACT	71
INTRODUCTION	72
MATERIALS AND METHODS	74

Strains and media	74
<i>In silico</i> calculations and AfpB structure prediction	74
PAF protein and synthetic peptides	75
ECD spectroscopy	75
Antimicrobial activity assays	75
Proteolytic digestion assays	76
Statistical analysis	77
RESULTS	78
AfpB structural modeling	78
Identification of AfpB-derived antifungal peptides with specific antifungal activity	79
Peptide PAF116 derived from the <i>P. chrysogenum</i> antifungal protein PAF is less active than the native protein	83
Synergistic interactions	85
ECD spectroscopic analysis	87
AfpB-derived peptides show resistance to proteolytic degradation	89
DISCUSSION	90
REFERENCES	96
SUPPLEMENTARY MATERIAL	101
CHAPTER III	107
ABSTRACT	107
INTRODUCTION	108
RESULTS	110
Recombinant production of AfpB in <i>P. digitatum</i> and <i>P. pastoris</i>	110

Single-step cationic exchange chromatography allowed AfpB purification from <i>P. digitatum</i> and <i>P. pastoris</i> culture supernatants.	112
Immunodetection confirmed the absence of AfpB in the parental strain	114
Mass spectrometry revealed different processing of PAF and AfpB SP-pro sequence.	115
Electronic circular dichroism spectroscopy assays revealed incomplete refolding capability of the AfpB* variant.	116
AfpB was highly active against <i>Penicillium</i> species including <i>P. digitatum</i>	117
AfpB showed high protease and thermal resistance	118
AfpB showed no haemolytic activity against human red blood cells	120
DISCUSSION	121
METHODS	126
Strains, media and culture conditions	126
Generation of the <i>P. digitatum</i> AfpB producer strains	126
Generation of the <i>P. pastoris</i> AfpB producer strains	127
Protein production and purification	127
Western blot	128
MALDI-TOF MS	128
ECD spectroscopy	128
Protein stability assays	129
Antimicrobial activity assays	129
Haemolytic assays	129
Fruit infection assays	130
REFERENCES	132
SUPPLEMENTARY MATERIAL	137

CHAPTER IV	149
ABSTRACT	149
INTRODUCTION	150
MATERIALS AND METHODS	152
Strains, media and growth conditions	152
Protein sequences and structure prediction	153
Vector constructions and <i>P. chrysogenum</i> transformant strains generation	153
Protein production and purification	154
Matrix-assisted laser desorption-ionization-time-of-flight mass spectrometry (MALDI-TOF MS)	155
Antibody generation and western blot	155
Antimicrobial activity assays	156
Haemolytic activity assays	157
Protection assays against fungal infection caused by <i>P. digitatum</i> in citrus fruits	157
Protection assays against fungal infection caused by <i>B. cinerea</i> in tomato leaves	158
RESULTS	159
<i>P. expansum</i> encodes up to three distinct AFPs from different classes but only secretes AFP from class A	159
Recombinant production of PeAFPs in <i>P. chrysogenum</i>	161
Immunodetection confirmed the absence of PeAfpB and PeAfpC in <i>P. expansum</i> supernatants	163
PeAFPs structural modelling	165
Antimicrobial activity assays	167

PeAFPs showed no haemolytic activity	169
PeAfpA confers protection against <i>P. digitatum</i> infection in orange	
Fruits	169
PeAfpA confers protection against <i>B. cinerea</i> infection in tomato	
leaves	171
DISCUSSION	173
REFERENCES	180
SUPPLEMENTARY MATERIAL	187
GENERAL DISCUSSION	195
1. A new and extended classification of AFPs based on phylogenetic analyses	197
2. The AfpA from <i>P. expansum</i> is produced in very high yields by the parental fungus	201
3. Fungal biofactories for the biotechnological production of AFPs	202
4. Broad antimicrobial activity of AFPs and identification of antifungal motifs	205
5. Functional role and mechanism of action of AFPs in phytopathogenic fungi	209
6. AfpB and PeAfpA are potential candidates for plant protection and postharvest conservation	211
7. Further considerations	213
CONCLUSIONS	217
GENERAL REFERENCES	221