

# Table of contents

<b>Abstract</b>	<b>5</b>
<b>Acknowledgements</b>	<b>11</b>
<b>List of Figures</b>	<b>17</b>
<b>List of Tables</b>	<b>21</b>
<b>1 Introduction</b>	<b>23</b>
1.1 Wireless Capsule Endoscopy . . . . .	23
1.2 Motivation and Scope . . . . .	25
1.3 Thesis Outline . . . . .	26
1.4 Scientific Publications . . . . .	28
<b>2 State of the Art</b>	<b>31</b>
2.1 Overview of WCE Localization System . . . . .	31
2.2 Ultra-Wideband (UWB) for next-generation WCE . . . . .	32
2.3 WCE localization techniques . . . . .	33
2.4 RF localization at UWB frequencies . . . . .	37
<b>3 Scenarios and Methodology</b>	<b>39</b>
3.1 Application Scenario . . . . .	39
3.2 Data Collection for RF Localization . . . . .	40
3.2.1 Frequency Domain Channel Sounding . . . . .	41
3.2.2 Experimental Laboratory Measurements . . . . .	42
3.2.2.1 UWB phantom models . . . . .	42
3.2.2.2 Homogeneous phantom-based campaigns . . .	44
3.2.2.3 Heterogeneous phantom-based campaign . . .	49
3.2.3 Software Simulations . . . . .	51
3.2.4 <i>In Vivo</i> Measurements . . . . .	53
3.2.4.1 Living animal subjects . . . . .	53
3.2.4.2 First experiment . . . . .	53

---

**TABLE OF CONTENTS**

---

3.2.4.3	Second experiment . . . . .	56
3.2.4.4	Third experiment . . . . .	58
3.3	Offline RF-based Localization . . . . .	61
3.3.1	Ranging distance estimation . . . . .	61
3.3.1.1	Received Signal Strength (RSS) . . . . .	61
3.3.1.2	Time of Arrival (ToA) . . . . .	63
3.3.2	Coordinates Estimation . . . . .	64
3.3.2.1	1D Localization . . . . .	64
3.3.2.2	2D Localization . . . . .	65
3.3.2.3	3D Localization . . . . .	66
<b>4</b>	<b>Localization Results and Discussion</b>	<b>69</b>
4.1	Performance Metrics . . . . .	69
4.2	1D Positioning . . . . .	71
4.2.1	RSS-based localization . . . . .	71
4.2.2	ToA-based localization . . . . .	74
4.3	2D Positioning . . . . .	76
4.3.1	RSS-based localization . . . . .	76
4.3.1.1	Homogeneous Phantom . . . . .	76
4.3.1.2	Heterogeneous Phantom . . . . .	78
4.3.2	ToA-based localization . . . . .	81
4.4	3D Positioning . . . . .	83
4.4.1	RSS-based localization . . . . .	83
4.4.1.1	Simulations . . . . .	83
4.4.1.2	<i>In Vivo</i> . . . . .	87
4.4.2	Hybrid RSS/AoA localization . . . . .	93
4.5	Effect of Receivers Distribution on Localization Accuracy . . . . .	96
4.6	Summary and Discussion . . . . .	102
<b>5</b>	<b>Real-Case Application: HemoPill Localization</b>	<b>105</b>
5.1	Detection of Upper Gastrointestinal bleeding: HemoPill . . . . .	105
5.1.1	Introduction . . . . .	105
5.1.2	Design and Working Principle . . . . .	107
5.2	Measurements Setup . . . . .	108
5.2.1	Ovesco RAMCE System . . . . .	108
5.2.2	HemoPill Testbed . . . . .	109
5.3	RSS-based Localization Results . . . . .	111
<b>6</b>	<b>Conclusions and Future Trends</b>	<b>115</b>
6.1	Conclusions . . . . .	116
6.2	Future Directions . . . . .	119
<b>A</b>	<b>Graphical User Interface (GUI)</b>	<b>121</b>

## **TABLE OF CONTENTS**

---

<b>List of Abbreviations</b>	<b>131</b>
<b>References</b>	<b>133</b>