Document downloaded from:

http://hdl.handle.net/10251/141456

This paper must be cited as:

Velazquez-Varela, J.; Castro Giraldez, M.; Cuibus, L.; Tomás-Egea, JÁ.; Socaciu, C.; Fito Suñer, PJ. (2018). Study of the cheese salting process by dielectric properties at microwave frequencies. Journal of Food Engineering. 224:121-128. https://doi.org/10.1016/j.jfoodeng.2017.12.024



The final publication is available at

https://doi.org/10.1016/j.jfoodeng.2017.12.024

Copyright Elsevier

Additional Information

- 1 STUDY OF THE CHEESE SALTING PROCESS BY DIELECTRIC
- 2 PROPERTIES AT MICROWAVE FREQUENCIES
- 3 J. Velázquez-Varela¹, M. Castro-Giraldez*¹, L. Cuibus², J.A. Tomas-Egea¹, C.
- 4 Socaciu², P.J. Fito¹
- ¹Instituto Universitario de Ingeniería de Alimentos para el Desarrollo, Universitat
- 6 Politècnica de València, Camino de Vera s/n, 46022 Valencia, Spain
- ² University of Agricultural Sciences and Veterinary Medicine, Mănăştur Street, 3-5,
- 8 400372, Cluj-Napoca, Romania
- 9 *Author for correspondence: marcasgi@upv.es

11

Abstract

Salting process involves complex phenomena that affect the overall quality of cheese 12 13 because of its effect on water activity and induced biochemical changes. Permittivity of cheese was analysed throughout cheese salting treatment in order to relate it with water 14 15 and salt transports. Salting treatment was carried out by using 25% (w/w) sodium chloride 16 brine at 4°C. Samples were immersed in a vessel containing the osmotic solution with continuous stirring, for 0, 10, 20, 30, 40, 50, 60, 90, 120, 180, 240, 360, 480, 720, 900 17 18 and 1440 min. Samples were subsequently equilibrated in an isothermal chamber at 4°C 19 for 24 hours. Mass, volume, surface water activity, moisture, ion content and permittivity were determined in fresh and salted samples. Permittivity was measured from 500 MHz 20 to 20 GHz, by using an open-ended coaxial probe connected to a Vector Network 21 22 Analyzer. Results showed that measurements at 20 GHz explain the water loss and water flux in the overall product. The state of the electrolytes in cheese can be followed using 23 24 the ionic conductivity at 500 MHz. A coupled measurement of permittivity at 20 GHz 25 and 500 MHz can predict the chemical species involved in cheese salting process, and its structural changes. In conclusion, measures of permittivity in microwaves range can be used to monitor the salting cheese process.

28

Keywords: cheese, brining, permittivity, sodium chloride

30

31

40

41

42

43

44

45

46

47

29

1. Introduction

- Cheese production is a complex process, which involves different units operations and 32 33 biochemical transformations (Walstra et al., 2006). The salting treatment is an important operation in the manufacture of cheese; the salt normally used is sodium chloride (NaCl), 34 which serves to many purposes: to improve the flavour, texture and colour of cheese, but 35 36 it is also meant to kill off the starter cultures used in the cheese-making process, preventing further growth and the development of acid. In addition, it helps to reduce the 37 38 water activity that prevents the growth of undesirable microorganisms (Aly & Galal, 2002; Abdalla and El-Zubeir, 2006). 39
 - Cheese consists on a matrix of protein, with fat and water components as an emulsion (Dickinson & Miller, 2001; Green, 1997). Essentially the matrix is composed of overlapping and cross-linked strands, mainly composed of casein aggregates; the integrity of the matrix is maintained by various intra- and inter-aggregate hydrophobic and electrostatic attractions (Fox et al., 1996). The addition of salt in cheese affects its functional characteristics (Floury et al., 2009), principally in the protein hydration and in the modification of the water binding capacity of casein within the cheese matrix, affecting the stability properties (Mamdouh, 2012).
- The salting process is commonly performed using brines, where the control of NaCl content is very important to determine the physicochemical characteristics of cheese. It is

necessary to obtain a technique that allows determining, in a rapid and easy way, the salt content in cheese; this still remains as an unsolved problem in the food industry (Chevalier et al., 2006). In this sense, microwave dielectric spectroscopy could be an interesting technique to monitor salting process. This technique has been already used for monitoring the salting meat process (Castro-Giráldez et al., 2010). Some authors determined the dielectric properties of salted and unsalted butter over the MW frequency range (Ahmed et al., 2007; Shiinoki et al., 1998). Moreover, this technique have been already used in the analysis of cheese composition and cheese maturity (Ball et al., 1996; Cevoli et al., 2012; Everard et al., 2006; Green, 1997; Herve et al., 1998; Kubiš et al., 2001; Smith et al., 2011).

Complex permittivity (ϵ^*) describes the behaviour of a food when subjected to an external electric field (Nelson & Datta, 2001). The two components of complex permittivity (ϵ ' and ϵ '') are called dielectric constant and loss factor, respectively. The dielectric constant represents the real part of complex permittivity, and is related to the material ability to store energy; the loss factor represents the imaginary part, which is related to the absorption and dissipation of the electric energy in other kinds of energy, such as thermal or mechanical (Castro-Giráldez et al., 2010; Schwan, 1988).

In the range of microwaves, the interaction of the electric field with foods produces two main effects, γ-dispersion and ionic conductivity. The first one is caused by dipolar molecules orientation and induction, and it is produced at GHz frequencies (Mohiri et al., 2011). The other important effect in microwave range is ionic conductivity; the application of an electric field causes the vibration of food ions (Metaxas and Meredith, 1983) increasing the internal energy of the molecules.

- 73 The aim of the present study is to obtain and analyse the dielectric properties of cheese
- 74 during the salting process and to assess the potential use of dielectric spectroscopy to
- 75 monitor this process.

2. Material and Methods

77 2.1 Raw material

- 78 18 cheeses were proportionated by Formatgeria Granja Rinya S.L. factory (Valencia,
- 79 Spain). All the cheeses were of the fresh Tronchon type and they were conducted under
- 80 the same pressing conditions and with identical compositional characteristics. The
- 81 cheeses were provided unsalted and just after the pressing operation. Samples were
- obtained from the center of each cheese. Brine was prepared with sodium chloride (PRS-
- 83 codex, Panreac® Química SA, Barcelona, Spain) and distilled water.
- 84 2.2 Salting Operation
- 85 Salting treatment was carried out by using 25 % (w/w) sodium chloride brine at 4°C. 72
- see cheese cylinders (30 mm diameter and 10 mm thick) were cut. Samples were immersed
- in a vessel containing the osmotic solution with continuous stirring, for 0, 10, 20, 30, 40,
- 88 50, 60, 90, 120, 180, 240, 360, 480, 720, 900 and 1440 min; later they were equilibrated
- in an isothermal chamber at 4°C for 24 hours (equilibrated samples), in order to remove
- 90 the water and salt profiles and estimate the sorption isotherm (relation between moisture
- and water activity in an isothermal and equilibrated system), following the methodology
- 92 of Castro-Giraldez et al. (2010).
- 93 Mass was determined by using a Mettler Toledo Balance (± 0.0001 g) (Mettler-Toledo,
- 94 Inc., USA). The surface water activity was determined by a dew point hygrometer
- Decagon (Aqualab® series 3TE) with precision \pm 0.003. Also the water activity of the
- 96 osmotic solution was measured at each osmotic time. Measurements were done in
- 97 structured samples (not minced), thus the obtained a_w is considered to be the surface a_w

(Velázquez-Varela et al., 2014). The analysis of water content was adapted from the method of AOAC (Method 934.06, 2000) where moisture of equilibrated samples were obtained by using a vacuum oven, 24 hours after the treatment, and moisture of nonequilibrated samples were estimated using weight balances. Two to three grams of grated cheese were accurately weighed into a tared tempered glass dish and the cheese spread into a uniform layer. The sample was placed in a vacuum oven at room temperature and the pressure in the oven reduced to 100 mbar. The temperature was then slowly increased to 65°C, and the samples were maintained at this temperature for 14 d. The dried samples were then removed from the oven, cooled to room temperature in a desiccator, and weighed. The volume was determined by image analysis (Canon® Power Shot SX210 IS), using Adobe Photoshop® software (Adobe Systems Inc., San Jose, CA, USA) in order to determine the diameter and the thickness of the samples by a non-destructive method. Ion content was carried out by means of an ion chromatograph (Methrom Ion Analysis, Herisau, Switzerland), using an universal standard column (Metrosep C2–150, 4.0 x 150 mm) along with an eluent composed of tartaric acid (4.0 mmol/L) and dipicolinic acid (0.75 mmol/L), equipped with electronic detectors. In every case, the cheese samples were previously homogenized at 4200 rpm in an Ultraturrax T25 for 5 min and centrifuged (J.P. Selecta S.A., Medifriger-BL, Barcelona, Spain) at 8000 rpm for 20 min at 4°C. Afterwards, 1 mL of supernatant was diluted with Milli®-Q water in a 250 mL Erlenmeyer flask. The clarified extract was filtered through a 0.45 µm Millipore filter; 15 mL was used to analyse the anion content. Measurements were made in duplicate.

2.3 Permittivity measurement

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

Permittivity was measured by using an Agilent 85070E Open-ended coaxial probe connected to an Agilent E8362B vector network analyser. The software of the network analyser calculates the dielectric constant and loss factor. The system was calibrated by

using three different types of loads: open circuit (air), short-circuit and 4°C distilled water. The dielectric properties were measured by attaching the probe to the surface of the samples at 4°C from 500 MHz to 20 GHz. The mean values of at least three replicates of the cheese samples are reported in this article.

127 2.4 Statistical analysis

Statistical analysis was carried out with the Statgraphic Centurion ®, version 16.2.04 (Statpoint Technologies, Inc, U.S.A.). Multiple regression factorial analyses were performed in order to find significant interaction among dielectric constant at 20 GHz with the number of water molecules and the water fluxes. Moreover, multiple regression factorial analyses were carried out in order to find significant interaction among conductivity at 0.5 GHz with the number of Calcium, Chloride, and Sodium molecules and the Sodium chloride fluxes.

3. Results and Discussion

Cheese samples were measured just after the salting treatment (non-equilibrated samples) and after 24 hours of repose (equilibrated samples). 24 hours of repose is considered enough time to reach the equilibrium in the whole sample, demonstrated by the salt profiles disappearance (Velázquez-Varela et al., 2014). During the repose time, samples were on disposable sample cups, closed with parafilm®, and preserved in an isothermal chamber in order to isolate the samples and to reach equilibrium. The salting process in brine produces a movement of ions (Na⁺ and Cl̄) from the brine into the cheese, and simultaneously there is an outflow of water and calcium from the cheese to the solution, promoted by gradients of chemical potentials. In cheese, the mass water loss is higher than the amount of salt incorporated; as a result, there is a loss of weight in the cheese (Velázquez-Varela et al., 2014).

The desorption profiles of non-equilibrated samples and the desorption isotherms of equilibrated samples were obtained in order to estimate the moisture of the surface (x_w^{surf}) following the procedure described by Traffano-Schiffo et al., 2014 (see Figure 1) . Surface water activity is a superficial measurement and moisture is an average value of the whole sample, as was explained in the Material and Methods section. Equilibrated samples did not have moisture profiles; therefore, equilibrated isotherm represents the real relation between moisture and water activity. Thus, the equilibrated isotherm is an excellent tool to obtain, with the surface water activity of non-equilibrated samples, the surface moisture of those samples (samples with moisture profiles). In figure 1, it is also possible to observe an increase in surface water activity caused by the internal fluxes that occur in cheese during the repose time.

The water and salt fluxes were calculated as follows:

$$J_{w}^{0h} = \frac{-\Delta M_{w}^{0h} \cdot M_{0}}{\Delta t \cdot S \cdot Mr_{w}}$$
 (Equation 1)

$$J_{\text{NaCl}}^{\text{0h}} = \frac{-\Delta M_{\text{NaCl}}^{\text{0h}} \cdot M_0}{\Delta t \cdot S \cdot Mr_{\text{NaCl}}}$$
 (Equation 2)

Where, J is the flux (mol s⁻¹ m⁻²), ΔM represents the mass variation (dimensionless), M_0 is the initial mass of the sample (g), Δt is the process time, S is the area of the sample during treatment (m²), Mr is the molecular weight of the compound (18 g mol⁻¹ for water and 58.4 g mol⁻¹ for sodium chloride), and the subscripts "w" and "NaCl" represent water and sodium chloride, respectively. The superscript "0h" represents the non-equilibrated samples.

Figure 2 shows the water and NaCl molar fluxes. These fluxes decrease with time, caused by a decrease of the engine of the transport (chemical potential) throughout the treatment (Velázquez-Varela et al., 2014).

In order to understand the electric behaviours affected by water and ions molecules in the sample surface, it is necessary to calculate its content in the surface. The surface water mass fraction was calculated by using the surface water activity of non-equilibrated samples, from the equilibrated isotherm. The surface sodium chloride mass fraction was estimated by using the surface water activity following the model of Fito et al. (2011). Figure 3 shows the evolution of the overall value of water mass fraction and the water mass fraction in the surface, both expressed in liquid phase (z_w), throughout the salting treatment (non-equilibrated samples).

In order to understand the permittivity, measured by a coaxial probe in contact with the surface of the sample, it is necessary to know its penetration depth (D_P), which was calculated as follows (Metaxas & Meredith, 1983):

182
$$D_P = \frac{\lambda_0}{2\pi\sqrt{2\varepsilon'}} \left[(1 + tan^2 \delta)^{1/2} - 1 \right]^{-1/2}$$
 (Equation 3)

where λ_0 is the wavelength, being 60 cm at 0.5 GHz and 1.5 cm at 20 GHz; tan δ is the loss tangent (tan $\delta = \frac{\varepsilon''}{\varepsilon'}$).

Figure 4 shows a scheme of cheese sample in contact with the microwave probe, indicating the penetration depth of the electric field at 20 GHz and 0.5 GHz. At frequency of 20 GHz the predominant effect is the γ -dispersion, explained as the induction and orientation of the dipolar molecules. The most important dipolar molecule is water, therefore water status can be studied in this spectral range. The two properties that influence this dispersion are the number of water molecules and their mobility (Talens et al., 2016, Traffano-Schiffo et al 2015). During the salting process, the microwave penetration volume (MPV) reaches a minimum quantity of water molecules before the rest of the sample volume; at this point, the dielectric signal will be affected by the loss of water molecules. When the steady state is reached at the surface, the sample will

continue loosing water molecules from the rest of the sample volume, generating a water flux across the MPV, changing the mobility of the water molecules and, therefore, the water mobility has the major effect of the dispersion.

Figure 4 shows, at the bottom of the scheme, the effect at 500 MHz. Ionic conductivity is the major contribution to the dielectric losses. Ionic conductivity does not affect the electric storage because no molecular orientation occurs by the electric field. The conductivity value changes with the quantity and mobility of the electrolytes (chloride, sodium and calcium). The penetration index reaches the whole sample, indicating an average value of the state of the ions. The saturation value of the liquid phase is rapidly reached, taking a constant value of the ions molecules. Nevertheless, the fluxes of water and calcium maintain the fluxes of sodium and chloride (Velázquez-Varela et al., 2014), changing the value of conductivity.

Figure 5 shows the dielectric constant and the loss factor spectra of the samples just after the salting treatment. It is also important to analyse the water molecules in the sample surface by dielectric spectroscopy. For this purpose, there were calculated the number of water and ions molecules by using the surface mass fraction in the case of water, and the ions mass fraction of the sample in the case of ions (Equation 4).

$$N_j = \frac{X_j N_A}{M_{r_j}}$$
 (Equation 4)

where: N represents the molecules (molecules $\cdot g_{dm}^{-1}$), X_j is the surface moisture expressed by solid matrix (neither water nor ions) in the case of water ($g_w \cdot g_{SM}^{-1}$) and ion mass fraction (sodium, calcium and chloride) expressed by solid matrix (neither water nor ions) in the case of ions ($g_i \cdot g_{SM}^{-1}$), N_A is the Avogadro constant (6.022·10²³ mol⁻¹) and M_r is the molecular weight, being 18 g·mol⁻¹ for water, 22.99 g·mol⁻¹ for sodium, 40.08 g·mol⁻¹ for calcium and 35.45 g·mol⁻¹ for chloride.

The interaction of the electric field with cheese in γ -dispersion is affected by the amount of water molecules and its motion. Multiple regression factorial analyses were made in order to find significant interaction amongst the dielectric constant at 20 GHz with the number of water molecules and the water fluxes throughout the salting treatment. This analysis showed that the relation between dielectric constant at 20 GHz and the number of water molecules is significant (p<0.05) until the surface saturation phenomena of cheese liquid phase, i.e. during the first 180 minutes of treatment. The analysis also showed that there exists a very significant (p<0.01) relation between the dielectric constant at 20 GHz and the water flux from 90 minutes until the end of the treatment. Figure 6 presents the relation between the dielectric constant at 20 GHz and the number of the surface water molecules in non-equilibrated samples. It is possible to observe that there exists a linear relationship between both variables at the beginning of the salting treatment as was explained before; thus, the surface water molecules can be obtained by measuring the dielectric constant at 20 GHz when the surface is in an unsteady state. When the system reaches the steady state on the surface, the amount of water molecules is constant but the water is still flowing throughout this volume, coming from the middle of the samples and changing the motion of the water molecules in the microwave penetration volume. Therefore, the capability of water molecules to be induced and orientated changes with this water flux. In figure 7, it is possible to observe that the dielectric constant at 20 GHz is related very significantly (p<0.01) with the water flux after 90 minutes of treatment, at which the steady state is reached by the system. Therefore, the dielectric model to predict water losses has to be non-linear, explaining not only the water losses in the microwave penetration volume, but also in the overall product, because when the penetration microwave volume reaches the steady state, the model predicts the water flux.

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

The conductivity of the sample (σ) was calculated at 0.5 GHz as follows:

$$\sigma = \varepsilon'' \varepsilon_0 \omega \qquad (Equation 5)$$

- where: ω is the angular frequency and the ε_0 is the dielectric constant in vacuum
- 247 $(\epsilon_0=8.8542\ 10^{-12}\ F\cdot m^{-1}).$
- 248 The conductivity at 0.5 GHz was represented with regard to the amount of ions molecules
- of the sample estimated by equation 4 (Figure 8). It is important to highlight that, at this
- 250 frequency, the microwave penetration depth covers most of the sample; thus, the
- conductivity can be considered an overall value of the whole sample.
- In figure 8, at first 60 minutes of salting, a linear relation between the accumulation of
- 253 the electrolytic molecules and ionic conductivity can be appreciated, being very
- significant (p<0.01). When saturation is achieved in the liquid phase, the conductivity
- decreases. So, in the first period (the first 60 minutes) conductivity changes very
- significantly with the accumulation of electrolyte molecules, but from this time it is no
- 257 longer significant.
- 258 After 60 minutes, when the relation between the conductivity and the accumulation of
- 259 electrolyte molecules is non significant, the conductivity begins to decrease. This
- decrease is promoted by a decrease in the mobility of the electrolytic molecules in the
- liquid phase, sodium, chloride and calcium. The cause of mobility in this period of salting
- is the motion produced by the ion fluxes, where the fluxes are induced by the absorption
- of sodium and chloride ions in the casein matrix and by the loss of calcium from the
- casein structure (Velázquez-Varela et al., 2014). In Figure 9 it can be observed, after 60
- 265 minutes, a very significant (p<0.01) linear relationship between the sodium chloride flux
- and the ionic conductivity until the end of the process. Therefore, it is possible to predict

- the level of salting and thus the structural changes in the casein with the measurement of
- the conductivity at 500 MHz

4. Conclusions

- 270 The non-linear model proposed by using the dielectric constant at 20 GHz explains not
- only the water losses in the MPV, but also in the overall product, because when the MPV
- 272 reaches the steady state, the model predicts the water flux. In case of salting prediction,
- the ionic conductivity estimated at 500 MHz explains the level of salting, and for bigger
- samples, the variable can also be explained, because it is related not only to the
- accumulation of the electrolyte molecules, but also to the fluxes.
- Therefore, coupled measurements of dielectric properties at 20 GHz and 500 MHz can
- 277 predict the chemical species involved in cheese salting process, and its structural changes.

278 5. Acknowledgements

- 279 The authors acknowledge the financial support from the Spanish Ministerio de Economía,
- 280 Industria y Competitividad, Programa Estatal de I+D+i orientada a los Retos de la
- Sociedad AGL2016-80643-R. Author J. Velázquez-Varela thanks the Consejo Nacional
- de Ciencia y Tecnología (CONACyT) of México for their support. This paper was
- published under the frame of European Social Fund, Human Resources Development
- 284 Operational Programme 2007-2013, project no. POSDRU/159/1.5/S/132765.

285 6. **References**

- Ahmed, J., Ramaswamy, H. S., & Raghavan, V. G. S. (2007). Dielectric properties of
- butter in the MW frequency range as affected by salt and temperature. Journal of Food
- 288 *Engineering*, 82, 351-358.
- AOAC, 2000. AOAC, Official Methods of Analysis (17th ed.) Association of Official
- 290 Analytical Chemists, Arlington, VA (2000).

- Ball, J. A. R., Horsfield, B., Holdem, J. R., Keam, R. B., Holmes, W. S., & Green, A.
- 292 (1996). Cheese curd permittivity and moisture measurement using a 6-port reflectometer.
- 293 In Asia Pacific Microwave Conference, New Delhi.
- 294 Castro-Giráldez, M., Fito, P.J., & Fito, P. (2010). Application of microwaves dielectric
- spectroscopy for controlling pork meat (*Longissimus dorsi*) salting process. *Journal of*
- 296 *Food Engineering*, 97, 484-490.
- 297 Cevoli, C., Ragni, L., Gori A., Berardinelli A., & Fiorenza C. M. (2012). Quality
- 298 parameter assessment of grated Parmigiano-Reggiano cheese by waveguide
- spectroscopy. *Journal of Food Engineering*, 113, 201-209.
- 300 Chevalier, D., Ossart, F., & Ghommidh, C. (2006). Development of a nondestructive salt
- and moisture measurement method in salmon (Salmo salar) fillets using impedance
- 302 technology. *Food Control*, 17, 342–347.
- Dickinson, E., & Miller, R. (2001). Food Colloids: Fundamentals of Formulation. The
- 304 Royal Society of Chemistry, UK.
- Everard, C.D., Fagan, C.C., O'Donell, C.P., O'Calleghan, D.J., & Lyng, J.G. (2006)
- Dielectric properties of process cheese from 0,3 to 3 GHz. *Journal of Food Engineering*,
- 307 75, 415-422
- Fito, P, Fito, P.J, Betoret, N., Argüelles A. & Chenoll, C. (2011) Thermodynamic
- approach to equilibrium isotherms in salted structured food. Journal of Food Process
- 310 *Engineering*, 34, 623–638
- Floury, J., Camier, B., Rousseau, F., Lopez, C., Tissier, J. P., & Famelart, M. H. (2009).
- Reducing salt level in food: Part 1. Controlled manufacture of model cheese systems and
- 313 their structure-texture relationships. LWT Food Science and Technology, 42, 1611–
- 314 1620.

- 315 Fox, P.F., O'Connor, T.P., McSweeney, P.L.H., Guinee, T.P., & O'Brien, N.M. (1996).
- 316 Cheese: physical, biochemical, and nutritional aspects. Advances. Food Nutrition
- 317 *Research*, 39, 163-328.
- 318 Green, A. D. (1997). Measurements of the dielectric properties of Cheddar cheese.
- *Journal of Microwave Power and Electromagnetic Energy*, 32, 16–27.
- Herve, A. G., Tang, J., Luedecke, L., & Feng, H. (1998). Dielectric properties of cottage
- 321 cheese and surface treatment using microwaves. Journal of Food Engineering, 37, 309–
- 322 410.
- Kubiš, I., Krivanek, I., & Gajdusek, S. (2001). The relationships between the chemical,
- 324 dielectric and sensory properties of Edam cheese during ripening. Czech Journal of Food
- 325 Science, 19, 85–89.
- Mamdouh, E.B. (2012). Salt in Cheese: A Review. Current Research in Dairy Sciences,
- 327 4, 1-5.
- Metaxas A. C. & Meredith R. J. (1993). Industrial Microwave Heating. UK: IEE Power
- 329 Engineering Series 4. Peter Peregrinus Ltd. (Chapter 2 and 4)
- 330 Mohiri, A., Burhanudin, A. Z., & Ismail, I. (2011). Dielectric Properties of Slaughtered
- and Non-slaughtered Goat Meat. In IEEE International RF and Microwave Conference.
- 332 Malaysia.
- Nelson, S.O. & Datta, A.K. (2001). Dielectric properties of food materials and electric
- field interactions. In A.K. Datta & R.C. Anantheswaran (Eds), *Handbook of Microwave*
- 335 *Technology for Food Applications*. New York: Marcel Dekker Inc.
- Payne, M.R., & Morison, K.R. (1999). A multi-component approach to salt and water
- diffusion in cheese. *International Dairy Journal*, 9, 887–894.

- 338 Schwan, H. P. 1988. Dielectric spectroscopy of biological cells, Special Issue on
- 339 *Electricity and Biophysics, Ferroelectrics*, 86, 205-223.
- 340 Shiinoki, Y., Motouri, Y. & Ito. K. (1998). On-line Monitoring of Moisture and Salt
- Contents by the Microwave transmission Method in a Continuous Salted Butter-making
- Process. *Journal of Food Engineering*, 38, 153-167.
- Smith, J., Carr, A., Goldinga, M., Reid, D., & Zhang, L. (2011) Assessing the use of
- 344 dielectric spectroscopy to analyse calcium induced compositional and structural changes
- in a model cheese. Selection of 11th International Congress on Engineering and Food
- 346 (ICEF11). *Proceedings Food Science*, 1, 1833 1840
- Talens, C., Castro-Giraldez, M., Fito, P.J. (2016). Study of the effect of microwave power
- 348 coupled with hot air drying on orange peel by dielectric spectroscopy. *LWT-Food Science*
- 349 and Technology, 66, 622-628
- 350 Traffano-Schiffo, M.V., Castro-Giraldez, M., Fito P.J., Balaguer, N. (2014).
- 351 Thermodynamic model of meat drying by infrarred thermography. *Journal of Food*
- 352 *Engineering*, 128, 103-110
- 353 Traffano-Schiffo, M.V., Castro-Giraldez, M., Colom, R.J., Fito P.J. (2015). Study of the
- application of dielectric spectroscopy to predict the water activity of meat during drying
- process. *Journal of Food Engineering*, 166, 285-290
- Velázquez-Varela, J., Fito, P.J. & Castro-Giráldez, M. (2014). Thermodynamic analysis
- of salting cheese process. *Journal of Food Engineering*, 130, 36-44.
- Venkatesh, M.S. & Raghavan, G.S.V. (2004). An Overview of Microwave Processing
- and Dielectric Properties of Agri-food Materials. *Biosystems Engineering*, 88, 1-18
- Walstra, P., Wouters, J. T. M. & Geurts, T. J. (2006). Dairy science and technology. (2nd
- ed.). Florida: Taylor & Francis Group, LLC.

- Wang, S., Tang, J., Johnson, J. A., Mitcham, E., Hansen J. D., Hallman, G., Drake, S.R,
- & Wang, Y. (2003). Dielectric Properties of Fruits and Insect Pests as related to Radio
- Frequency and Microwave Treatments. *Biosystems Engineering*, 85, 201–212.

FIGURE CAPTION

- Figure 1. Desorption profile of non-equilibrated (•) and desorption isotherm of
- 370 equilibrated (♦) samples.
- 371 Figure 2. Evolution of water (■) and NaCl (♦) fluxes throughout the osmotic treatment.
- Figure 3. Evolution of the surface water mass fraction in the liquid phase with regard to
- 373 the treatment time, where: (\triangle) represents the value of the sample surface and (\bullet)
- 374 represents the overall value.
- Figure 4. Scheme of the dielectric properties measurements of cheese samples throughout
- 376 the salting treatment.
- Figure 5. Evolution of the dielectric constant and loss factor spectra of the samples
- throughout the treatment (non-equilibrated samples), where: (-) 0 min; (--) 10 min; (--
- 379 -) 20 min; (---) 30 min; (---) 40 min; (---) 50 min; (---) 60 min; (---) 90 min; (---) 2 h;
- 380 (-) 3 h; (---) 4 h; (--) 6 h; (--) 8 h; (---) 12 h; (----) 15 h; (----) 24 h.
- Figure 6. Relation of the dielectric constant at 20 GHz with regard to the number of
- surface water molecules in solid matrix throughout the salting treatment.
- Figure 7. Evolution of the water flux with regard to the dielectric constant at 20 GHz.
- Figure 8. Conductivity at 0.5 GHz with regard to the amount of ions molecules of the
- 385 sample.
- Figure 9. Flux of sodium chloride with regard to conductivity.

387

- Wang, S., Tang, J., Johnson, J. A., Mitcham, E., Hansen J. D., Hallman, G., Drake, S.R,
- & Wang, Y. (2003). Dielectric Properties of Fruits and Insect Pests as related to Radio
- Frequency and Microwave Treatments. *Biosystems Engineering*, 85, 201–212.

FIGURE CAPTION

- 366 Figure 1. Desorption isotherm of non-equilibrated (●) and equilibrated (♦) samples.
- Figure 2. Evolution of water (■) and NaCl (♦) fluxes throughout the osmotic treatment.
- Figure 3. Evolution of the surface water mass fraction in the liquid phase with regard to
- the treatment time, where: (\triangle) represents the value of the sample surface and (\bullet)
- 370 represents the overall value.
- Figure 4. Scheme of the dielectric properties measurements of cheese samples
- 372 throughout the salting treatment.
- Figure 5. Evolution of the dielectric constant and loss factor spectra of the samples
- throughout the treatment (non-equilibrated samples), where: (-) 0 min; (-) 10 min; (-
- 375 --) 20 min; (---) 30 min; (---) 40 min; (---) 50 min; (---) 60 min; (---) 90 min; (---) 2
- 376 h; (-) 3 h; (---) 4 h; (---) 6 h; (---) 8 h; (----) 12 h; (----) 15 h; (----) 24 h.
- Figure 6. Relation of the dielectric constant at 20 GHz with regard to the number of
- 378 surface water molecules in solid matrix throughout the salting treatment.
- Figure 7. Evolution of the water flux with regard to the dielectric constant at 20 GHz.
- Figure 8. Conductivity at 0.5 GHz with regard to the amount of ions molecules of the
- 381 sample.
- Figure 9. Flux of sodium chloride with regard to conductivity.




Figure 1.




Figure 2.




Figure 3.




Figure 4.




Figure 5.




Figure 6.




Figure 7.




Figure 8.




Figure 9.

FIGURE CAPTION

Figure 1. Desorption isotherm of non-equilibrated (●) and equilibrated (♦) samples.

Figure 2. Evolution of water (■) and NaCl (♦) fluxes throughout the osmotic treatment.

Figure 3. Evolution of the water mass fraction in the liquid phase with regard to the treatment time, where: (\blacktriangle) represents the value of the sample surface, and (\bullet) represents the overall value.

Figure 4. Scheme of the dielectric properties measurements of cheese samples throughout the salting treatment.

Figure 5. Evolution of the dielectric constant and loss factor spectra of the samples throughout the treatment (non-equilibrated samples), where: (—) 0 min; (—) 10 min; (—) 20 min; (—) 30 min; (—) 40 min; (—) 50 min; (—) 60 min; (—) 90 min; (—) 2 h; (—) 3 h; (—) 4 h; (—) 6 h; (—) 8 h; (—) 12 h; (—) 15 h; (—) 24 h.

Figure 6. Relation of the dielectric constant at 20 GHz with regard to the number of surface water molecules in solid matrix throughout the salting treatment.

Figure 7. Evolution of the water flux with regard to the dielectric constant at 20 GHz.

Figure 8. Conductivity at 0.5 GHz with regard to the amount of ions molecules of the sample.

Figure 9. Flux of sodium chloride with regard to the conductivity.