



UNIVERSITAT
POLITÈCNICA
DE VALÈNCIA

UNIVERSITAT POLITÈCNICA DE VALÈNCIA

DEPARTMENT OF MECHANICAL
AND MATERIALS ENGINEERING

PROGRAMA DE DOCTORADO
INGENIERÍA Y PRODUCCIÓN
INDUSTRIAL



RIGA TECHNICAL UNIVERSITY

FACULTY OF MECHANICAL
ENGINEERING, TRANSPORT
AND AERONAUTICS

INSTITUTE OF MECHANICAL
ENGINEERING, DEPARTMENT OF
MATERIAL PROCESSING
TECHNOLOGY

Author: Andris Logins

High speed milling technological regimes, process condition and technological equipment condition influence on surface quality parameters of difficult to cut materials

Scientific advisors: Dr.sc.ing. Professor
Toms Torims

Dr.sc.ing. Professor
Pedro Rosado Castellano

Dr.sc.ing. Professor
Santiago Carlos Gutiérrez Rubert

Valencia, January, 2021

Table of Contents

Abstract	1
Resumen	2
Resum.....	4
LIST OF ABBREVIATIONS	10
1. INTRODUCTION	13
1.2. Hypothesis.....	19
1.3. Research objective and tasks to do	20
2. STATE OF THE ART: ANALYSIS OF SCIENTIFIC PUBLICATIONS.....	22
2.1. Surface roughness and topography prediction models – review.....	22
2.1.1. Empirical models.....	25
2.1.2. Artificial network analysis and non-traditional methods	31
2.2. Theoretical models	44
2.2.1. Geometrical models.....	44
2.2.2. Vibration model.....	55
2.3. Conclusions and assumptions about the state of the art.....	60
3. DESCRIPTION OF THE 3D SURFACE TOPOGRAPHY STANDARD.....	62
3.1. Height parameter group.....	62
3.2. Spatial parameter group	63
3.3. Functional parameter group	64
4. OUTLINE OF THE PREVIOUS WORK AND BASIS OF THE RESEARCH.....	65
4.1. Objective of the previous work	65
4.2. Applied methodology of previous work.....	65
4.3. Results of previous work with relevance to this research	70
4.4. Conclusions of previous work.....	73
5. RESEARCH METHODOLOGY	75
5.1. Introduction	75
5.2. Research strategy.....	75
5.3. Research method and approach.....	75
5.4. Data collection and treatment methods	77
5.4.1. Surface topography measurements.....	78
5.4.2. Surface microscope imaging	81
5.4.3. Obtained data management	82
5.5. Selection of significant samples.....	83

5.6.	Research process description	83
6.	EXPERIMENTAL PLANNING OF THE HSM MODEL: a case study of flat end milling ..	84
6.1.	Material selection for the experiment.....	85
6.2.	Machining equipment selection	85
6.3.	Selection of cutting conditions.....	87
6.4.	Design of Experiment.....	88
6.5.	Experimental execution and measurements	90
6.6.	Analysis of the flat-end milling model.....	91
6.6.1.	Numerical analysis	92
6.6.2.	Visual analysis.....	93
6.6.3.	Oscillation marks at surface topography	98
6.7.	Theoretical model: discussion of the results	100
6.8.	Conclusions	102
7.	ANALYSIS OF THE FLAT END MILLING MODEL – SAMPLES WITH CONTRARY AIMED CUTTING DIRECTIONS	104
7.1.	Design of the Experiment.....	104
7.1.1.	Selection of the cutting tool movement strategy	104
7.1.2.	Cutting conditions and Design of Experiment	107
7.1.3.	Material and machining equipment selection.....	108
7.2.	Experimental execution.....	110
7.3.	Analysis of experimental results	112
7.3.1.	Numerical analysis	112
7.3.2.	ANOVA analysis of the influence of cutting feed rate, radial cutting depth and cutting direction on Sz formation	116
7.3.3.	Visual analysis.....	121
7.4.	Theoretical model of contrary cutting directions	122
7.4.1.	Cutting force model influence on cutting tool deflection.....	122
7.4.2.	Cutting tool axis inclination model	133
7.5.	Complete surface topography height prediction model	135
7.6.	Conclusions	140
8.	ANALYSIS OF THE FLAT-END MILLING MODEL – VIBRATION COMPONENT	142
8.1.	Experimental execution and measurements	142
8.1.1	Performance of FEM analysis to detect the cutting tool’s natural frequency of cutting tool	143
8.1.2	Measurements of the milling table’s Natural Frequencies	145

8.2.	Visual analysis.....	147
8.3.	Theoretical model of milling table vibrations	150
8.4.	Theoretical model: discussion of results	154
9.	DATA VALIDATION MODEL AND RESEARCH RESULTS	157
9.1.	Material and milling equipment selection	157
9.2.	Cutting conditions and Design of Experiments.....	158
9.3.	Experiment execution, surface topography and natural frequency measurements	160
9.4.	Analysis of vibration data and result validation.....	164
9.4.1.	Descriptive statistics of measurement data.....	164
9.4.2.	ANOVA analysis of the influence of cutting feed rate, radial cutting depth and cutting direction influence on Sz formation.....	168
9.4.3.	Visual analysis.....	174
9.5.	Theoretical model: discussion of results	177
9.5.1.	Cutting force and cutting tool deflection component	177
9.5.2.	Tool deflection.....	182
9.5.3.	Milling head inclination.....	185
9.5.4.	Vibration component	190
9.6.	Validation of predicted surface topography	196
10.	REVIEW AND CONCLUSIONS	199
11.	RECOMMENDATIONS FOR DIE AND MOLD MANUFACTURUNG INDUSTRY AND FUTURE WORKS.....	202
12.	PUBLICATIONS AND CONFERENCES RELATED WITH THE RESEARCH	203
	REFERENCES.....	204
	APPENDIXES	219
	A - Copy of publications.....	219
	B - Design of experiments	220
	C - Surface topography measurements and images	221
	D - Mathematical calculation of minimum surface, cutting forces and tool deflection, cutting tool inclination and vibration model	234
	E - Vibration analysis of KONDIA B500 and GENTIGER GT66V High speed milling machines	242