
1. Introducción general	1
1.1. Estado actual de la acuicultura	4
1.2. La dorada (<i>Sparus aurata</i>)	9
1.3. El lenguado senegalés (<i>Solea senegalensis</i>)	13
1.4. Lípidos	17
1.5. Ácidos grasos: características y clasificación	23
1.6. Ácidos grasos de cadena larga (LC-FA) y muy larga (VLC-FA): metabolismo biosintético.....	26
Bibliografía	39
2. Objetivos y plan de trabajo	52
2.1. Objetivo general	54
2.2. Objetivos específicos	54
2.3. Presentación de los trabajos	55
Bibliografía	62

3. Molecular and functional characterization of <i>elovl4</i> genes in <i>Sparus aurata</i> and <i>Solea senegalensis</i> pointing to a critical role in very long-chain (>C ₂₄) fatty acid synthesis during early neural development of fish	66
3.1. Introduction	70
3.2. Materials and methods	74
3.2.1. Molecular cloning of <i>elovl4</i> cDNA sequences	75
3.2.2. Sequence and phylogenetic analysis	79
3.2.3. Functional characterization of Sa and Ss ElovL4 isoforms	79
3.2.4. Fatty acid analysis	81
3.2.5. Tissue expression of <i>elovl4</i> genes in gilthead seabream and Senegalese sole	82
3.2.5.1. Sample preparation	82
3.2.5.2. Gene expression analysis by reverse transcriptase PCR (RT-PCR)	83
3.2.5.3. Gene expression analysis by quantitative real time PCR (qPCR)	84
3.2.6. Statistical analysis	85

3.3.	Results	86
3.3.1.	Elovl4 sequence and phylogenetic analysis	86
3.3.2.	Functional characterization of Elovl4a and Elovl4b	89
3.3.3.	Tissue expression of <i>elovl4</i> genes	95
3.4.	Discussion	97
	References	106
4.	Expression of genes related to long-chain (C₂₀₋₂₄) and very long-chain (>C₂₄) fatty acid biosynthesis in gilthead seabream (<i>Sparus aurata</i>) and Senegalese sole (<i>Solea senegalensis</i>) larvae: investigating early ontogeny and nutritional regulation	120
4.1.	Introduction	124
4.2.	Materials and methods	128
4.2.1.	Larval culture	128
4.2.2.	Larval ontogeny	129
4.2.3.	Nutritional regulation	129
4.2.3.1.	Experiment 1: nutritional regulation in early larvae ...	129

4.2.3.2. Experiment 2: nutritional regulation in late larvae	130
4.2.3.3. Larval growth	131
4.2.4. Fatty acid analysis	132
4.2.5. RNA extraction and real time quantitative PCR (qPCR)	133
4.2.6. Statistical analysis	136
4.3. Results	136
4.3.1. Temporal expression of <i>fads2</i> , <i>elovl5</i> , <i>elovl4a</i> and <i>elovl4b</i> during early development of <i>S. aurata</i> and <i>S. senegalensis</i>	136
4.3.2. Nutritional regulation experiments	140
4.3.2.1. Larval growth	140
4.3.2.2. Fatty acid composition	141
4.3.2.3. Gene expression	144
4.4. Discussion	149
References	160

5. Nutritional regulation of genes responsible for long-chain (C ₂₀₋₂₄) and very long-chain (>C ₂₄) polyunsaturated fatty acid biosynthesis in post-larvae of gilthead seabream (<i>Sparus aurata</i>) and Senegalese sole (<i>Solea senegalensis</i>)	178
5.1. Introduction	181
5.2. Materials and methods	185
5.2.1. Fish culture and dietary treatments	185
5.2.2. Fish growth and survival	190
5.2.3. Fatty acid analysis	191
5.2.4. RNA extraction and real time quantitative PCR (qPCR)	191
5.2.5. Statistical analysis	194
5.3. Results	195
5.3.1. Survival	195
5.3.2. Biometric parameters	196
5.3.3. Fatty acid composition	197
5.3.3.1. <i>S. aurata</i>	197

5.3.3.2. <i>S. senegalensis</i>	199
5.3.4. Nutritional regulation	201
5.3.4.1. <i>S. aurata</i>	201
5.3.4.2. <i>S. senegalensis</i>	204
5.4. Discussion	207
References	215
6. Discusión general	234
Bibliografía	257
7. Conclusiones	278
8. Resúmenes	284