



CONSTRUCTIONAL PART

SLAB TOP REINFORCEMENTS = 1:50



CROSS SECTION 1-1'S = 1:5




Main top reinforcement 12/12/200/200

extra bars Ø 10 mm step 200 mm


extra bars \varnothing 14 mm step 200 mm

CROSS SECTION 2-2' S = 1:5




Main top reinforcement 12/ 12/ 200/ 200


extra bars \varnothing 12 mm step 200 mm




R-1



R-4




R-5



SPECIFICATION OF REINFORCEMENT					
position	diameter,mm	length,mm	steel class	measurement	quantity
R-1	Ø 12	3000	S 400	unit	14
R-2	Ø 14	3200	S 400	unit	14
R-3	Ø 10	3200	S 400	unit	7
R-4	Ø 10	3000	S 400	unit	14
R-5	Ø 10	3000	S 400	unit	7

SLAB BOTTOM REINFORCEMENTS = 1:50



	NAME AND SURNAME	SIGNATURE	DATE	VILNIUS GEDIMINAS TECHNICAL UNIVERSITY			
STUDENT	Ignatija Marija Vegneraitė						
SUPERVISOR	Jonas Saparauskas						
CONSULTANT	Remigijus Salina						
HEAD OF DEPARTMENT				Department of Technology and Management CONSTRUCTIONAL PART			
REVIEWER							