

TABLE OF CONTENTS

1. INTRODUCTION	1
1.1. Adverse drug reactions.....	3
1.2. Hypersensitivity reactions	5
1.3. Drug hypersensitivity reactions and drug allergy	7
1.4. Mechanisms of action of allergic reactions to drugs.....	9
1.5. Antibiotics	10
1.5.1. Consumption pattern of antibiotics.....	11
1.6. β -lactam antibiotics	14
1.6.1. Consumption pattern of β -lactam antibiotics.....	17
1.6.2. Mechanisms of action of β -lactam antibiotics	18
1.6.3. Immediate allergic reactions to β -lactam antibiotics	18
1.6.4. β -lactam metabolites and structural antigens.....	20
1.6.5. Other approaches to form antigens	39
1.7. Diagnostic approaches to evaluate and detect immediate allergic reactions to β -lactam antibiotics	44
1.7.1. <i>In vivo</i> tests	45
1.7.2. <i>In vitro</i> tests	47
1.8. Recapitulation	51
1.9. References	53
2. OBJECTIVES.....	75
3. EXPERIMENTAL RESULTS	79
<i>Chapter 1</i>	81
3.1. Penicillin determinants for the diagnosis of IgE-mediated allergic reactions.....	81
3.1.1. Boosting the sensitivity of <i>in vitro</i> β -lactam allergy diagnostic tests.....	85

3.1.2. Penicillin antigens based on metabolites for <i>in vitro</i> drug allergy testing	99
<i>Chapter 2</i>	115
3.2. Production of antigens and identification of antigenic determinants to cephalosporin, carbapenem, monobactam and β -lactam inhibitor antibiotics.....	115
3.2.1. Neo-antigens for the serological diagnosis of IgE-mediated drug allergic reactions to antibiotics cephalosporin, carbapenem and monobactam	119
3.2.2. Hapten synthesis for clavulanic acid.....	149
<i>Chapter 3</i>	173
3.3. Synthesis of skeletally diverse β -lactam haptens for the <i>in vitro</i> diagnosis of IgE-mediated drug allergy	173
4. GENERAL DISCUSSION	189
5. CONCLUSIONS.....	199
6. ANNEXES	205
<i>Annex 1.</i> Electronic supplementary information (ESI [†]): Boosting the sensitivity of <i>in vitro</i> β -lactam allergy diagnostic tests	207
<i>Annex 2.</i> Supplementary information: Penicillin antigens based on metabolites for <i>in vitro</i> drug allergy testing.....	245
<i>Annex 3.</i> Supplementary information: Neo-antigens for the serological diagnosis of IgE-mediated drug allergic reactions to antibiotics cephalosporin, carbapenem and monobactam.....	249
<i>Annex 4.</i> Supplementary information: Hapten synthesis for clavulanic acid	269
<i>Annex 5.</i> Electronic supplementary information (ESI [†]): Synthesis of skeletally diverse β -lactam haptens for the <i>in vitro</i> diagnosis of IgE-mediated drug allergy	275
<i>Annex 6.</i> Summary of all the haptens described in this dissertation.....	343