



UNIVERSITAT  
POLITÈCNICA  
DE VALÈNCIA

ENFOQUE MULTIOBJETIVO BOTTOM-UP PARA LA  
PLANIFICACIÓN DINÁMICA DE LA DISTRIBUCIÓN ESPACIAL EN  
PLANTAS INDUSTRIALES

**TESIS DOCTORAL**

AUTOR: D. Pablo Alberto Pérez Gosende

DIRECTORES: Dra. Dña. Josefa Mula Bru  
Dr. D. Manuel Díaz-Madroñero Boluda

Julio 2022

# ÍNDICE

## CAPÍTULO 1. INTRODUCCIÓN

1. Presentación.....	I-2
2. Objetivo de la tesis.....	I-4
3. Esquema general de la tesis.....	I-6
4. Referencias.....	I-8

## Parte 1. Estado del arte

## CAPÍTULO II. FACILITY LAYOUT PLANNING. AN EXTENDED LITERATURE REVIEW

1. Introduction.....	II-2
2. Review methodology .....	II-4
3. FLP Taxonomy .....	II-5
3.1 Planning pase .....	II-7
3.2 Planning approach .....	II-16
3.3 Characteristics of facilities.....	II-17
3.4 Materials handling system configuration .....	II-19
3.5 Problem Type.....	II-19
3.6 Approaches for layout generation.....	II-20
4. Mathematical modelling of FLP .....	II-20
4.1 Problem representation .....	II-23
4.2 Objective Function .....	II-24
4.3 Data Type.....	II-25
4.4 Demand Type .....	II-26
4.5 Distance metrics .....	II-26
5. Solution approach.....	II-27
6. Approaches for layout evaluation.....	II-28
7. Decision-support tools.....	II-29
8. Real-world applications.....	II-29
9. Discussion.....	II-33
9.1 Managerial implications.....	II-35
10. Conclusions.....	II-36

11. References.....	II-37
---------------------	-------

### CAPÍTULO III. OVERVIEW OF DYNAMIC FACILITY LAYOUT PLANNING AS A SUSTAINABILITY STRATEGY

1. Introduction.....	III-2
2. Review methodology.....	III-3
3. Current trends in the DFLP formulation.....	III-4
4. Current trends in the mathematical modeling of DFLP.....	III-7
5. Contributions of dynamic facility layout planning to supply chain sustainability.....	III-11
6. Guidelines for future research.....	III-14
7. Conclusions.....	III-15
8. References.....	III-16

### Parte 2. Planteamiento del modelo conceptual bottom-up mDFLP

### CAPÍTULO IV. REFERENCE OPTIMISATION MODELS FOR FACILITY LAYOUT PLANNING IN THE METAL-MECHANIC INDUSTRY

1. Introduction.....	IV-2
2. Collection of reference models.....	IV-2
3. Reference models.....	IV-3
3.1 Model A (Meller et al., 2010).....	IV-6
3.2 Model B (McKendall & Hakobyan, 2010).....	IV-7
3.3 Model C (Mazinani et al., 2013).....	IV-9
3.4 Model D (Abedzadeh et al., 2013).....	IV-10
3.5 Model E (Jolai et al., 2012).....	IV-14
4. Comparative analysis.....	IV-16
5. Conclusions.....	IV-18
6. References.....	IV-19

### CAPÍTULO V. A CONCEPTUAL FRAMEWORK FOR MULTI-OBJECTIVE FACILITY LAYOUT PLANNING BY A BOTTOM-UP APPROACH

1. Introduction.....	V-2
2. Literature review.....	V-2

2.1	Issues limiting real-life mFLP applications.....	V-7
3.	Conceptual framework for mFLP .....	V-11
3.1	Intraworkcell layout phase.....	V-13
3.2	Macrolayout phase.....	V-14
3.3	Refined-layout phase.....	V-15
5.	Conclusions.....	V-15
6.	References.....	V-16

**Parte 3. Planteamiento del modelo analítico bottom-up mDFLP y aplicación a un caso de estudio real**

CAPÍTULO VI. A BOTTOM-UP MULTI-OBJECTIVE OPTIMIZATION APPROACH TO DYNAMIC FACILITY PLANNING

1.	Introduction.....	VI-2
2.	Literature review.....	VI-3
3.	Problem statement.....	VI-6
4.	MOMINLP model formulation.....	VI-8
5.	Solution methodology.....	VI-11
5.1	Linearisation approach.....	VI-11
5.2	Reducing problem symmetry.....	VI-12
5.3	Balancing multiple objectives.....	VI-13
6.	Computational results.....	VI-14
6.1	Real-world case study.....	VI-14
6.2	Tightening the model.....	VI-15
6.3	Bottom-up mDFLP solution.....	VI-17
7.	Conclusions.....	VI-20
8.	References.....	VI-21

**Parte 4. Conclusiones y líneas futuras de investigación**

CAPÍTULO VII. CONCLUSIONES Y LÍNEAS FUTURAS DE INVESTIGACIÓN

1.	Introducción.....	VII-2
2.	Líneas futuras de investigación.....	VII-4
3.	Referencias.....	VII-9

## **Anexos**

ANEXO I. CHARACTERISTICS OF THE MATHEMATICAL MODELS USED IN THE FORMULATION OF THE SFLP.

ANEXO II. CHARACTERISTICS OF THE MATHEMATICAL MODELS USED IN THE FORMULATION OF THE DFLP.

ANEXO III. METAHEURISTICS USED TO FIND SUBOPTIMUM SOLUTIONS TO SFLP AND DFLP.

ANEXO IV. REAL-WORLD FLP APPLICATIONS.

ANEXO V. RELEVANT DATA FOR THE PRESENTED  $N=12/T=3$  CASE STUDY.

ANEXO VI. DYNAMIC LAYOUT SOLUTION FOR THE CASE STUDY  $N=12/T=3$ .

ANEXO VII. STATIC LAYOUT SOLUTION FOR THE CASE STUDY  $N=12/T=3$ .