

Index

| | |
|---|----|
| Introduction | 1 |
| 1. How do we age?: unlocking the connection between ageing and cell senescence | 3 |
| 2. Ageing in murine models: the consequences of senescence | 6 |
| 3. Adult SCs and ageing: a brain case report | 8 |
| 4. The vascular niches and their transformation over time | 12 |
| 5. Brain endothelial senescence: a potential bridge between ageing and neurogenesis decline | 15 |
| 6. Senolysis: a road to rejuvenation? | 17 |
| Objectives | 21 |
| Material and methods | 25 |
| 1. Experimental animals | 27 |
| 1.1. Mice handling | 27 |
| 1.2. Mouse strains | 27 |
| 2. <i>In vitro</i> methods | 27 |
| 2.1. Cellular models of endothelial senescence | 27 |
| 2.2. Primary culture of BECs from SAMP8 and SAMR1 mouse brains | 28 |
| 2.3. EC senescence detection and characterization | 29 |
| 2.4. New fluorogenic probes for SA- β -Gal detection | 30 |
| 2.5. Establishment, propagation, and proliferative analysis of neurosphere cultures | 31 |
| 2.6. Evaluation of the paracrine effects of EC senescence in NSC cultures | 33 |
| 2.7. Adeno-associated vector (AAV2-BR1-p16-GFP) construction for BEC senescence induction | 35 |
| 3. <i>Ex vivo</i> methods | 36 |
| 3.1. Histochemical X-gal staining of SEZ whole-mount preparations | 36 |
| 3.2. Analysis of brain endothelial senescence by flow cytometry | 36 |
| 3.3. Measurement of the senescent cell burden in different organs | 38 |
| 3.4. FACS strategy for the analysis of the SEZ neurogenic lineage | 38 |
| 4. <i>In vivo</i> methods | 40 |
| 4.1. Longitudinal characterisation of ageing through external assessment | 40 |
| 4.2. Systemic β -Gal activity assessment with the renally clearable Cy7Gal probe | 43 |
| 4.3. Senolytic treatments | 44 |

| | |
|---|-----|
| 4.4. Immunohistochemical analysis of adult neurogenesis in the SEZ and the SGZ | 44 |
| 4.5. Analysis of AAV2-BR1-p16-GFP transduction in BECs and its effects on neurogenesis | 45 |
| 4.6. Fluorescent tomato lectins for imaging of blood vessels in SEZ whole-mount preparations | 46 |
| 5. Statistical analysis and data representation | 47 |
| Results | 49 |
| 1. Development of novel strategies for longitudinally monitoring ageing-associated senescence <i>in vivo</i> | 51 |
| 1.1. Longitudinal characterisation of ageing progression | 51 |
| 1.2. <i>In vitro</i> and <i>ex vivo</i> validation of novel molecular probes for senescent cell detection | 56 |
| 1.3. Non-invasive monitoring of age-related senescent cell burden <i>in vivo</i> | 60 |
| 1.4. Longitudinal measurement of senescence and behaviour associated with accelerated ageing and its reversal by senolytics | 61 |
| 1.5. Longitudinal measurement of senescence and behaviour associated with natural ageing and its reversal by senolytics | 62 |
| 2. Characterisation of ageing-associated brain endothelial senescence and its impact on adult neurogenesis | 66 |
| 2.1. Paracrine effects of senescent ECs on NSC behaviour | 66 |
| 2.2. Correlative analysis of brain endothelial senescence and neurogenesis during ageing | 69 |
| 2.3. Correlative analysis of brain endothelial senescence and neurogenesis after senolytic intervention | 72 |
| 2.4. A novel genetic approach to induce senescence in BECs and its impact on neurogenesis | 76 |
| Discussion | 83 |
| Conclusions | 95 |
| Summary | 99 |
| Resumen | 111 |
| Resum | 125 |
| Bibliography | 139 |
| Annex I. Antibodies | 163 |
| Annex II. Culture media and buffers | 167 |
| Annex III. Genetic map of BR1 capsid | 173 |
| Annex IV. Submitted publication | 177 |

Figure index

Introduction

| | |
|---|----|
| Figure 1. Main features of age-related cell senescence | 5 |
| Figure 2. Timeline of the onset of age-related deficits in SAMP8 and SAMR1 mouse strains | 7 |
| Figure 3. Depiction of adult brain neurogenic niches | 11 |
| Figure 4. Overview of age-related alterations in the SEZ vascular niche | 14 |
| Figure 5. Functional analysis of comparative transcriptomic results of BECs from 2- versus 22-month old C57BL/6 mice | 16 |
| Figure 6. Potential intracellular targets of D and Q senolytic drugs | 19 |

Results

| | |
|---|----|
| Figure 7. Assessment of premature ageing-related parameters in SAMP8 and SAMR1 strains | 52 |
| Figure 8. Physical fitness evaluation of SAMP8 and SAMR1 mice over time | 53 |
| Figure 9. Assessment of general motor behaviour during accelerated ageing | 54 |
| Figure 10. Evaluation of anxious-like behaviour during accelerated and natural ageing | 56 |
| Figure 11. Characterisation of an <i>in vitro</i> model of senescence using hUVECs | 57 |
| Figure 12. <i>In vitro</i> validation of new fluorogenic probes for SA- β -Gal detection | 58 |
| Figure 13. Evaluation of WOS-Cy7Gal efficiency for replicative senescence detection in hUVECs | 58 |
| Figure 14. <i>Ex vivo</i> analysis of the senescent cell burden in SAMP8 and SAMR1 animals | 59 |
| Figure 15. Cy7Gal, a new renally clearable fluorogenic probe for <i>in vivo</i> detection of β -Gal activity | 61 |
| Figure 16. Monitoring of senolytic treatment during accelerated ageing | 63 |
| Figure 17. Cy7Gal-based detection of β -Gal activity <i>in vivo</i> during natural ageing | 64 |
| Figure 18. Monitoring of senolytic treatment during natural ageing | 65 |
| Figure 19. Evaluation of the paracrine effects of senescent hUVEC-secreted factors on NSCs <i>in vitro</i> | 67 |
| Figure 20. Evaluation of the paracrine effects of senescent BEC-secreted factors on NSCs <i>in vitro</i> | 68 |
| Figure 21. Initial assessment of cellular senescence in brain microvessels during accelerated ageing | 70 |
| Figure 22. Detection of senescent BECs and analysis of SEZ neurogenesis during accelerated ageing | 71 |
| Figure 23. Detection of senescent BECs and analysis of SEZ neurogenesis during natural ageing | 72 |

| | |
|--|----|
| Figure 24. Evaluation of the impact of D+Q senolytic treatment on endothelial senescence and the SEZ neurogenic lineage | 73 |
| Figure 25. Evaluation of the impact of D+Q senolytic treatment on endothelial senescence and neurogenesis in the OB in SAMP8 mice | 74 |
| Figure 26. Evaluation of the impact of senolytic treatment on endothelial senescence and neurogenesis in the SGZ of SAMP8 mice | 75 |
| Figure 27. Imaging of SEZ blood vessels and β -Gal activity in AAV-BR1-p16-GFP-infected mice | 77 |
| Figure 28. A genetic approach for selective induction of senescence in BECs | 78 |
| Figure 29. Assessment of the impact of selective genetic induction of senescence in BECs on adult neurogenesis | 79 |

Material and methods

| | |
|--|----|
| Graphical method 1. BECs primary culture procedure | 28 |
| Graphical method 2. New fluorogenic probes for SA- β -Gal detection | 30 |
| Graphical method 3. Primary culture, subculture and proliferative analysis of NSCs <i>in vitro</i> | 31 |
| Graphical method 4. Isolation protocol of the soluble fraction secreted by ECs | 34 |
| Graphical method 5. Evaluation of <i>in vitro</i> viral vector transduction in ECs | 36 |
| Graphical method 6. Procedure for phenotyping senescent BECs | 37 |
| Graphical method 7. FACS gating strategy for BECs identification | 37 |
| Graphical method 8. Analysis of the SEZ neurogenic lineage by flow cytometry (Belenguer et al., 2021) | 39 |
| Graphical method 9. Cy7Gal, a renal clearable fluorogenic probe for β -Gal <i>in vivo</i> detection | 43 |
| Graphical method 10. Lectin-labelling of brain blood vessels and imaging of SEZ whole-mount preparations | 46 |