








Basement





LEGEND


-  Cellular concrete brick 30 cm
-  Klinker 13 cm, rigid polyurethane foam and brick facing
-  Cellular concrete brick 24 cm, 14 cm rockwool, and corrugated plates mounted on wooden slats, with protective varnish finish.

-  Cellular concrete brick 24 cm, finish with smooth plates bolted
-  Cellular concrete brick 24 cm
-  Bricks with cement-and-lime plaster.
-  Finished with ceramic tile

Material doors

- M = Metal door
- W= Wooden door
- A= Red wooden door
- B= Brown wooden door
- P= Tailgate
- C= Glass door
- G= Door with glazed
- E= Elevator door
- O= Building exit(conexion Eng. Civil
- N= Door covered
- T= Terrace door

-  Porcelain stoneware floor
-  Parquet flooring
-  Banister
-  Outdoor ceramic tiles



Ground floor

LEGEND



Cellular concrete brick 30 cm



Klinker 13 cm, rigid polyurethane foam and brick facing



Cellular concrete brick 24 cm, 14 cm rockwool, and corrugated plates mounted on wooden slats, with protective varnish finish.



Cellular concrete brick 24 cm, finish with smooth plates bolted



Cellular concrete brick 24 cm



Bricks with cement-and-lime plaster.



Finished with ceramic tile

Material doors

M = Metal door

W= Wooden door

A= Red wooden door

B= Brown wooden door

P= Tailgate

C= Glass door

G= Door with glazed

E= Elevator door

O= Building exit(conexion Eng. Civil

N= Door covered

T= Terrace door



Porcelain stoneware floor




Parquet flooring



Banister










Outdoor ceramic tiles



First floor





LEGEND


-  Cellular concrete brick 30 cm
-  Klinker 13 cm, rigid polyurethane foam and brick facing
-  Cellular concrete brick 24 cm, 14 cm rockwool, and corrugated plates mounted on wooden slats, with protective varnish finish.

-  Cellular concrete brick 24 cm, finish with smooth plates bolted
-  Cellular concrete brick 24 cm
-  Bricks with cement-and-lime plaster.
-  Finished with ceramic tile

Material doors




- M = Metal door
- W= Wooden door
- A= Red wooden door
- B= Brown wooden door
- P= Tailgate
- C= Glass door
- G= Door with glazed
- E= Elevator door
- O= Building exit(conexion Eng. Civil
- N= Door covered
- T= Terrace door





-  Porcelain stoneware floor
-  Parquet flooring
-  Banister
-  Outdoor ceramic tiles



Second floor





LEGEND


-  Cellular concrete brick 30 cm
-  Klinker 13 cm, rigid polyurethane foam and brick facing
-  Cellular concrete brick 24 cm, 14 cm rockwool, and corrugated plates mounted on wooden slats, with protective varnish finish.

-  Cellular concrete brick 24 cm, finish with smooth plates bolted
-  Cellular concrete brick 24 cm
-  Bricks with cement-and-lime plaster.
-  Finished with ceramic tile

Material doors




- M = Metal door
- W= Wooden door
- A= Red wooden door
- B= Brown wooden door
- P= Tailgate
- C= Glass door
- G= Door with glazed
- E= Elevator door
- O= Building exit(conexion Eng. Civil
- N= Door covered
- T= Terrace door





-  Porcelain stoneware floor
-  Parquet flooring
-  Banister
-  Outdoor ceramic tiles



Third floor





LEGEND


-  Cellular concrete brick 30 cm
-  Klinker 13 cm, rigid polyurethane foam and brick facing
-  Cellular concrete brick 24 cm, 14 cm rockwool, and corrugated plates mounted on wooden slats, with protective varnish finish.

-  Cellular concrete brick 24 cm, finish with smooth plates bolted
-  Cellular concrete brick 24 cm
-  Bricks with cement-and-lime plaster.
-  Finished with ceramic tile

Material doors




- M = Metal door
- W= Wooden door
- A= Red wooden door
- B= Brown wooden door
- P= Tailgate
- C= Glass door
- G= Door with glazed
- E= Elevator door
- O= Building exit(conexion Eng. Civil
- N= Door covered
- T= Terrace door





-  Porcelain stoneware floor
-  Parquet flooring
-  Banister
-  Outdoor ceramic tiles



Fourth floor





LEGEND

-  Cellular concrete brick 30 cm
-  Klinker 13 cm, rigid polyurethane foam and brick facing
-  Cellular concrete brick 24 cm, 14 cm rockwool, and corrugated plates mounted on wooden slats, with protective varnish finish.

-  Cellular concrete brick 24 cm, finish with smooth plates bolted
-  Cellular concrete brick 24 cm
-  Bricks with cement-and-lime plaster.
-  Finished with ceramic tile

Material doors

- M = Metal door
- W= Wooden door
- A= Red wooden door
- B= Brown wooden door
- P= Tailgate
- C= Glass door
- G= Door with glazed
- E= Elevator door
- O= Building exit(conexion Eng. Civil
- N= Door covered
- T= Terrace door

-  Porcelain stoneware floor
-  Parquet flooring
-  Banister
-  Outdoor ceramic tiles