

---

# Contents

---

Acknowledgements . . . . .	o
<b>Contents</b>	<b>i</b>
<b>List of Figures</b>	<b>v</b>
<b>List of Tables</b>	<b>xv</b>
<b>Symbology</b>	<b>xvii</b>
<b>1 Introduction</b>	<b>1</b>
1.1 General context . . . . .	1
1.2 Objectives and methodology . . . . .	3
1.3 About this thesis . . . . .	5
References . . . . .	6
<b>2 Direct injection in diesel engines</b>	<b>11</b>
2.1 Introduction . . . . .	11
2.2 Injection and combustion in <i>CIDI</i> engines . . . . .	11
2.3 Injection systems . . . . .	14
2.4 The common-rail injector . . . . .	16
2.4.1 Hydraulic amplified system . . . . .	20
2.4.2 Delphi <i>DFI3</i> . . . . .	22
2.5 The Continental direct-acting injector . . . . .	23
References . . . . .	26
<b>3 The Diesel Spray</b>	<b>29</b>
3.1 Introduction . . . . .	29
3.2 Internal flow . . . . .	30

3.2.1	Forced internal flow . . . . .	31
3.2.2	Upstream of the nozzle . . . . .	34
3.2.3	Needle seat . . . . .	35
3.2.4	Nozzle orifice . . . . .	36
3.3	Spray formation . . . . .	47
3.3.1	Atomization process . . . . .	50
3.3.2	Transient spray and 1-D spray approximation . . . . .	55
3.4	Spray characterization . . . . .	62
3.4.1	Macroscopic characterization . . . . .	62
3.4.2	Microscopic characterization . . . . .	68
3.5	Diesel spray combustion . . . . .	71
3.5.1	Ignition process . . . . .	71
3.5.2	Diffusive phase . . . . .	76
3.5.3	Lift-off length . . . . .	79
3.6	Partial needle lift and injection rate shaping: a review . . . . .	81
	References . . . . .	87
<b>4</b>	<b>Materials and methods</b>	<b>101</b>
4.1	Introduction . . . . .	101
4.2	Injection system . . . . .	102
4.3	Internal flow characterization . . . . .	104
4.3.1	Rate of injection measurement . . . . .	105
4.3.2	Rate of momentum measurement . . . . .	107
4.4	High-temperature and high-pressure test rig . . . . .	109
4.4.1	Gas circuit . . . . .	110
4.4.2	Heating system . . . . .	113
4.4.3	Test chamber . . . . .	115
4.4.4	Temperature control . . . . .	116
4.4.5	Nozzle temperature control . . . . .	117
4.5	Optical diagnostics . . . . .	119
4.5.1	Mie scattering . . . . .	119
4.5.2	Schlieren imaging . . . . .	125
4.5.3	Diffused back-light illumination ( <i>DBI</i> ) . . . . .	130
4.5.4	$CH^*$ and $OH^*$ chemiluminescence . . . . .	131
4.5.5	2-color optical pyrometry (2C) . . . . .	139
4.6	Test conditions and parametric variations . . . . .	146
	References . . . . .	147
<b>5</b>	<b>Results and discussion: internal flow and spray development</b>	<b>153</b>
5.1	Introduction . . . . .	153

5.2	Hydraulic characterization . . . . .	153
5.2.1	Rate of injection . . . . .	154
5.2.2	Needle opening . . . . .	156
5.2.3	Injection rate shaping . . . . .	159
5.2.4	Rate of momentum . . . . .	160
5.2.5	Hydraulic characterization results . . . . .	162
5.2.6	Reference injection conditions . . . . .	163
5.3	Spray development at isothermal conditions . . . . .	165
5.3.1	Penetration and spreading angle . . . . .	168
5.3.2	Spray axis . . . . .	174
5.3.3	Transient behaviors . . . . .	177
5.4	Spray development at evaporative conditions . . . . .	184
5.4.1	Effect of boundary conditions . . . . .	185
5.4.2	Global analysis . . . . .	188
5.4.3	Liquid- and Vapor-phase penetration. . . . .	192
5.5	Hole-to-hole dispersion and repeatability . . . . .	195
5.6	Summary of the results . . . . .	197
5.7	Discussion and analysis . . . . .	198
	References . . . . .	204
<b>6</b>	<b>Results and discussion: spray ignition and combustion</b>	<b>211</b>
6.1	$CH^*$ and $OH^*$ chemiluminescence imaging . . . . .	211
6.1.1	$CH^*$ and $OH^*$ appearance . . . . .	211
6.1.2	Effect of boundary conditions . . . . .	212
6.1.3	Effect of injection parameters . . . . .	216
6.2	First- and second-stage ignition characterization . . . . .	219
6.2.1	Effect of ambient parameters . . . . .	220
6.2.2	Effect of injection parameters . . . . .	221
6.2.3	General comparison . . . . .	226
6.3	Lift-off length: steady and transient behavior. . . . .	228
6.3.1	<i>Square injections</i> . . . . .	228
6.3.2	Effect of injection rate shaping . . . . .	233
6.4	Statistical analysis . . . . .	235
6.5	Hole-to-hole dispersion . . . . .	238
6.6	Soot production and flame temperature analysis . . . . .	239
6.6.1	Effect of ambient parameters . . . . .	239
6.6.2	Effect of injection parameters . . . . .	244
6.6.3	General comments about the $2C$ . . . . .	249
	References . . . . .	250

---

<b>7</b>	<b>Conclusions and future directions</b>	<b>255</b>
7.1	Introduction . . . . .	255
7.2	Summary and conclusions . . . . .	255
7.2.1	Injector capabilities . . . . .	256
7.2.2	Partial needle lift, fuel flow and spray development . . . . .	257
7.2.3	Injection rate profile and spray combustion . . . . .	258
7.3	Future directions . . . . .	259
	<b>Bibliography</b>	<b>261</b>