

Contents

RESUMEN	15
RESUM.....	19
SUMMARY.....	23
INTRODUCTION	27
1.1. OBJECTIVES	27
1.2. POLY(2-HYDROXYETHYL ACRYLATE).....	28
1.3. INTRODUCTION TO THE SOL-GEL PROCESS.....	30
1.3.1. <i>Sol-gel reactions</i>	31
1.3.2. <i>Factors affecting the hydrolysis rate of tetraethoxysilane</i> ..	33
1.3.3. <i>pH influence on the condensation mechanism</i>	35
1.3.4. <i>Silica growth: linear versus branched species</i>	36
1.4. INTRODUCTION TO COMPOSITES.....	39
1.4.1. <i>Composite composition</i>	40
1.4.2. <i>Filler structure</i>	41
1.4.3. <i>Interfaces and interphases</i>	42
1.5. SOL-GEL DERIVED NANOCOMPOSITES	43
1.5.1. <i>Silica reinforced poly(2-hydroxyethyl acrylate)</i>	44
1.6. SCAFFOLDS MADE BY HYBRID MATERIALS	46
1.7. NANOINDENTATION ASSAYS BY ATOMIC FORCE MICROSCOPY	47
1.8. KINETICS OF THE STRUCTURAL RELAXATION PROCESS IN NANOCOMPOSITES BY DIFFERENTIAL SCANNING CALORIMETRY	54
MATERIALS AND METHODS.....	57
2.1. MATERIALS	57
2.1.1. <i>PHEA-silica nanocomposites</i>	57
2.1.2. <i>Copolymer nanocomposites</i>	59
2.1.3. <i>Nanocomposite scaffolds</i>	60

2.2. EXPERIMENTAL TECHNIQUES	61
2.2.1. Density and solvent uptake measurements	62
2.2.2. Fourier transform infrared spectroscopy (FTIR)	63
2.2.3. Dynamic mechanical analysis (DMA).....	63
2.2.4. Thermogravimetric analysis (TGA).....	63
2.2.5. Scanning electron microscopy (SEM)	64
2.2.6. Transmission electron microscopy (TEM)	64
2.2.7. Optical properties	65
2.2.8. Differential scanning calorimetry (DSC).....	65
2.2.8.a. Standard heating scans	66
2.2.8.b. Physical ageing assays.....	67
2.2.9. Atomic Force Microscopy (AFM)	68
2.2.9.a. Tapping mode	68
2.2.9.b. Nanoindentation assays.....	69
2.2.10. Scaffold porosity	70
2.2.10.a. The apparent density method.....	70
2.2.10.b. Mercury porosimetry.....	71
2.2.11. Pyrolysis.....	72
2.2.12. Computer simulation of the scaffolds pore structure.....	72
2.2.13. Silica dissolution.....	73

RESULTS AND DISCUSSION 75

3.1. SILICA STRUCTURE ON PHEA-DERIVED NANOCOMPOSITES	75
3.1.1. The silica size	75
3.1.2. Silica dispersion on PHEA-based sol-gel hybrid systems....	82
3.1.3. Porous distribution of silica	86
3.2. CHEMICAL AND/OR PHYSICAL BONDS BETWEEN ORGANIC AND INORGANIC PHASES?	88
3.3. INFLUENCE OF THE SILICA AMOUNT ON THE NANOCOMPOSITE PROPERTIES	88
3.3.1. Mechanical properties.....	91
3.3.2. Real silica contents and thermal stability.....	95
3.3.3. Continuity of silica phase.....	98
3.3.4. Confinement of PHEA owing to the coexistence with silica	106
3.3.5. Physical ageing in nanocomposites.....	119

3.5. NANOCOMPOSITE SCAFFOLDS WITH ORDERED CYLINDRICAL ORTHOGONAL PORES.....	128
3.5.1. <i>Pore structure</i>	128
3.5.2. <i>The silica phase within scaffolds</i>	134
3.5.3. <i>Mechanical properties of scaffolds</i>	135
3.5.4. <i>Changes in materials due to the scaffold fabrication process</i>	137
CONCLUSIONS.....	141
APPENDICES	145
APPENDIX 1: AFM IMAGES OF NANOCOMPOSITES' SILICA AFTER PYROLYSIS	145
APPENDIX 2: STIFFNESS OF PHEA-SILICA HYBRIDS MEASURED BY NANOINDENTATION	151
APPENDIX 3: C_p - C_{PREF} FOR PHEA-BASED NANOCOMPOSITES AT DIFFERENT ANNEALING TEMPERATURES	157
GLOSSARY	165
REFERENCES	169