

Contents

I	Noise barriers based on rubber crumb cylinders	1
1	Introduction	3
1.1	Traffic noise pollution	3
1.2	Rubber crumb as acoustic absorbent	4
1.3	Sonic crystals	5
1.3.1	Sonic crystals as noise barriers	6
1.4	Objectives	7
2	Multiple scattering theory	9
2.1	The acoustic wave equation	9
2.2	Scattering by a single cylinder	12
2.2.1	Fluid cylinder	14
2.2.2	Rigid cylinder	16
2.2.3	Cylindrical shell	16
2.3	Arbitrary located scatterers	18
2.4	Periodic arrays of scatterers	20
3	Rubber crumb modelling	25
3.1	Introduction	25
3.1.1	Empirical models	26
3.1.2	Phenomenological models	26
3.1.3	Microstructural models	27
3.2	Acoustic model of rubber crumb	29
3.2.1	Dynamic mass density	30
3.2.2	Bulk modulus	31
3.3	Parameters of rubber crumb	32
3.3.1	Flow resistivity	33

3.3.2	Tortuosity	33
3.3.3	Porosity	34
3.3.4	Shape factors	34
3.3.5	Complete model	34
4	Experimental characterization	39
4.1	Experimental setup	39
4.2	Results	44
4.2.1	Barrier made of rigid cylinders	44
4.2.2	Barrier made of rubber crumb cylinders	49
4.3	Discussion	52
5	Optimum barrier design	57
5.1	Introduction	57
5.2	Multiple reflection model	58
5.3	Optimization model	60
5.4	Results	65
5.5	Experimental Verification	66
II	Noise barriers based on microperforated cylinders	71
6	Introduction	73
6.1	Microperforated panels	73
6.2	Objectives	76
7	Theoretical model of microperforated cylinders	77
7.1	Impedance of a perforation	77
7.1.1	Internal part	78
7.1.2	Viscous end correction	80
7.1.3	Mass end correction	81
7.1.4	Nonlinear effects	82
7.1.5	Grazing flow effects	83
7.1.6	Total impedance	84
7.2	Microperforated panels	84
7.3	T matrix of microperforated cylinders	87

7.3.1	Hollow microperforated cylinder	87
7.3.2	Microperforated cylinder with porous core	89
7.3.3	Cylinder with two perforated shells	91
7.3.4	Numerical verification	92
7.3.5	Experimental verification	93
8	Experimental characterization	99
8.1	Experimental setup	99
8.1.1	Samples	99
8.1.2	Measurement method	106
8.1.3	Experimental setup	108
8.2	Results	110
8.3	Discussion	116
9	Optimum barrier design	119
9.1	Optimization model	119
9.2	Results	122
9.3	Optimization of the perforations	125
10	Anomalous absorption in lattices of perforated shells	129
10.1	Introduction	129
10.2	Samples and theoretical approach	132
10.3	Loss-less scatterers	133
10.4	Lossy scatterers	138
III	Acoustic cloaking	145
11	Introduction	147
11.1	Acoustic cloaking	147
11.2	Objectives	150
12	Reduced acoustic cloak based on temperature variations	151
12.1	Transformation acoustics cloak	151
12.2	Reduced implementation of an acoustic cloak through temperature variations	153
12.3	Results	157

13 Two-dimensional cloak based on scattering cancellation	163
13.1 Design	163
13.2 Sample and experimental setup	166
13.3 Results	170
14 Three-dimensional cloak based on scattering cancellation	175
14.1 Design	175
14.2 Sample and experimental setup	181
14.3 Results	184
Concluding remarks	191
Conclusions	191
Future work	193
Appendix	197
A Calculation of T matrix through the finite element method	197
A.1 Introduction	197
A.2 Procedure	198
A.3 Example	199
B Publications	201
B.1 Articles directly related with this PhD work	201
B.2 Articles in related topics	202
B.3 International Meetings and Conferences	203