INDEX

I. INTRODUCTION
I.1. Origin, Botany and Morphology
I.2. Production and Economic value
I.2.1. Worldwide production
I.2.2. The importance of persimmon crop in the Mediterranean region.
I.2.3. Evolution of the persimmon crop in the Valencian Community. Importance of variety 'Rojo Brillante'
I.3. Fruit Development and Maturity
I.3.1. Physicochemical changes during fruit growth and maturation.
I.3.2. Changes in the soluble tannins responsible for astringency
I.3.3. Quality at harvest and phytonutrients
I.4. Postharvest Physiology and Technology
I.4.1. Removing astringency
I.4.2. Storage
I.4.2.1. Chilling injury
I.4.2.2. Treatments to alleviate chilling injury
I.4.3. Packaging operations
I.4.4. Controlling pathological diseases and insect pests
I.4.4.1. Fungal diseases and their control
I.4.4.2. Insect pest and their control.
II. OBJECTIVES
III. RESULTS AND DISCUSSION
III.1. INVOLVEMENT OF OXIDATIVE STRESS IN PHYSIOLOGICAL DISORDERS OF PERSIMMON FRUITS
CHAPTER I:
Effect of CO ₂ deastringency treatment on flesh disorders induced by mechanical damage in persimmon. Biochemical and microstructural studies
Reference: Food Chemistry, 2014, 145: 454-463.

CHAPTER II:	
Sensitivity of astringent and non-astringent persimmon cultivars to flesh disorders induced by mechanical damage	99
Reference: Acta Horticulturae, 2015, 1079: 605-610.	
CHAPTER III:	
Deastringency treatment with CO ₂ induces oxidative stress in persimmon fruit	112
Reference: Postharvest Biology and Technology, 2014, 92: 16-22	113
CHAPTER IV:	
Involvement of the redox system in chilling injury and its alleviation by 1-methylcyclopropene in 'Rojo Brillante' persimmon	139
Reference: <i>HortScience</i> , 2015, 50: 570-576	
III.2. EVALUATION OF POSTHARVEST TREATMENTS TO IMPROVE FRUIT QUALITY DURING COLD STORAGE	163
CHAPTER V:	
Effect of a low oxygen atmosphere on preserving the quality of 'Rojo Brillante' and 'Triumph' persimmon during cold storage	165
Reference: Scientia Horticulturae, 2014, 179: 51-58	
CHAPTER VI:	
Short-term high CO_2 treatment alleviates chilling injury of persimmon cv. Fuyu by preserving the parenchyma structure	193
Reference: Food Control, 2015, 51: 163-170	
CHAPTER VII:	
Response of 'Fuyu' persimmons to disinfesting ethyl formate fumigation and 1-MCP treatment	219
Reference: Submitted to Postharvest Biology and Technology	217
CHAPTER VIII:	
Is there a relationship between ethyl formate and ethylene biosynthesis in persimmon fruit?	239
Reference: Pending submission	

III.3. PHYSIOLOGICAL AND NUTRITIONAL STUDY OF PERSIMMON CULTIVARS INTRODUCED FROM OTHER COUNTRIES IN ORDER TO BROADEN VARIETAL RANGE.	265
CHAPTER IX: Fruit quality and response to deastringency treatment of eight persimmon varieties cultivated under Spanish growing conditions	267
CHAPTER X : Influence of persimmon astringency-type on physicochemical changes from the green stage to commercial harvest	281
CHAPTER XI: Nutritional composition of ten persimmon cultivars in the 'ready-to-eat crisp' stage. Effect of deastringency treatment	307
IV. GENERAL DISCUSSION	333
V. GENERAL CONCLUSIONS	355