

Table of contents

1	Introduction	15
1.1	Evolution and New Challenges of Digital Terrestrial Broadcasting	15
1.2	Preliminaries	19
1.3	Research Challenges on Non-Uniform Constellations	22
1.4	Objectives and Scope	23
1.5	State-of-the-Art	25
1.6	Thesis Outline and Contributions	31
1.7	List of Publications	34
1.7.1	Publications and Activities Related to this Thesis	34
1.7.2	Other Publications	35
2	Background	37
2.1	System Model Overview	37
2.1.1	Multi-Antenna Considerations	39
2.1.2	BICM Components	41
2.2	BICM Capacity Limits	43
2.2.1	The Unconstrained Shannon Limit	43
2.2.2	Capacity Calculation for BICM	44
2.2.3	BICM Limits for Uniform QAM Constellations	45
2.2.4	Extension to MIMO-BICM Systems	48
2.3	Single-Antenna Receivers	49
2.3.1	Demapping Algorithms	50
2.3.2	Signal Quantization	53
2.4	Multi-Antenna Receivers	55
2.4.1	ML and Max-Log Demappers	56
2.4.2	ZF and MMSE Detectors	57
2.4.3	Sphere Decoding Techniques	58

TABLE OF CONTENTS

3 Optimization and Performance Evaluation of Non-Uniform Constellations	61
3.1 Non-Uniform Constellations Optimization	61
3.1.1 One-Dimensional Non-Uniform Constellations	62
3.1.2 Two-Dimensional Non-Uniform Constellations	70
3.1.3 BICM Capacity Improvements	75
3.2 Non-Uniform Rotated Constellations	77
3.2.1 Optimization Before Rotation	78
3.2.2 Optimization with Additional Rotation	80
3.3 Application of NURC to Multi-RF Techniques	82
3.4 Performance Analysis Based on Physical Layer Simulations	84
3.4.1 Non-Uniform Constellations Gain	85
3.4.2 Rotation Gain	87
3.4.3 Non-Uniform Rotated Constellations with Multiple RF Channels	87
3.5 Conclusion	94
4 Low-Complexity Demapping and Quantization Algorithms	97
4.1 Demapping Complexity at the Receiver	98
4.2 Low-Complexity Demapping Algorithm	100
4.2.1 Quadrant Search Reduction (QSR)	100
4.2.2 Condensed Symbols Reduction (CSR)	102
4.2.3 Quadrant Condensed Search Reduction (QCSR)	104
4.3 Performance Evaluation: Minimum Number of Distances	105
4.3.1 Calculation of the Minimum Number of Distances	105
4.3.2 Performance Loss with Alternative Channel Models	108
4.3.3 QCSR with Non-Uniform Rotated Constellations	110
4.4 Digital Quantization of LLR and I/Q Components	111
4.4.1 System Model and Potential Scenarios	112
4.4.2 Quantization of Log-Likelihood Ratios	115
4.4.3 Quantization of I/Q Components	119
4.5 Quantization Loss vs. Time De-Interleaving Memory Trade-Off	121
4.5.1 Performance Loss of LLR Quantization	123
4.5.2 Performance Loss of I/Q Components Quantization	124
4.5.3 Time De-Interleaving Memory Requirements	126
4.6 Conclusion	127
5 Non-Uniform Constellations for MIMO Communications	129
5.1 Multi-Antenna Non-Uniform Constellations	130
5.1.1 Preliminary Design	131
5.1.2 Re-optimization without Power Imbalance	138

TABLE OF CONTENTS

5.1.3	Re-optimization with Power Imbalance	140
5.2	Performance Evaluation of Multi-Antenna Non-Uniform Constellations	142
5.2.1	Transmission without Power Imbalance	142
5.2.2	Transmission with Power Imbalance of 6 dB	143
5.3	Demapping Complexity Analysis	145
5.4	Fixed Sphere Decoder for Two-Dimensional NUCs in MIMO	146
5.4.1	Successive Interference Cancellation	147
5.4.2	Voronoi Regions Selection Algorithm	147
5.4.3	Resolution vs. Performance Trade-Off	151
5.5	Conclusion	152
6	Conclusions and Future Work	153
6.1	Concluding Remarks	154
6.1.1	Non-Uniform Constellations Optimization	154
6.1.2	Complexity Implications at the Receiver	155
6.1.3	Multi-Antenna Optimization and Complexity Reduction	157
6.2	Constellation and CR Recommendation	158
6.3	Future work	161
6.3.1	High-Order Two-Dimensional Non-Uniform Constellations	161
6.3.2	Further Optimization for MIMO Systems	161
6.3.3	The Future of Broadcasting: Constellations for 5G Communications	161
A	Physical Layer Simulator	163
A.1	Transmitter Block Diagram	163
A.2	Receiver Block Diagram	168
A.3	Channel Models	170
B	Optimization Algorithm	175
B.1	Nelder-Mead Simplex Method	175
B.2	Application to Use Cases Considered	179
Acronyms		183
References		187