

Index

Spaces

- $(AC)_0(X)$, 20
 - (LB)-case of, 49
 - Fréchet case of, 46
- $(AH)_0(G)$, 18
 - Fréchet case of, 119
- $(\mathcal{A}_N)_0 H(G)$, 18
- $A(K, \lambda)$, 144
- $AC(X)$, 20
 - (LB)-case of, 49
 - Fréchet case of, 46
- $AH(G)$, 18
 - Fréchet case of, 119
- $A_{(\omega, R)}$, 144
- $A_{\mathbb{P}}(\mathbb{C})$, 88
- $A_{\{\omega, R\}}$, 144
- $C(A^1)_0(X_1) \check{\otimes}_{\varepsilon} \mathcal{V}_0^2 C(X_2)$, 29
- $C(V_n)_0(X)$, 31
- $C(X)$, 20
- $CA(X)$, 22
- $CA_0(X)$, 22
- $CV_n(X)$, 31
- $C^\infty(K)$, 144
- $Ca(X)$, 20
- $Ca_0(X)$, 20
- $H(G)$, 17
- $HV(G)$, 145
 - $HV_0(G)$, 145
 - $H\bar{V}(G)$, 62
 - $H\bar{V}_0(G)$, 62
 - $H_p^2(\mathbb{C})$, 88
 - $H_p^\infty(\mathbb{C})$, 88
 - $Ha(G)$, 17
 - $Ha_0(G)$, 17
 - $P(V_n)_0(G)$, 61
 - $P(v_{n,N})_0(G)$, 61
 - $\ell^2(b)$, 91
 - $\ell^\infty(b)$, 91
 - $\lambda^0(A)$, 30
 - $\lambda^0(A) \check{\otimes}_{\varepsilon} k^0(B)$, 30
 - $\lambda^\infty(A)$, 47
 - $\mathcal{A}_N C(X)$, 20
 - $\mathcal{A}_N H(G)$, 18
 - $\mathcal{E}'_{\{\omega\}}[-R, R] \check{\otimes}_{\varepsilon} \mathcal{E}'_{(\omega)}[-R, R]$, 146
 - $\mathcal{E}_{(\omega)}(K)$, 144
- $\mathcal{E}_{(\omega)}^n(K)$, 144
- $\mathcal{E}_{\{\omega\}}(K)$, 144
- $\mathcal{E}_N^{\{\omega\}}(K)$, 144
- $\mathcal{V}C(X)$, 31
 - (LB)-case of, 31
- $\mathcal{V}H(G)$, 62
- $\mathcal{V}H(\mathbb{D})$
- $\mathcal{V}_0^2 C(X_2)$, 27
- $\mathcal{V}_0 C(X)$, 31
 - (LB)-case of, 31
- $\mathcal{V}_0 H(G)$, 62
- $\mathcal{V}_0 H(\mathbb{D})$
 - (LB)-case of, 65
- $\mathcal{V}_0 P(G)$, 62
 - (LB)-case of, 65
- $k^0(B)$, 30
- $k^2(B)$, 91
- $k^\infty(B)$, 91
- s , 25

Weight Conditions

- (Σ) , 55
- $(\Sigma)^\sim$, 55
- (\overline{wS})
 - Fréchet case of, 46
- $(Q)_{\text{in}}^\sim$, 19
- $(Q)_{\text{out}}^\sim$, 20
- $(wQ)_{\text{in}}^\sim$, 20
- $(wQ)_{\text{out}}^\sim$, 20
- $(B)^\sim$, 20
- $(DN)_w$, 22
- (S') , 145
- $(wQ)^P$, 100
- $(\Omega)_w$, 22
- $(\overline{\Omega})_w$, 25
- $(Q)_\omega$, 111
- (wS) , 42
- $(\underline{DN})_w$, 25
- (B) , 20
- (N) , 96
- (Q) , 19
 - Fréchet case of, 47

- (S), 145
- (V), 145
- (W1), 119
- (W2), 119
- (Q), 41
 - Fréchet case of, 47
- (wQ), 19
 - Fréchet case of, 48
- (wS), 47
- regularly decreasing condition, 32

Abstract Conditions

- ($\overline{B1}$), 43
- (P_2), 44
- (\bar{P}_2), 44
- (B1) * , 49
- (Ω), 21
- (Ω_φ), 45
- ($\bar{\Omega}$), 25
- (B1), 38
 - (LB)-case of, 49
 - Fréchet case of, 45
- (B2), 38
- (DN), 21
- (DN), 25

Grothendieck-Pietsch condition, 94

quasinormability condition, 45

Notions and Notations

- ($\frac{1}{q}$) \sim , 19
- ($\frac{1}{q}$) $\tilde{0}$, 19
- $A^1 \otimes (A^2)^{-1}$, 24
- $B_{N,n}$, 18
- $B_{N,n}^\circ$, 18
- E , 72
- P_n° , 65
- U_n , 21
- W , 58
- \overline{A} , 42
- \overline{V} , 46, 62
- \mathbb{M} , 45
- \mathbb{P}
- the sequence of weights, 88
- the space of polynomials, 50
- \mathcal{A} , 18, 20
- \mathcal{AC} , 20
- \mathcal{AH} , 18
- \mathcal{AL} , 47
- \mathcal{A}_0C , 20
- \mathcal{A}_0H , 18
- \mathcal{A}_0L , 47
- \mathcal{A}_N , 20
- \mathcal{P} , 138
- \mathcal{U} , 109
- \mathcal{V} , 61
- \mathcal{V}^2 , 27
- $\mathcal{W}(\varepsilon_0, k_0)$, 69
- \tilde{w} , 19
- \tilde{w}_0 , 19
- associated weight, 19
- balanced setting, 49
- Cesàro means, 50
- class \mathcal{W} , 58
- class (E)_{C,c}, 71
- condition (LOG), 78
- conditions (DFN 1–5), 86
- conditions (LOG 1–2), 78
- conditions (WF 1–3), 102
- essential weight, 53
- growth condition, 19
- harmonic extension, 102
- Köthe (PLB)-matrix, 98
- Köthe set, 46
- mixed space of ultradistributions, 143
- o-growth conditions, 17, 18
- projective description, 62
- projective hull, 62
- reducedness
 - classical sense, 40
 - different notions of, 40
 - in the sense of Wengenroth, 40
 - strongly–, 40

- vanishing at infinity, 17
- weight, 17
- weight function, 86, 102, 143
 - (DN)-, 144
 - non-quasianalytic, 144
 - quasianalytic, 144
 - strong, 144
- Young conjugate, 99